REAGAN
IRON
&
CROCKETT
COUNTIES


SHELF 25

UNIVERSITY LANDS


BOOK U. T.


VOL. 11


BLOCKS 38 TO 51



Book U.T. - VOL. section 10- page 2.64. BLOCK 47 section 11. Page 265 section 20- Page 274 in 9- Page 328 Block 50. section 10- Page - 329. 1.50







I, Wm. H. McDonald, Commissioner of the General
Land Office of the State of Texas, do hereby
certify:

That this book designated as "Book UT Vol. 11" contains field notes of all the sections in Blocks 38-51 inclusive, University land in Reagan, Crockett and Irion Counties, surveyed under an Act approved March 29, 1929, by Frank F. Friend, Special Surveyor of University lands, which field notes, numbered from page 1 to page 352 inclusive, have been examined, approved and filed as of this date Nov. 4, 1937.

IN TESTIMONY WHEREOF, I hereunto set my hand and affix the seal of said office, this the 4th day of November, A. D., 1937.

Commissioner of the General Land

Office.

THIS VOL. #11 CONTAINS:

about 2									P	age	s
	Fieldnotes	of	Sections	1	to	30,	Block	#38	1	to	30
	Fieldnotes	of	Sections	1	to	30,	Block	#39	31	to	60
	Fieldnotes	of	Sections	1	to	30,	Block	#40	61	to	90
	Fieldnotes	of	Sections	1	to	30,	Block	#41	91	to	120
	Fieldnotes	of	Sections	1	to	24,	Block	#42	121	to	144
	Fieldnotes	of	Sections	1	to	25,	Block	#43	145	to	169
	Fieldnotes	of	Sections	1	to	25,	Block	#44	170	to	194
	Fieldnotes	of	Sections	1	to	30,	Block	#45	195	to	224
	Fieldnotes	of	Sections	1	to	30,	Block	#46	225	to	254
	Fieldnotes	of	Sections	1	to	25,	Block	#47	255	to	279
	Fieldnotes	of	Sections	1	to	25,	Block	#48	280	to	304
	Fieldnotes	of	Sections	1	to	15,	Block	#49	305	to	319
	Fieldnotes	of	Sections	1	to	15,	Block	#50	320	to	334
	Fieldnotes	of	Sections	1	to	18,	Block	#51	335	to	352

For Plat see General Sketch in The State of Texas Vol.12 G. L.O.; and in Vol. 1-1; Irion.

SECTION No. 1 CROCKETT & IRION County | BLOCK No. 38

40 1 18 1 B₇38 B 38 U U Fig. #1.

FIELD NOTES of a survey of

541.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Fig. Mag. Declination 10° 48' East.

0° 16' 30" True North is the Field notes of this survey.

to the

right of the North point used in

Said survey is situated in CROCKETT & IRION on the drainage of Spring Creek Creek, a tributary of Concho River, about 26 miles N 13°E of Ozona, the County Site of Crockett County; and about 21 miles S 60° W of Mertzon, the County Site of Irion County. County, Texas,

Beginning at a concrete monument set on the North side of a gully running East, 60.2 varas South of the South end of a lane where it turns East, for the NW corner of this section No. 1, Block 38, stamped its brass plate in top as is represented in figure No. 1 above, from which a mesquite 6 inches in diameter bears South 1.6 varas; a 20-inch mesquite marked "X", an 8-inch mesquite marked "K", another 8-inch mesquite marked "F", and a 6-inch mesquite marked "T" bear respectively S 54° 23' E 12.5 varas, S 12° 41' W 42.5 varas, N 74°25'W 35.4 varas, and N 61° 03' W 39.8 varas; a steel windmill bears S 21° 53' W about 475 varas; the original common corner of surveys Nos. 23, 24, 25, Washington County Railroad Company Land, being an old stone mound of 26 stones embedded in soil 0.5 varas North of an East-West fence, from which a mesquite stump with a large rock leaning West fence, from which a mesquite stump with a large rock leaning against it, and another mesquite stump with two sprouts on it, against the base of which is also a flat rock, bear respectively N 60° 30' W 24.4 varas and N 70° W 5.4 varas, bears N 0° 11' 31" E 5913.6 varas; an old stone mound identified as the original common corner of sections Nos. 7, 8, 17, and 18, Block 40, University Land, bears S 89° 29' 40" W 1924.4 varas being situated on the North bank of a dry creek runningEast.

Thence South --- at 866.3 varas cross the Crockett-Irion County

Line --- at 1654.9 varas point for the SW corner of this section No. 1.

Thence East 1836.4 varas to a point for the SE corner of this

section No. 1. Thence North --- at 500.1 varas pass a 60d hub nail in a small rock mound --- at 801.7 varas recross the Crockett-Irion County Line --- at 1671.1 varas set a concrete monument for the NE corner of this section No. 1, situated in a smooth valley sloping NW, 17.4 varas South of the South boundary fence of an East-West lame, stamped its brass plate in top as is represented in figure No. 2 above, from which a windmill bears S 67° 36' W about 1 mile; a steel windmill on the horizon bears N 3° 12' W; a clump of trees on a point of hill bears N 20°30'E about 1/2 mile; an 8-inch mesquite marked "F" and a 10-inch mesquite marked "T" bear respectively S 71° 33' E 44.0 varas and S 16° 15' E 55.6 varas; another mesquite 15 inches in diameter near the South edge of valley and North edge of gravelly slope bears S 75° 09' E 146 varas. Thence S 89° 29' 40" W 1836.5 varas to the place of beginning. section No. 1, situated in a smooth valley sloping NW, 17.4 varas South

NOTE: Of this survey there are 258.7 acres in Crockett County; and 282.3 acres in Irion County.

Surveyed November 23, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 97

This day of January, 1937. 4th

Orig. in Bk.UT, Vol.11,p 1,G.L.C. Recorded in Bk.UT, Vol. I-1, p 1, Mertzon,

Texas, Irion County.

For Plat see General Sketch in The State of Texas County; and in Vol. I-1, Irion Co. 1 2 38

SECTION No. 2 CROCKETT & IRION County | BLOCK No. 38

FIELD NOTES of a survey of

580.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 46' East. True North is 161 the Field notes of this survey.

U

to the

right

of the North point used in

Said survey is situated in

CROCKETT & IRION County, Texas, on the drainage of Spring Creek, a tributary of Concho River, about 26 miles N 15 E of Ozona, the County Site of Crockett County; and about 20 miles S 59° W of Mertzon, the County site of Irion County.

Beginning at the concrete monument set for the NE corner of section No. Beginning at the concrete monument set for the NE corner of section No. 1, this Block, situated in a smooth valley sloping NW, 17.4 varas South of the South boundary fence of an East-West lane, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears S 67° 36' W about 1 mile; a steel windmill on the horizon bears N 3° 12' W; a clump of trees on a point of hill bears N 20° 30' E about 1/2 mile; an 8-inch mesquite marked "F" and a 10-inch mesquite marked "T" bear respectively S 71° 33' E 44.0 varas and S 16° 15' E 55.6 varas; another mesquite 15 inches in diameter near the South edge of valley and North edge of gravelly slope bears the South edge of valley and North edge of gravelly slope bears S 75° 09' E 146 varas.

Thence South --- at 869.4 varas cross the Crockett-Irion County Line --- at 1171.0 varas pass a 60d hub nail in a small rock mound --- at 1671.1 varas strike the SE corner of said section No. 1.

Thence East 1950.0 varas to a point for the SE corner of this section No. 2.

Thence North --- at 815.6 varas recross the Crockett-Irion County Line --- at 1688.3 varas point in prairie for the NE corner of this section No. 2, from which an old stone mound under an East-West net wire fence having 3 barbed wires above the net, the original Thomson NE corner of this section #2, bears N 89° 29' 40" E 7.8 varas.

Thence S 89° 29' 40" W 1950.1 varas to the place of beginning.

NOTE: Of this survey there are 279.3 acres in Crockett County; and 300.9 acres in Irion County.

Surveyed November 23, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 98

day of January, 1937. This 5th Orig. in Bk.UT, Vol 11,p 2,G.L.O. Recorded in Bk.UT, Vol. I-1,p 2, Mertzon, Texas, Irion County.

vol.12, G.L.O.; in Vol. C-2, Crockett The State of Texas County; and in Vol. I-1, Irion Co.

SECTION No. 3

CROCKETT & IRION County | BLOCK No. 38

FIELD NOTES of a survey of

586.5

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Clination 10° 46' East. True North is 0° 15' 30" Mag. Declination

4

38

T

to the

of the North point used in right

the Field notes of this survey. Said survey is situated in on the drainage of

U

B

Spring

CROCKETT & IRION County, Texas,

Creek, a tributary of Concho River,

about 26 miles N 18°E of Ozona, the County Site of Crockett County; and about 19 miles S 57° W of Mertzon, the County Site of Irion County. Beginning at a point in prairie at the NE corner of section No. 2,

this Block, from which an old stone mound under an East-West 36-inch net wire fence having 3 barbed wires above the net, the original Thomson NW corner of this section No. 3, bears N 89° 29' 40" E 7.8

Thence South --- at 872.7 varas cross the Crockett-Irion County Line --- at 1688.3 varas strike the SE corner of section No. 2, this Block.

Thence East 1950.0 varas to a point for the SE corner of this section

Thence North --- at 309.2 varas pass a 60d hub nail in a small rock mound on top of a high mesa --- at 829.6 varas recross the Crockett-Irion County Line --- at 1359.2 varas pass another 60d hub nail in a small rock mound --- at 1663.4 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 1707.6 varas set a concrete monument in almost brushless prairie about 40 varas North of a low flat grassy drain running West, then NW into Spring Creek, for the NE corner of this section No. 3, stamped its brass plate in top as is represented in the figure above, from which the plate in top as is represented in the figure above, from which the junction of a fence from the NE with an East-West fence bears \$ 76° 12' W 189.0 varas; a steel windmill on the new highway bears N 56° 15' W; a wooden windmill bears N 23° 29' W about 1 mile; an old rock mound identified as the original Thomson NE corner of this section No. 3 bears N 89° 26' 05" E 4.8 varas. The following needle bearings were taken, Declination 10° 45' E: An Algerita berry bush bears N 7° 01' E 23 varas; a 3-inch mesquite standing 8 feet high bears S 28° 21' W 32 varas; an umbrella shaped catclaw bears S 81° 07' E about 77 varas; a large mesquite tree on top of a ridge bears N 21° 59' W about 250 varas; a 5-inch mesquite near the bottom of a drain bears N 87° 14' W about 110 varas; a 2-inch iron pipe for gate post in an East-West fence bears S 80° 31' W about 250 varas.

Thence S 89° 26' 05" W 1942.3 varas to an old rock mound in prairie under an East-West 36-inch net wire fence having 3 barbed wires above the net, identified as the original Thomson NW corner of this section No. 3.

Thence S 89° 29' 40" W 7.8 varas to the place of beginning.

NOTE: Of this survey there are 284.1 acres in Crockett County; and 302.4 acres in Irion County.

Surveyed November 23, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 99

day of January, 1937. This 5th Orig. in Bk.UT, Vol.11,p 3,G.L.O.

Recorded in Bk.UT, Vol. I-1, p 3, Mertzon,

Texas, Irion County.

For Plat see General Sketch in The State of Texas SECTION No. 4 34 B 38 U

CROCKETT & IRION County | BLOCK No. 38

FIELD NOTES of a survey of

589.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 47' True North is

00 151

to the right

of the North point used in

the Field notes of this survey. Said survey is situated in CROCKETT & IRION on the drainage of Spring Creek, a tributary of Concho River, about 27 miles N 20°E of Ozona, the County site of Crockett County; and about 18 miles S 55° W of Mertzon, the County site of Irion County. County, Texas,

Beginning at a concrete monument set in an almost brushless prairie about 40 varas North of a low flat grassy drain running West, then NW into Spring Creek, for the NE corner of section No. 3, this Block, NW into Spring Creek, for the NE corner of section No. 3, this Block, its brass plate in top having been stamped as is represented in the figure above, from which the junction of a fence from the NE with an East-West fence bears S 76° 12' W 189.0 varas; a steel windmill on the new highway bears N 56° 15' W; a wooden windmill bears N 23° 29' W about 1 mile; an old rock mound identified as the original Thomson NW corner of this section No. 4 bears N 89° 26' 05" E 4.8 varas. The following needle bearings were taken, Declination 10° 45' E: An Algrita berry bush bears N 7° 01' E 23 varas; a 3-inch mesquite standing 8 feet high bears S 28° 21' W 32 varas; an umbrella shaped catclaw bears S 81° 07' E about 77 varas; a large mesquite tree on top of a ridge bears N 21° 59' W about 250 varas; a 5-inch mesquite near the bottom of a drain bears N 87° 14' W about 110 varas; a 2-inch iron pipe for gate post in an East-West fence bears S 80° 31' W about 250 varas.

Thence South --- at 44.2 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 348.4 varas pass a 60d hub nail in a small rock mound --- at 878.0 varas cross the Crockett-Irion County line --- at 1398.4 varas pass a 60d hub nail in a small rock mound on top of a high mesa --- at 1707.6 varas strike the SE corner of section No. 3.

Thence East 1950.0 varas to a point for the SE corner of this section No. 4.

Thence North --- at 843.5 varas recross the Crockett-Irion County line --- at 1704.2 varas point in valley about 100 varas East of a drain for the NE corner of this section No. 4.

Thence N 89° 53' 50" W 2.7 varas to an old stone mound of 16 stones identified as the original Thomson NE corner of this section No. 4.

Thence N 89° 54' W 1942.5 varas to another old stone mound identified as the original NW corner of this section No. 4.

Thence S 89° 26' 05" W 4.8 varas to the place of beginning.

NOTE: Of this survey there are 289.0 acres in Crockett County; and 300.2 acres in Irion County.

Surveyed November 23, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 100

day of January, 1937. 5th Orig. in Bk.UT, Vol.11,p 4, G.L.O.

Recorded in Bk.UT, Vol. I-1, p 4, Mertzon,

Texas, Irion County.

Vol.12, G. L.O.; In Vol.C-2, Crocket The State of Texas Co.; and in Vol. I-1, Irion County

SECTION No. 5

Feb.2 B 1934 5 WITNESS 6 10 5 1 38 52 B 38 B 52 T U T

CROCKETT & IRION County | BLOCK No. 38

FIELD NOTES of a survey of

585.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

FIG # 1 FIG # 2 Mag. Declination

Clination 10° 49' East. True North is 0° 14' 30" the Field notes of this survey.

to the of the North point used in right

Said survey is situated in CROCKETT & IRION on the drainage of Spring Creek, a tributary of Concho River, about 27 miles N 22°E of Ozona, the County site of Crockett County; and on the drainage of County, Texas, about 17 miles S 54° W of Mertzon, the County site of Irion County.

Beginning at the NE corner of section No. 4, this Block, a point in valley about 100 varas East of a drain, from which an old stone mound of 16 stones, identified as the original NW corner of this section No. 5, bears N 89° 53' 50" W 2.7 varas.

Thence South --- at 860.7 varas cross the Crockett-Irion County line --- at 1704.2 varas strike the SE corner of section No. 4.

Thence East 1944.8 varas set a concrete monument in a prairie sloping West for the SE corner of this section No. 5, stamped its brass plate in top as is represented in figure No. 1 above, from which a letter "F" and a letter "X", each cut on the faces of fixed rocks, bear respectively N 69° 25' W 57.4 varas and S 82° 05' W 51.2 varas; a mesquite 8 inches in diameter marked "X" bears N 81° 10' E 70.5 varas.

Thence N 0° 09' 10" W --- at 857.4 varas recross the Crockett-Irion County line --- at 1700.7 varas point in the center of a large mock pile which could easily be built into a monument 6 feet at base and greet high, situated on top of a rocky ridge, said point identified as the original NE corner of this section No. 5, from which a concrete monument bears North 2.0 varas, the brass plate in top of which monument having been stamped as is represented in the figure No. 2 above, from which a letter "F", a letter "T" and a letter "X", each cut on the faces of flixed rocks, bear respectively N 81° 25' E 16.1 varas, S 11° 15' W 14.7 varas, and S 52° 30' E 10.6 varas; a windmill bears N 60° 48' W about 1 mile.

Thence N 89° 53' 50" W 1940.3 varas to the place of beginning.

NOTE: Of this survey there are 292.8 acres in Crockett County; and 293.0 acres in Irion County.

Surveyed November 23, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 101

5th day of January, 1937. This

Orig. in Bk.UT, Vol.11, p 5, G.L.O. Recorded in Bk.UT, Vol. I-1, p 5, Mertzon,

Texas, Irion County.

For Plat see General Sketch in 12, G. B. O.; and in Vol. C-2, The State of Texas Crockett County.

SECTION No. 6

CROCKETT

County | BLOCK No. 38

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Clination 10° 50' East.
True North is 0° 14' 30" Mag. Declination the Field notes of this survey.

6

10

T

52

B

38

TT

Said survey is situated in on the drainage of Spring 26 miles N 23°E of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Concho River,

Beginning at a concrete monument set in a prairie sloping West for the SE corner of section No. 5, this Block, for the NE corner of this section No. 6, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" and a letter "X", each cut on the faces of fixed rocks, bear respectively N 69° 25' W 57.4 varas and S 82° 05' W 51.2 varas; a mesquite 8 inches in diameter marked "X" bears N 81° 10' E 70.5 varas.

Thence West 1944.8 varas to the South common corner of sections Nos. 4 and 5.

Thence South 1958.3 varas to a point for the SW corner of this section No. 6.

Thence East --- at 300.0 varas pass a 60d hub nail in a small rock mound --- at 323 varas and at 366 varas cross roads --- at 1350.0 varas pass another 60d hub nail in a small rock mound --- at 1950.0 varas point for the SE corner of this section No. 6.

Thence N 0° 09' 10" W --- at 299 varas and at 304 varas cross roads running East and West, the second being an old abandoned road --- at 1018 varas pass over a rocky ledge --- at 1248 varas cross an old abandoned road running NE and SW in a rocky prairie --- at 1958.3 varas the place of beginning.

Surveyed November 23, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 102
This 13th day of January, 1937.

Orig. in Bk.UT, Vol.11,p 6,G.L.O.

For Plat see General Sketch in Vol. 12, G. L. O.; and in Vol. C-2. Crockett County.

C-2, Croc	kett Co	unty.	III VOI
	U	T	
	8	7	
	13	7),	
	В	38	
	(factories)		

Mag. Declination 10° 50! East.

True North is 0° 15!

the Field notes of this survey.

Said survey is situated in CROCKETT on the drainage of Spring Creek, a tributary about 26 miles N 21 Eof Ozona, the County Site.

The State of Texas

SECTION No. 7

CROCKETT County

County | BLOCK No. 38

FIELD NOTES of a survey of

676.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT County, Texas,
Creek, a tributary of Concho River,

Beginning at the SW corner of section No. 6, this Block, for the SE corner of this section No. 7.

Thence North 1958.3 varas to the SE corner of section No. 4, being the SW corner of section No. 5 and the NW corner of section No. 6.

Thence West 1950.0 varas to the SE corner of section No. 3.

Thence South --- at 41 varas cross a small drain running SW, near its head --- at 390.8 varas pass a 60d hub nail in a small rock mound on a hill covered with catclaw brush --- at 740 varas cross another drain running East --- at 1391 varas cross a drain running NE --- at 1409 varas cross a road running NW and SE --- at 1650.9 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas set a concrete monument on the East slope of a rocky hill for the SW corner of this section No. 7, stamped its brass plate in top as is represented in the figure above, from which a letter "T" and a letter "X", each cut on the faces of fixed rocks, bear respectively N 31° 06' E 7.5 varas and S 22° 05' W 30.5 varas; a windmill bears N 87° 26' E about 300 varas; two distant windmills bear S 44° 39' E and S 3° 40' W; the windmill at the old headquarters "09" Ranch, being a natural well, bears S 36° 36' W about 2 miles.

Thence East --- at 399.0 varas a windmill near a dirt tank bears North 18.2 varas --- at 413.8 varas pass through a 24-inch net wire fence having 4 barbed wires above the net --- at 815 varas cross a road --- at 850 varas cross a wide drain --- at 1400.0 varas pass a 60d hub nail in a small rock mound --- at 1766.5 varas pass through a 32-inch net wire fence having 3 barbed wires above the net, running about North and South --- at 1950.0 varas the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Crockett, Texas County in Book UT Vol. C-1 page 103

This 13th day of January, 1937.

Orig. in Bk.UT, Vol.11,p 7,G.L.O.

For Plat see General Sketch in 12, G. L. O.; and in vol. C-2, The State of Texas Crockett County.

County | BLOCK No. 38

SECTION No. 8

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 100 501 East. True North is 00 151 30" the Field notes of this survey.

8

13

B

7

14

38

Said survey is situated in on the drainage of Spring Creek, a tributary about 26 miles N 18°E of Ozona, the County Site.

to the right

CROCKETT

676.4

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Concho River,

Beginning at the common corner of sections Nos. 3, 4, and 7, this Block, for the NE corner of this section No. 8.

Thence South --- at 41 varas cross a small drain running SW, near its head --- at 390.8 varas pass a 60d hub nail in a small rock mound on top of a hill covered with catclaw brush --- at 740 varas and at 1391 varas cross drains, the first running East and the second running NE --- at 1409 varas cross a road running NW and SE second running NE --- at 1409 varas cross a road running NW and SE --- at 1650.9 varas pass another 60d hub nail in a small rock mound --- at 1958.3 varas strike the concrete monument set for the SW corner of said section No. 7, situated on the East slope of a rocky hill, its brass plate in top having been stamped as is represented in the figure above, from which a letter "T" and a letter "X", each cut on the faces of fixed rocks, bear respectively N 31° 06' E 7.5 varas and S 22° 05' W 30.5 varas; a windmill bears N 87° 26' E about 300 varas; two distant windmills bear S 44,° 39' E and S 3° 40' W; the windmill at the old headquarters "09" Ranch, being a natural well, bears S 36° 36' W about 2 miles.

Thence West 1950.0 varas to a point for the SW corner of this section No. 8.

Thence North 1958.3 varas to the SE corner of section No. 2 and the SW corner of section No. 3.

Thence East 1950.0 varas to the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page

This day of January, 1937. 13th

Orig. in Bk.UT, Vol.11,p 8,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Grockett County. SECTION No. 9

CROCKETT

676.4

U 10 9 11 12 B 38

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929. right of the North point used in

County | BLOCK No. 38

FIELD NOTES of a survey of

ACRES of land made for THE

CROCKETT County, Texas, Creek, a tributary of Concho River,

Mag. Declination 10° 50' East. 00 161 True North is the Field notes of this survey. Said survey is situated in mage of Spring Creek, a tributary of Ozona, the County Site. on the drainage of

Beginning at the SW corner of section No. 8, this Block, for the SE corner of this section No. 9.

to the

Thence North 1958.3 varas to the NW corner of said section No. 8 and the SE corner and the SW corner respectively of sections Nos.

Thence West 1950.0 varas to the SE corner of section No. 1.

Thence South --- at 100 varas cross a drain running West --- at Thence South --- at 100 varas cross a drain running west --- at 599.5 varas pass a 60d hub nail in a small rock mound --- at 1299.5 varas pass another 60d hub nail in a small rock mound among mesquite bushes --- at 1958.3 varas set a concrete monument for the SW corner of this section No. 9, situated in a brushless prairie slightly sloping South, stamped its brass plate in top as is represented in the figure above, from which a windmill on section No. 7, this Block, another in a drain, another on section No. 23 this Block, the windmill at the "09" headquarters over a natural well, another on a distant horizon, and a steel windmill bear respectively N 89° 48' E, S 72° 41' E about 3 1/2 miles, S 33° 09' E, S 21° 05' E, S 16°00'30"W, and S 51° 59' W about 2 miles; a mesquite 8 inches in diameter marked "X" bears S 75° 00' W 125.1 varas.

Thence East 1950.0 varas to the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records inOzona, Texas, Crockett County in Book UT Vol. C-1 page 105 This

day of January, 1937.

Orig. in Bk.UT, Vol.11,p 9,G.L.O.

13th

10

For Plat see General Sketch in 12, G.L.OL; and in Vol. C-2, The State of Texas Crockett County.

SECTION No. 10

U T

County | BLOCK No. CROCKETT

10 9 11 12 B 38

FIELD NOTES of a survey of

637.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 521 52' East. 0° 16' 30" True North is the Field notes of this survey.

to the

right of the North point used in

Said survey is situated in on the drainage of Spring about 25 miles N 14°E of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Concho River,

Beginning at the common corner of sections Nos. 1, 2, and 9, this Block, for the NE corner of this section No. 10.

Thence South --- at 100 varas cross a drain running West --- at 599.5 varas and at 1299.5 varas pass 60d hub nails in small rock mounds, the latter being among mesquite bushes --- at 1958.3 varas strike the concrete monument set for the SW corner of said section No. 9, situated in a brushless prairie sloping toward the South, its brass plate in top having been stamped as is represented in the figure above, from which a windmill on section No. 7 this Block, another in a drain, another on section No. 7 this Block, another in a drain, another on section No. 23 this Block, the windmill at the "09" headquarters over a natural well, another on a distant horizon, and a steel windmill bear respectively N 89° 48' E, S 72° 41' E about 3 1/2 miles, S 33° 09' E, S 21° 05' E, S 16°00'30"W, and S 51° 59' W about 2 miles; a mesquite 8 inches in diameter marked "X" bears S 75° 00' W 125.1 varas.

Thence West 1836.4 varas to a point for the SW corner of this section No. 10.

Thence North 1958.3 varas to the SW corner of section No. 1.

Thence East 1836.4 varas to the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 106 This day of January, 1937.

Orig. in Bk.UT, Vol.11,p 10,G.L.O.

For Plat see General Sketch in The State of Texas

CROCKETT County | BLOCK No.

SECTION No. 11

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 551 East. True North is 0° 16' 30" the Field notes of this survey.

U

10

11

B

9

12

38

Said survey is situated in on the drainage of Spring Creek, a tributary about 24 miles N 15° Eof Ozona, the County Site.

to the right

of the North point used in

Creek, a tributary of

County, Texas,

Concho River,

Beginning at the SW corner of section No. 10, this Block, for the NW corner of this section No. 11.

Thence East 1836.4 varas to the concrete monument set for the SW corner of section No. 9, situated in a brushless prairie sloping toward the South, its brass plate in top having been stamped as is represented in the figure above, from which a windmill on section No. 7 this Block, another in a drain, another on section No. 23 this Block, the windmill at the "09" headquarters over a natural well, another on a distant horizon, and a steel windmill bear respectively N 89° 48' E, S 72° 41' E about 3 1/2 miles, S 33° 09' E, S 21° 05' E, S 16° 00' 30" W, and S 51° 59' W about 2 miles; a mesquite 8 inches in diameter marked "X" bears S 75° 00' W 125.1 varas.

Thence South --- at 147.2 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 811 varas cross an old road running NW and SE --- at 1534 varas cross a small drain running East, and at 1660 varas cross the main drain running SE at 1958.3 varas point for the SE corner of this section No. 11.

Thence West 1836.4 varas to a point for the SW corner of this section No. 11.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 107 This day of January, 1937 13th

Orig. in Bk.UT, Vol.11, p 11, G.L.O.

For Plat see General Sketch in C-2 The State of Texas Crockett County.

SECTION No. 12

II CROCKETT County | BLOCK No.

10 9 11 12 B 38

FIELD NOTES of a survey of

676.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 53! Mag. Declination East. True North is the Field notes of this survey. Said survey is situated in

to the right of the North point used in

on the drainage of about 24 miles N 17°E of Ozona, the County Site.

CROCKETT Creek, a tributary of

County, Texas,

Concho River,

Beginning at the common corner of sections No.9, No. 10, and No. 11, this Block, being a concrete monument set on a brushless prairie sloping toward the South, its brass plate in top having been stamped as is represented in the figure above, from which a windmill on as is represented in the ligure above, from which a windmill on section No. 7 this Block, another in a drain, another on section No. 23, this Block, the windmill at the "09" headquarters over a natural well, another on a distant horizon, and a steel windmill bear respectively N 89° 48' E, S 72° 41' E about 3 1/2 miles, S 33° 09' E, S 21° 05' E, S 16° 00' 30" W, and S 51° 59' W about 2 miles; a mesquite 8 inches in diameter marked "X" bears S 75° 00' W 125.1 varas.

Thence South --- at 147.2 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 811 varas cross an old road running NW and SE --- at 1534 varas cross a small side drain running East, and at 1660 varas cross the main drain running SE --- at 1958.3 varas strike the SE corner of said section No. 11.

Thence East 1950.0 varas to a point for the SE corner of this section No. 12.

Thence North 1958.3 varas to the SW corner of section No. 8, which is the same as the SE corner of section No. 9 and the NE corner of this section No. 12.

Thence West 1950.0 varas to the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 108
This 13th day of January, 1937:

Orig. in Bk.UT, Vol.11,p 12,G.L.O.

Vol. For Plat see General Sketch in C-2, The State of Texas SECTION No.13

CROCKETT County | BLOCK No. 38

FIELD NOTES of a survey of ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 50' East.

8

14

13

B

U

True North is 0° 15' 30."to the

38

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Spring

CROCKETT Creek, a tributary of

County, Texas,

about 25 miles N 19°E of Ozona, the County Site. Concho River,

Beginning at the SW, the SE, and the NE corner respectively of sections Nos. 8, 9, and 12, this Block, for the NW corner of this section No.

Thence South 1958.3 varas to the SE corner of said section No. 12.

Thence East 1950.0 varas to a point for the SE corner of this section

Thence North 1958.3 varas to the concrete monument set on the East slope of a rocky hill for the SW corner of section No. 7, being the SE corner of section No. 8 and the NE of this section No. 13, its brass plate in top having been stamped as is represented in the figure above, from which a letter "T" and a letter "X", each cut on the faces of fixed rocks, bear respectively N 31° 06' E 7.5 varas and S 22° 05' W windmills bear S 44.° 39' E and S 3° 40' W; the windmill at the old head-quarters "09" Ranch, being a natural well, bears S 36° 36' W about 2

Thence West 1950.0 varas to the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 109 This day of January, 1937.

Orig. in Bk.UT, Vol.11,p 13,G.L.O.

13th

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

CROCKETT

SECTION No. 14

County | BLOCK No. 38 FIELD NOTES of a survey of

676.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 47' East. 00 151 True North is the Field notes of this survey.

8

13

7

14

38

U

B

to the

of the North point used in right

Said survey is situated in on the drainage of Spring 25 miles N 22°E of Ozona, the County Site. about

CROCKETT County, Texas, Creek, a tributary of Concho River,

Beginning at the SE corner of section No. 13, this Block, for the SW corner of this section No. 14.

Thence North 1958.3 varas to the concrete monument set on the East slope Thence North 1958.3 varas to the concrete monument set on the East slope of a rocky hill for the SW corner of section No. 7, being the SE corner of section No. 8, the NE corner of section No. 13, and the NW corner of this section No. 14, the brass plate in top of which monument having been stamped as is represented in the figure above, from which a letter "T" and a letter "X", each cut on the faces of fixed rocks, bear respectively N 31° 06' E 7.5 varas and S 22° 05' W 30.5 varas; a wind-mill bears N 87° 26' E about 300 varas; two distant windmills bear S 141° 39' E and S 3° 40' W; the windmill at the old headquarters "09" Ranch, being a natural well, bears S 36° 36' W about 2 miles.

Thence East --- at 399 varas point from which a windmill near a dirt tank bears North 18.2 varas --- at 413.8 varas cross a 24-inch net wire fence having 4 barbed wires above the net --- at 815 varas cross a road --- at 850 varas cross a wide drain --- at 1400.0 varas pass a 60d hub nail in a small rock mound --- at 1766.5 varas pass through at about right angles a 32-inch net wire fence having 3 barbed wires above the net --- at 1950.0 varas strike the SW corner of section No. 6.

Thence South 1958.3 varas to a point for the SE corner of this section No. 14.

Thence West 1950.0 varas to the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

y

d

d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 110 This 13th day of January, 1937,

Orig. in Bk.UT, Vol.11, p 14, G.L.O.

vol. 12. G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 15 County | BLOCK No.

B 15 11 16 20 38 52 U T

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 501 Mag. Declination East. 0° 14' 30" to the True North is

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Spring

CROCKETT Creek, a tributary of

CROCKETT

677.3

County, Texas, Concho River,

about 25 miles N 23°E of Ozona, the County Site.

Beginning at the SE corner of section No. 14, this Block, for the SW corner of this section No. 15.

Thence North 1958.3 varas to the common corner of this section No. 15 and sections Nos. 6, 7, and 14.

Thence East --- at 300.0 varas pass a 60d hub nail in a small rock mound --- at 323 varas and at 366 varas cross roads --- at 1350.0 varas pass another 60d hub nail in a small rock mound --- at 1950.0 varas strike the SE corner of section No. 6, being the NE corner of

Thence S 0° 09' 10" E --- at 93.8 varas cross a 24-inch net wire fence having 2 barbed wires above the net --- at 1341.3 varas point on the South side of a hill --- at 1958.3 varas set a concrete monument on the SW side of a small mesquite covered drain running SE in good black grass covered soil, for the SE corner of this section No. 15, stamped the brass plate in top of the monument as is represented in the figure above, from which two 8-inch mesquites, one marked "F" and the other marked "X" bear respectively N 37° 15' W 38.4 varas and N 82° 58' E 19.5 varas; a windmill at a ranch house bears S 74° 05' W about 1/2

Thence West 1955.2 varas to the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

1.

ty

ed

ed

7

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 111 This 13th day of January, 1937.

Orig. in Bk.UT, Vol.11, p 15, G.L.O.

vol. 12 Grockett County. C-2, The State of Texas

SECTION No. 16

B B 15 11 16 20 38_U

CROCKETT County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

100 471 Mag. Declination East. True North is

00 141 30" to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of

Spring 24 miles N 25°E of Ozona, the County Site.

CROCKETT Creek, a tributary of

679.1

County, Texas, Concho River,

Beginning at a concrete monument set for the SE corner of section No. 15, this Block, situated on the SW bank of a small mesquite covered drain in black grass covered soil, its brass plate in top having been stamped as is represented in the figure above, from which two 8-inch mesquites, one marked "F" and the other marked "X", bear respectively N 37° 15' W 38.4 varas and N 82° 58' E 19.5 varas; a windmill at a ranch house bears S 74° 05' W about 1/2 mile:

Thence West 1955.2 varas to the SE corner of section No. 14.

Thence South, crossing a ravine, 1958.3 varas to a point for the SW corner of this section No. 16.

Thence East --- at 350 varas pass a hub nail in a small rock mound about 75 varas South of a drain running NE --- at 483 varas cross another drain running NW --- at 574 varas cross a North and South road --- at 1096.6 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires and a single telephone line above the net --- at 1960.4 varas point for the SE corner of this section No. 16.

Thence N 0° 09' 10" W --- at 1680 varas cross a drain running SE --- at 1730.0 varas cross a 30-inch net wire fence having 3 barbed wires above the net --- at 1958.3 varas the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 112 This day of January, 1937. 13th

Orig. in Bk.UT, Vol.11,p 16,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ity W; ed led 17

n.

For Plat see General Sketch in 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

SECTION No. 17 CROCKETT County | BLOCK No.

U T 18 17 23 24 B 38

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 451 East. True North is 00 15' the Field notes of this survey. Said survey is situated in

on the drainage of

to the right

676.4

of the North point used in

CROCKETT Creek, a tributary of

County, Texas, Concho River,

drainage of Spring Creek, a tributary 24 miles N 23°E of Ozona, the County Site.

Beginning at the common corner of sections Nos. 14, 15, and 16, this Block, for the NE corner of this section No. 17.

Thence West 1950.0 varas to the SE corner of section No. 13.

Thence South 1958.3 varas set a concrete monument on the SW slope of Thence South 1958.3 varas set a concrete monument on the SW slope of a bare round hill about 150 varas SW of its top for the SW corner of this section No. 17, stamped the brass plate in top of which monument as is represented in the figure above, from which the wind-mill over a natural well at the "09" Headquarters Ranch, a steel windmill, a windmill on the horizon, a windmill near a concrete tank, and a steel windmill in a mesquite flat bear respectively N 79° 45' W, N 78° 37' W, S 70° 43' E, S 13° 00' W, and S 56° 45' W; a letter "T" cut on the face of fixed rock bears S 20° 48' E 28.5 varas.

Thence East --- at 100 varas and at 500 varas pass 60d hub nails each in a small rock mound --- at 915 varas cross a road running NE and SW --- at 1748.1 varas cross a 30-inch net wire fence having 3 barbed wires above the net running N 0° 04' W - S 0° 04' E, said point of crossing being about 50 varas South of a drain running NE --- at 1950.0 varas strike the SW corner of section No. 16.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Chainmen. Jim HowardKing Transitman. Norris B. Creath

n.

ity

w;

ped

led

27

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 113 This 14th day of January, 1937.

Orig. in Bk.UT, Vol.11,p 17,G.L.O.

vol. 12 Grockett Co. The State of Texas

U 18 17 23 24 38

100 451 Mag. Declination East. 0° 15' 30" to the True North is

the Field notes of this survey. Said survey is situated in on the drainage of Spring about 24 miles N 20°E of Ozona, the County Site

CROCKETT

676.4

SECTION No. 18 County

BLOCK No.

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

right

of the North point used in

CROCKETT County, Texas,

Creek, a tributary of Concho River,

Beginning at the common corner of sections Nos. 13, 14, and 17, this Block, for the NE corner of this section No. 18.

Thence West 1950.0 varas to the SE corner of section No. 12.

Thence South 1958.3 varas to a point for the SW corner of this section No. 18.

Thence East --- at 150.0 varas pass a 60d hub nail in a small rock mound --- at 1548.0 varas cross a 24-inch net wire fence having 3 barbed wires above the net --- at 1950.0 varas strike the concrete monument set for the SW corner of section No. 17, situated on the SW slope of a bare round hill about 150 varas SW of its top, its brass plate in top having been stamped as is represented in the figure above, from which the windmill over a natural well at the "09" Headquarters Ranch, a steel windmill, a windmill on the horizon, a windmill near a concrete tank, and a steel windmill in a mesquite flat bear respectively N 79° 45' W, N 78° 37' W, S 70° 43! E, S 13° 00' W, and S 56° 45' W; a letter "T" cut on the face of a fixed rock bears S 20° 48' E 28.5 varas.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 1114

day of January, 1937.

Orig. in Bk.UT, Vol.11,p 18,G.L.O.

14th

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

sity w: bed ded 27

1.

an.

t

8

Vol. 12, Gill Octated in Vol. 12, The State of Texas

County | SECTION No. 19

County | BLOCK No. 38

U T

20 19
21 22

B 38

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 50! East.
True North is 0° 16!
the Field notes of this survey.

to the right of the North point used in

CROCKETT

676.4

Said survey is situated in CROCKETT on the drainage of Spring about 23 miles N 18°E of Ozona, the County Site.

CROCKETT County, Texas,
Creek, a tributary of Concho River,

Beginning at the SE, the SW, and the NW corner respectively of sections Nos. 12, 13, and 18, this Block, for the NE corner of this section No. 19.

Thence West 1950.0 varas to the SE corner of section No. 11.

Thence South --- at 882.9 varas pass a 60d hub nail in a small rock mound --- at 1223 varas cross a dim road running East and West --- at 1238.9 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 1533 varas point in the center of a dry lake --- at 1958.3 varas set a concrete monument in a dry lake, the bottom of which is thickly covered with grass, being about 60 varas NE of the NE edge of a small mott of mesquite trees, for the SW corner of this section No. 19, stamped the brass plate in top of the monument as is represented in the figure above, from which a 4-inch mesquite marked "F" and a 6-inch mesquite marked "X" bear respectively S 69° 39' E 43.0 varas and N 20° 47' E 61.6 varas; a steel windmill and the windmill over a natural well at the "09" Headquarters Ranch bear respectively N 65° 53' W about 2 miles and N 70° 51' E about 1400 varas; a letter "T" cut on a fixed rock bears N 46° 29' E 57.3

Thence East --- at 516.1 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 1000.0 varas pass a 60d hub nail in a small rock mound --- at 1066 varas and at 1236 varas cross roads, each running NE and SW --- at 1327.0 varas cross at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1329 varas point about 450 varas South of the windmill over a natural well and near a concrete tank at the "09" Headquarters Ranch --- at 1513 point from which the "09" Headquarters Ranch House bears North about 100 varas --- at 1728 varas cross a road running NW and SE --- at 1766 varas cross a drain which runs SE about 800 varas into a larger drain --- at 1950.0 varas strike the SW corner of section No. 18.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page115

day of February, 1937

Orig. in Bk.UT, Vol.11,p 19,G.L.O.

lst

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands an.
sity
aw;
bed
ded

27

t

3

f

vol. 12, G. L.O.; and in Vol. C-2, The State of Texas

20 19 21 22 B 38

Clination 10° 57' East. True North is 0° 16' 30" Mag. Declination the Field notes of this survey. Said survey is situated in on the drainage of Spring

SECTION No. 20

CROCKETT

County BLOCK No.

FIELD NOTES of a survey of

637.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right

of the North point used in CROCKETT County, Texas,

about 23 miles N 15° E of Ozona, the County Site. Creek, a tributary of Concho River,

Beginning at the NW corner of section No. 19, this Block, which is identical with the SE and the SW corner respectively of sections Nos.

Thence West 1836.4 varas to the SW corner of said section No. 11, being the NW corner of this section No. 20.

Thence south 1958.3 varas to a point for the SW corner of this section

Thence East 1836.4 varas to the concrete monument set for the SW corner of section No. 19, situated in a dry lake thickly covered with grass, about 60 varas NE of the NE edge of a mott of small mesquites, the about 60 varas NE of the NE edge of a mott of small mesquites, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a 4-inch mesquite marked "F" and a 6-inch mesquite marked "X" bear respectively S 69° 39' E 43.0 varas and N 28° 47' E 61.6 varas; a steel windmill and the windmill over a natural well at the "09" Headquarters Ranch bear respectively N 65° 53' W about 2 miles and N 70° 51' E about 1400 varas; a letter "T" cut on a fixed rock bears N 46° 29' E 57.3 varas.

Thence North --- at 425.3 varas point in the center of a dry lake at 719.4 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 735.3 varas cross a dim road running East and West --- at 1075.4 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page116
This 1st day of February, 1937.

Orig. in Bk.UT, Vol.11,p 20,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n. an.

t

18

sity

aw; ibed rded .27

bf

E

in

in

ıs,

1 t

AS

For Plat see General Sketch in Vol. 12, G. L. O.; and in Vol. C-2, The State of Texas Crockett County.

U 20 19 21 22 B 38

SECTION No. 21

CROCKETT County BLOCK No.

FIELD NOTES of a survey of

637.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 57' Mag. Declination East. True North is

0° 16' 30" to the the Field notes of this survey.

right

of the North point used in

Said survey is situated in on the drainage of Buck Horn about 22 miles N 16°E of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the SW corner of section No. 20, this Block, for the NW corner of this section No. 21.

Thence East 1836.4 varas to the concrete monument set for the SW corner of section No. 19, being the SE corner of section No. 20, situated in a dry lake thickly covered with grass, being about 60 varas NE of the NE edge of a mott of small mesquite trees, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a 4-inch mesquite marked "F" and a 6-inch mesquite marked "X" bear respectively S 69° 39' E 43.0 varas and N 2° 47' E 61.6 varas; a steel windmill and the windmill over a natural well at the "09" Headquarters Ranch bear respectively N 65° 53' W about 2 miles and N 70° 51' E about 1400 varas; a letter "T" cut on a fixed rock bears N 46° 29' E 57.3 varas.

Thence South 1958.3 varas to a point for the SE corner of this section No. 21.

Thence West 1836.4 varas to a point for the SW corner of this section No. 21.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 117

day of February, 1937.

Orig. in Bk.UT, Vol.11,p 21,G.L.O.

This 1st

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n. an.

sitv aw; ibed rded

.27

of

HE

in

as.

vol. 12, G. L.O.; and in Vol. C-2, The State of Texas Crockett Co.

SECTION No. 22

U 20 19 21 B 38

County | BLOCK No. 38

FIELD NOTES of a survey of

676.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 100 491 East. True North is the Field notes of this survey. Said survey is situated in

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of

CROCKETT

on the drainage of Buck Horn about 22 miles N 19°E of Ozona, the County Site. Dry Devil's River,

Beginning at the common corner of sections Nos. 19, 20, 21, for the NW corner of this section No. 22, said point being marked by a concrete monument set in a dry lake, the bottom of which being thickly covered with grass, and is about 60 varas NE of the NE edge of a mott of small mesquite trees, the brass plate in top of the monument having been stamped as is represented in the figure above. from which a lighter been stamped as is represented in the figure above, from which a 4-inch mesquite marked "F" and a 6-inch mesquite marked "X" bear respectively S 69° 39' E 43.0 varas and N 28° 47' E 61.6 varas; a steel windmill and the windmill over a natural well at the "09" Headquarters Ranch bear respectively N 65° 53' W about 2 miles and N 70° 51' E about 1400 varas; a letter "T" cut on a fixed rock bears N 46° 29' E 57.3

Thence East --- at 516.1 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 1000.0 varas pass a 60d hub nail in a small rock mound --- at 1066 varas and at 1236 varas cross roads, each running NE and SW --- at 1327.0 varas cross at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1329 varas point from which the windmill over a natural well and near a concrete tank at the "09" Headquarters Ranch bears North about 450 varas --- at 1513 varas point from which the headquarters ranch house at the "09" Ranch bears North about 100 varas --- at 1728 varas cross a road running NW and SE --- at 1766 varas cross a drain which runs SE about 800 varas where it joins a larger drain --- at 1950.0 varas strike the SW corner of section No. 18.

Thence South 1958.3 varas to a point for the SE corner of this section No. 22.

Thence West 1950.0 varas to the SE corner of section No. 21.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 118 day of February, 1937.

Orig. in Bk.UT, Vol.11,p 22,G.L.O.

lst

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n. ıan.

at

88

rsity law; ibed rded 127

of

ΗE

an

in

For Plat see General Sketch in G.L.O.; and in Vol. C-2, The State of Texas II 18 17 23 24 B 38

CROCKETT

SECTION No. 23

County | BLOCK No. 38

FIELD NOTES of a survey of

676.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

lination 10° 43'
True North is 0° 15' Mag. Declination East. 30" the Field notes of this survey. Said survey is situated in

on the drainage of

to the right

of the North point used in

CROCKETT County, Texas, about 23 miles N 21°E of Ozona, the County Site. Creek, a tributary of Dry Devil's River,

Beginning at the SE corner of section No. 22, this Block, for the SW corner of this section No. 23,

Thence North 1958.3 varas to the common corner of this section No. 23, and sections Nos. 18, 19, and 22,

Thence East --- at 150 varas pass a 60d hub nail in a small rock mound --- at 1548.0 varas pass through at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1950.0 varas strike the concrete monument set for the SW corner of section No. 17, being the SE corner of section No. 18, situated on the SW slope of a bare rounded hill about 150 varas SW of its top, the brass plate in top of the monument having been stamped as is represented in the figure above, from which the windmill over a natural well at the "09" Head-quarters Ranch, a steel windmill, a windmill on the horizon, a windmill near a concrete tank, and a steel windmill in a mesquite flat bear respectively N 79° 45' W, N 78° 37' W, S 70° 43' E, S 13° 00' W, and S 56° 45' W; a letter "T" cut on the face of fixed rock bears S 20° 48' E 28.5 varas.

Thence South 1958.3 varas to a point for the SE corner of this section No. 23.

Thence West 1950.0 varas to the place of beginning.

Buck Horn

Surveyed November 27, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 119

day of February, 1937

Orig. in Bk.UT, Vol. 11,p 23,G.L.O.

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n. nan.

at

88

rsitv law; ribed rded 127

1

of

HE

an

as,

For Plat see General Sketch in Vol. 12, G.L.O. and in vol. C-2, The State of Texas 18 17 23 24

38

SECTION No. 24 CROCKETT BLOCK No. County

FIELD NOTES of a survey of

676.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 100 East. True North is the Field notes of this survey. Said survey is situated in on the drainage of

B

to the of the North point used in right

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

about 23 miles N 24°E of Ozona, the County Site.

Buck Horn

Beginning at the SE corner of section No. 23, for the SW corner of this

Thence North 1958.3 varas to the concrete monument set for the SW corner of section No. 17, being the SE and the NE corner respectively of sections Nos. 18 and 23, said monument being situated on the SW slope of a bare round hill about 150 varas SW of its top, the brass plate in top of the monument having been stamped as is represented in the figure above, from which the windmill over a natural well at the "09" Headquarters Ranch, a steel windmill, a windmill on the horizon, a windmill near a concrete tank, and a steel windmill in a mesquite flat bear respectively N 79° 45' W, N 78° 37' W, S 70° 43' E, S 13° 00'W, and S 56° 45' W; a letter "T" cut on the face of fixed rock bears S 20° 48' E 28.5 varas.

Thence East --- at 100.0 varas and at 500.0 varas pass 60d hub nails in small rock mounds --- at 915 varas cross a road running NE and SW --- at 1748.1 varas pass through a 30-inch net wire fence having 3 barbed wires above the net, running N 0° 04' W < S 0° 04' E, said point of crossing being about 50 varas South of a drain running NE --- at 1950.0 varas strike the SW corner of section No. 16.

Thence South 1958.3 varas to a point for the SE corner of this section No. 24.

Thence West 1950.0 varas to the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 6-1 page 120
This 1st day of February, 1937,

Orig. in Bk.UT, Vol.11, p 24, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en. nan.

at

98

rsity law; ribed orded 127

d

For Plat see General Sketch in C-2, The State of Texas G.L.O.; and ir Crockett County. B 38 B 52 25 21 26 5 B 55 U T

CROCKETT

SECTION No. 25

County | BLOCK No.

of

1

9

FIELD NOTES of a survey of

HE

cas.

n

at

as

680.9 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 46' East.

True North is 0° 14' 30" to the the Field notes of this survey.

right

of the North point used in

in

Said survey is situated in on the drainage of Buck Horn about 24 miles N 25°E of Ozona, the County Site.

CROCKETT

County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the SE corner of section No. 24, this Block, for the SW corner of this section No. 25.

Thence North 1958.3 varas to the South common corner of sections Nos. 16 and 17.

Thence East --- at 350.0 varas pass a 60d hub nail in a small rock mound about 75 varas South of a drain running NE --- at 483 varas cross a drain running NW --- at 574 varas cross a road running North and South --- at 1096.6 varas pass through at about right angles a 36-inch net wire fence having 4 barbed wires and a single telephone line above the net --- at 1960.4 varas strike the SE corner of said section No. 16.

Thence S 0° 09' 10" E 1958.3 varas set a concrete monument on a very rocky slope toward the East for the SE corner of this section No. 25, stamped the brass plate in top of the monument as is represented in the figure above, from which a windmill bears S 86° 44' E about 1 mile; a letter "X" and a letter "T" cut on the faces of fixed rocks bear respectively S 9° 02' W 51.2 varas and S 87° 05' W 38.5 varas.

Thence West 1965.6 varas to the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 121 day of February, 1937. This

Orig. in Bk.UT, Vol. 11,p 25,G.L.O.

lat

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en. nan. rsity

law; ribed orded 127

d

G.L.O.; and in Vol. C-2, The State of Texas For Plat see General Sketch in Vol. 12, B 38 B 52 21 26 5 B 55

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

682.7 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 100 45! East. True North is the Field notes of this survey.

T

Said survey is situated in

U

0° 14' 30" to the

right

of the North point used in

CROCKETT on the drainage of Buck Horn Creek, a tributary about 23 miles N 26° E of Ozona, the County Site. Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on a very rocky slope toward the East for the SE corner of section No. 25, this Block, for the NE corner of this section No. 26, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a windmill bears S 86° 44' E about 1 mile; a letter "X" and a letter "T" cut on the faces of fixed rocks bear respectively S 9° 02' W 51.2 varas and S 87° 05' W 38.5 varas.

Thence S 0° 09' 10" E --- at 90.4 varas cross at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 551.7 varas and at 601.7 varas cross and recross a road --- at 866 varas point on top of a hill --- at 1306.7 varas center of the bottom of a small drain running NW --- at 1958.3 varas point for the SE corner of this section No. 26.

Thence West --- at 1500.8 varas cross a drain running SE --- at 1920.8 varas pass a 60d hub nail in a small rock mound --- at 1970.8 varas point for the SW corner of this section No. 26.

Thence North 1958.3 varas to the SE corner of section No. 24 and the SW corner of section No. 25.

Thence East 1965.6 varas to the place of beginning.

Surveyed November 27, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 122 day of February, 1937. This lst

Orig. in Bk.UT, Vol.11,p 26,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n. an.

at

88

sity aw; ibed

ded 27

Vol. 12, G.I.O.; and in Vol. C-2, The State of Texas SECTION No. 27 1 CROCKETT County B BLOCK No. 59 38 FIELD NOTES of a survey of v of 28 27 676.4 ACRES of land made for THE HE 3 UNIVERSITY OF TEXAS by virtue of an 39 an ACT approved March 29, 1929. 100 401 Mag. Declination East. True North is 00 151 to the of the North point used in right in the Field notes of this survey. Said survey is situated in CROCKETT County, Texas, kas, on the drainage of Buck Horn Creek, a tributary of Dry Devil's River, 22 miles N 25°E of Ozona, the County Site. about Beginning at the SW corner of section No. 26, this Block, for the SE corner of this section No. 27. Thence North 1958.3 varas to the SE corner of section No. 24 and the SW corner of section No. 25. Thence West 1950.0 varas to the SE corner of section No. 23. Thence South 1958.3 varas set a concrete monument in prairie sparsely covered with large mesquite trees for the SW corner of this section No. 27, stamped the brass plate in top of the monument as is represented in the figure above, from which a 7-inch mesquite marked "X", and 7-inch mesquite marked "T", and a double mesquite marked "F" bear respectively S 54° 15' W 81.3 varas, N 77° 20' W 112.7 varas, and n N 37° 15' W 105.3 varas. Thence East --- at 800.0 varas pass a 60d hub nail in a small rock mound among mesquite and catclaw brush --- at 1732 varas cross a road running NW and SE --- at 1748.6 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net, being 9 varas North of a gate in said fence and 13 varas North of the junction of a 36-inch net, 1 barbed wire, from the SE --- at 1950 varas the place of beginning. at 88 Robert A. Leidecker Chainmen. n. Surveyed November 27, 1933. Jim Howard King Norris B. Creath Transitman. an. I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University sity Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described aw; ibed in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded rded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.G-1 page 123 .27 day of February, 1937, This lst Orig. in Bk.UT, Vol.11,p 27,G.L.O.

in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded

in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page

day of February, 1937,

Orig. in Bk.UT, Vol.11, p 28, G.L.O.

This

lst

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands rded

.27

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 125

This 1st day of February, 1937

Orig. in Bk.UT, Vol.11,p 29,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands aw:

ibed

rded

Vol. 12, G. L. O.; and in Vol. C-2, The State of Texas SECTION No. 30 39 CROCKETT BLOCK No. B 38 County FIELD NOTES of a survey of v of 29 30 ACRES of land made for THE 1 2 THE 39 UNIVERSITY OF TEXAS by virtue of an fan ACT approved March 29, 1929. Mag. Declination 521 East. 0° 16' 30" to the True North is right of the North point used in the Field notes of this survey. Said survey is situated in CROCKETT County, Texas, on the drainage of Buck Horn Creek, a tributary of Dry Devil's River. about 21 miles N 17°E of Ozona, the County Site. Beginning at a concrete monument set in a very shallow basin sparsely covered with large mesquite trees for the SW corner of section No. 29, this Block, for the SE corner of this section No. 30, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a letter "F" cut in the face of a fixed rock bears S 51° 00' W 17.8 varas; a 7-inch mesquite marked "X" and a 6-inch mesquite marked "T" bear respectively N 61° 05' W 54.7 varas and N 28° 40' E 24.7 varas. Thence North 1958.3 varas to the common corner of this section No. 30 and sections Nos. 21, 22, and 29. Thence West 1836.4 varas to the Sw corner of said section No. 21. Thence South 1958.3 varas to a point for the SW corner of this section No. 30. Thence East 1836.4 varas to the place of beginning. at as Robert A. Leidecker Chainmen. n. Surveyed November 27, 1933. Jim Howard King Transitman. lan. Norris B. Creath I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University rsity Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described ibed in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded rded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 126
This 1st day of February, 1937, 127 Orig. in Bk.UT, Vol. 11, p 30, G.L.O.

For Plat see General Sketch in 2, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 1

Crockett County.

38 30 29 1 2 B 39 TI T

County BLOCK No. CROCKETT

FIELD NOTES of a survey of

637.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 47' Mag. Declination East. True North is 0° 16' 30"

to the

of the North point used in right

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn Creek, a tributary about 20 miles N 17°E of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set for the SW corner of section No. 29, Block 38, University Land, situated in a very shallow dry lake among large mesquite trees, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a letter "F" cut in the face of a fixed rock bears S 51° 00' W 17.8 varas; a 7-inch mesquite marked "X" and a 6-inch mesquite marekd "T" bear respectively N 61° 05' W 54.7 varas and N 28° 40' E 24.7 varas.

Thence West 1836.4 varas to the SW corner of section No. 30, Block 38, being the NW corner of this section No. 1, Block 39.

Thence South 1958.3 varas to a point for the SW corner of this section

Thence East 1836.4 varas to a point for the SE corner of this section No. 1.

Thence North --- at 205.4 varas pass a 60d hub nail in a small rock mound --- at 290 varas pass through a small prairie dog town --- at 490 varas enter South edge of an area covered by mesquites -- at 1060.9 varas cross a pipe line running N 72° 39' W - S 72° 39' E --- at 1063.6 varas pass another 60d hub nail in center of a road --- at 1065.7 varas cross under a 2-wire telephone line running parallel to the pipe line --- at 1584.2 varas cross at about right angles a 24inch net wire fence having 3 barbed wires above the net, about 70 varas West of a junction of a similar fence from the South --- at 1958.3 varas strike the concrete monument, the place of beginning.

Surveyed November 28, 1933.

Robert A. Leidecker Chainmen.
Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 127 day of February, 1937. This 24th

Orig. in Bk.UT, Vol.11,p 31,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas t County.

CROCKETT

County

BLOCK No. 39

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 41' Mag. Declination East. 00 161 True North is

30 29

1 2

39

T

B

B

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn Creek, a tributary about 20 miles N 20° E of Ozona, the County Site.

to the right

of the North point used in

CORCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

No. 29, being the SE corner of section No. 30, Block 38, University Land, and also the NE corner of section No. 1, this Block, situated in a very shallow dry lake among large mesquite trees, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a letter "F" cut in the face of a fixed rock bears S 51° 00' W 17.8 varas; a 7-inch mesquite marked "X" and a 6-inch mesquite marked "T" bear respectively N 61° 05' W 54.7 varas and N 28° 40' E 24.7 varas. Beginning at the concrete monument set for the SW corner of section

Thence East --- at 643 varas cross a road running about North and South --- at 1322.0 varas pass through a 24-inch net wire fence having 3 harbed wires above the net --- at 1323.0 varas pass a 60d hubmail in a small rock mound --- at 1950.0 varas strike the SW corner of section No. 28, and the SE corner of section No. 29, Block 38, being the NE corner of this section No. 2.

Thence South 1958.3 varas to a point for the SE corner of this section No. 2.

Thence West 1950.0 varas to the SE corner of section No. 1.

Thence North --- at 205.4 varas pass a 60d hub nail in a small rock mound --- at 290 varas pass through a small prairie dog town --- at 490 varas enter the South edge of an area covered by mesquite --- at 1060.9 varas cross a pipe line running N 72° 39' W - S 72° 39' E --- at 1063.6 varas pass another 60d hub nail in the center of a road --- at 1065.7 varas cross under a 2-wire talephone line which runs parallel to the pipe line --- at 1584.2 varas pass through at about right angles a 24-inch net wire fence having 3 barbed wires above the net, about 70 varas West of the junction of a similar fence from the South --- at 1958.3 varas the place of beginning. South --- at 1958.3 varas the place of beginning.

Surveyed Novmeber 28, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 128

24th day of February, 1937.

Orig. in Bk.UT, Vol.11,p 32,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 3

County BLOCK No. 39

38 28 27 3 4 39 B U

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 40' Mag. Declination East. True North is 0° 15' 30"

to the right

676.4

of the North point used in

the Field notes of this survey.

Said survey is situated in Buckhorn on the drainage of miles N 23°E of Ozona, the County Site.

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the NE corner of section No. 2, this Block, being the South common corner of sections Nos. 28 and 29, Block 38, University Land.

Thence East --- at 150.0 varas pass a 60d hub nail in a small rock mound --- at 350 varas enter on the West edge a large dry Lake --- at 575 varas exit on the East edge the same lake --- at 1319.3 varas pass another 60d hub nail in a small rock mound --- at 1320.3 varas pass through a 36-inch net wire fence having 2 barbed wires above the net --- at 1750 varas pass about 200 varas North of the center of a large dry lake --- at 1950.0 varas strike the concrete monument set in a prairie sparsely covered with mesquite trees for the SE corner of section No. 27, Block 38, being the SE corner of section No. 28, same Block, and the NE corner of this Section No. 3, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a 7-inch mesquite marked "X", another 7-inch mesquite marked "T", and a double mesquite marked "F" bear respectively S 54° 15' W 81.3 varas, N 77° 20' W 112.7 varas, and N 37° 15' W 105.3 varas.

Thence South 1958.3 varas to a point for the SE corner of this section No. 3.

Thence West 1950.0 varas to the SE corner of section No. 2.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 28, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, CrockettCounty in Book UT Vol. C=1 page 129

day of February, 1937, This 24th

Orig. in Bk.UT, Vol.11,p 33, G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 4

B 38 28 27 3 4 39

BLOCK No. 39 CROCKETT County FIELD NOTES of a survey of 115. 676.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 391 East. Mag. Declination

0° 15' True North is the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 21 miles N 26° E of Ozona, the County Site.

of the North point used in to the right

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set in a prairie sparsely covered with mesquite trees for the SW corner of section No. 27, being the SE corner of section No. 28, Block 38, University Land, being also the NE corner of section No. 3, this Block, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a 7-inch mesquite marked "X", another 7-inch mesquite marked "T", and a double mesquite marked "F" bear respectively S 54° 15' W 81.3 varas, N 77° 20' W 112.7 varas, and N 37° 15' W 105.3 varas.

Thence East --- at 800.0 varas pass a 60d hub nail in a small rock mound among mesquite and catclaw brush --- at 1732 varas cross a road running NW-SE --- at 1748.6 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net, being 9 varas North of a gate in said fence and 13 varas North of the junction of a 36-inch net wire fence having I barbed wire above the net from the SE --- at 1950.0 varas strike the SW corner of section No. 26 and the SE corner of section No. 27, Block 38, being the NE corner of this section No. 4.

Thence South 1958.3 varas to a point for the SE corner of this section No. 4.

Thence West 1950.0 varas to the SE corner of section No. 3.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 28, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 130 day of February, 1937.

Orig. in Bk.UT, Vol. 11, p 34, G.L.O.

This

24th

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION

B B

5 6
6 15
79 55
T

CROCKETT County BLOCK No. 39

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 45' East.

True North is 0° 14' 30" to the

right

684.5

of the North point used in

the Field notes of this survey.

Said survey is situated in rainage of Buckhorn

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

on the drainage of Buckhorn Creek, a tributary of about 22 miles N 28° E of Ozona, the County Site.

Beginning at the NE corner of section No. 4, this Block, being the SW corner of section No. 26 and the SE corner of section No. 27, Block 38, University Land.

Thence East --- at 50.0 varas pass a 60d hub nail in a small rock mound --- at 470 varas cross a drain running SE --- at 1970.8 varas strike the SE corner of said section No. 26, Block 38.

Thence S 0° 09' 10" E --- at 90.4 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 553 varas cross a road running NE and SW --- at 1305 varas center of a small drain running NW --- at 1958.3 varas set a concrete monument for the SE corner of this section No. 5, situated on a rocky slope toward the East, stamped the brass plate in top of the monument as is represented in the figure above, from which a windmill near the Delong Ranch House bears S 66° 40' E about 400 varas; a 6-inch letter "X" and a similar letter "F" cut in the faces of fixed rocks bear respectively S 82° 57' W 25.2 varas and N 76° 26' E 31.6 varas.

Thence West 1976.0 varas to the SE corner of section No. 4.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 28, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C=1 page 131

This 24th day of February, 1937.

Orig. in Bk.UT, Vol.11,p 35,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

County

SECTION No. 6 BLOCK No. 39

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 45' East.

5

6

U

39

True North is 0° 14' 30" the Field notes of this survey.

B

6

15

55

T

Said survey is situated in on the drainage of Buckhorn about 21 miles N 29°E of Ozona, the County Site.

to the

of the North point used in right

CROCKETT

CROCKETT

686.3

County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on an easterly rocky slope for the SE corner of section No. 5, this Block, for the NE corner of this section No. 6, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a windmill near the Delong Ranch House bears S 66° 40' E about 400 varas; a 6-inch letter "X" and a similar letter "F" cut in the faces of fixed rocks bear respectively S 82° 57' W 25.2 varas and N 76° 26' E 31.6 varas.

Thence S 0° 09' 10" E --- at 1400 varas cross a road running NW and SE --- at 1416 varas cross a drain running SE --- at 1553.4 varas pass through a 36-inch net wire fence having 2 barbed wires above the net running northwesterly-southeasterly --- at 1932.4 varas cross an East-West road --- at 1958.3 varas point for the SE corner of this section No. 6.

Thence West --- at 931.2 varas and at 1931.2 varas pass 60d hub nails, each in small rock mound --- at 1981.2 varas point for the SW corner of this section No. 6.

Thence North 1958.3 varas to the SE corner of section No. 4 and the SW corner of section No. 5.

Thence East 1976.0 varas to the place of beginning.

Surveyed November 28, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 132 day of February, 1937.

Orig. in Bk.UT. Vol. 11, p 36, G.L.O.

24th

This

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 7

В	39	y e
8	7	
13	14	
υ	T	

CROCKETT County BLOCK No. 39

FIELD NOTES of a survey of

676.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 39! East.
True North is 0° 15!
the Field notes of this survey.
Said survey is situated in on the drainage of Buckhorn

to the right

of the North point used in

inage of Buckhorn Creek, a tributary of Dry Devil's River,
miles N 27°E of Ozona, the County Site.

Beginning at the SW corner of section No. 6, this Block.

Thence North 1958.3 varas to the South common corner of sections Nos. 4 and 5, being the NE corner of this section No. 7.

Thence West 1950.0 varas to the SE corner of section No. 3.

Thence South 1958.3 varas set a concrete monument in the South edge of a dry lake, the bottom of which being thickly matted with turf sparsely covered with large mesquites and rugged boulders, stamped the brass plate in top of which monument as is represented in the figure above, from which a windmill bears S 41° 15' E about 1000 vafas; a 6-inch mesquite marked "T" and a 7-inch mesquite marked "X" bear respectively N 13° 30' W 21.8 varas and N 43° 50' E 68.2 varas; a 6-inch letter "F" cut on the face of a fixed boulder bears N 29° 20' E 11.4 varas.

Thence East --- at 1085.1 varas pass a 60d hub nail in a small rock mound --- at 1700 varas cross the bed of a rocky drain running South --- at 1744.0 varas pass through at about right angles a 36-inch net wire fence having 4 barbed wires above the net --- at 1950.0 varas the place of beginning.

Surveyed November 28, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King
Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 133

This 21th day of February, 1937.

Orig. in Bk.UT, Vol. 11, p 37, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands n.
ity
w;
ed
led

39

7

3 .

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett SECTION No. 8 County

B 39 8 7 13 14 U T

CROCKETT County BLOCK No. 39 FIELD NOTES of a survey of 676.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

Mag. Declination 10° 36' East. True North is 0° 15' 30" to the the Field notes of this survey.

of the North point used in right

Said survey is situated in on the drainage of Buckhorn miles N 25°E of Ozona, the County Site. about 20

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

ACT approved March 29, 1929.

Beginning at a concrete monument set for the SW corner of section No. 7, this Block, situated in the South edge of a dry lake, the bottom of which being sparsely covered with mesquite trees and rugged boulders and thickly matted with grass, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a windmill bears S 41° 15' E about 1000 varas; a 6-inch mesquite marked "T" and a 7-inch mesquite marked "X" bear respectively N 13° 30' W 21.8 varas and N 43° 50' E 68.2 varas; a 6-inch letter "F" cut on the face of a fixed boulder bears N 29° 20' E 11.4 varas.

Thence North 1958.3 varas to the NW corner of said section No. 7, being the South common corner of sections Nos. 3 and 4, and the NE corner of this section No. 8.

Thence West 1950.0 varas to the SE corner of section No. 2.

Thence South 1958.3 varas to a point for the SW corner of this section No. 8.

Thence East 1950.0 varas to the place of beginning.

Surveyed November 28, 1933.

Robert A. Leidecker Chainmen. Jim HWard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Tezas, Crockett County in Book UT Vol. C-1 page 134

day of February, 1937 24th

Orig. in Bk.UT, Vol.11,p 38,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

3 .

ity w; bed led

39

7

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas For Plat see General Sketch in SECTION No. 9 CROCKETT

39 10 9 11 12 U T

County | BLOCK No. 39 FIELD NOTES of a survey of 676.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 38 ' East. True North is 00 161 the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of Buckhorn miles N 21°E of Ozona, the County Site. about 19

CR OC KETT Creek, a tributary of

County, Texas, Dry Devil's River,

Beginning at the common corner of sections Nos. 2, 3, and 8, this Block, for the NE corner of this section No. 9.

Thence South 1958.3 varas to the SW corner of said section No. 8.

Thence West 1950.0 varas set a concrete monument on the SE end of a low point between two drains, one running East, and the other South, being 129.7 varas West of a North-South fence, stamped the brass plate in top of the monument as is represented in the figure above, from which a 6-inch letter "F" and a similar "X" and "T", cut in the faces of fixed rocks, bear respectively N 74° 20' W 91.7 varas, N 54° 40' W 76.8 varas and N 22° 45' W 96.5 varas.

Thence North --- at 135 varas cross a dim road running East and West at 606.0 varas pass a 60d hub nail in a small rock mound on a ridge extending East and West --- at 1499 varas point in a paririe dog town --- at 1598 varas cross the bed of a wide shallow drain running SE === at 1958.3 varas strike the South common corner of sections Nos. 1 and 2.

Thence East 1950.0 varas to the place of beginning.

Surveyed November 28, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 135 day of February, 1937.

Orig. in Bk.UT, Vol.11,p 39,G.L.O.

24th

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

an.

as.

sity aw;

ibed rded 139

of

E

in

in

ıs,

;h

ras.

Vol. 12, G.L.O.; and in Vol. C=2, The State of Texas

SECTION No. 10

39 10 9 11 12 U T

County BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 44' East. Mag. Declination True North is

0° 16' 30" to the

right

CROCKETT

637.0

· 15

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn

CROCKETT Creek, a tributary of

County, Texas, Dry Devil's River,

about 19 miles N 18°E of Ozona, the County Site.

Beginning at the SE, the SW, and the NW corner respectively of sections Nos. 1, 2, and 9, this Block, for the NE corner of this section No. 10.

Thence West 1836.4 varas to the SW corner of said section No. 1.

Thence South 1958.3 varas to a point for the SW commer of this section No. 10.

Thence East 1836.4 varas to the concrete monument set for the SW corner of section No. 9, situated on the SE end of a low point between two drains, one running East, the other South, being 129.7 varas West of a North-South fence, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a 6-inch letter "F" and a similar "X"" and "T", cut in the faces of fixed rocks, bear respectively N 74° 20' W 91.7 varas, N 54° 40' W 76.8 varas, and N 22° 45' W 96.5 varas.

Thence North --- at 135 varas cross a dim road running East and West --- at 606.0 varas pass a 60d hub nail in a small rock mound on top of a ridge extending East and West --- at 1499 varas point in a prairie dog town --- at 1598 varas cross the bed of a wide shallow drain running SE --- at 1958.3 varas the place of beginning.

November 28, 1933. Surveyed

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 136

Orig. in Bk.UT, Vol.11, p 40, G.L.O.

24th

day of February, 1937.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en.

man. ersity law;

ribed orded 139

ıd

9

of

HE.

an

in

as.

th

ras.

For Plat see General Sketch in and in Vol. C-2, The State of Texas Vol. 12, G.L.O.;

SECTION No. 11 CROCKETT County | BLOCK No. 39

B 39 10 9 11 12 U T

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

100 431 Mag. Declination East. 0° 16' 30" True North is the Field notes of this survey.

to the right of the North point used in

Said survey is situated in on the drainage of Buckhorn Creek, a tributary about 18 miles N 20°E of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set for the SW corner of section No. 9, this Block, being the SE corner of section No. 10 and the NE corner of this section No. 11, situated on the SE end of a low point between two drains, one running East, the other South, being 129.7 varas West of a N rth-South fence, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a 6-inch letter "F", and a similar "X" and "T", cut on the faces of fixed rocks, bear respectively N 74° 20' W 91.7 varas, N 54° 40' W 76.8 varas, and N 22° 45' W 96.5 varas. and N 22° 45' W 96.5 varas.

637.0

Thence West 1836.4 varas to the SW corner of said section No. 10.

Thence South 1958.3 varas to a point for the SW corner of this section No. 11.

Thence East 1836.4 varas to a point for the SE corner of this section

Thence North --- at 39 varas point in the head of a wide shallow drain running SW --- at 240.4 varas pass a 60d hub nail in a small rock mound on top of an East-West ridge --- at 882 varas cross another wide shallow drain running SE --- at 1321.2 varas pass through at about right angles a 36-inch net wire fence having 1 barbed wire above the net, being about 133 varas West of its junction with a fence running North-South, being 24-inch net having 3 barbed wires above the net --- at 1467.2 varas pass another 60d hub nail in a small rock mound --- at 1833 varas cross the bed of a wide drain running West --- at 1958.3 varas the place of beginning.

Surveyed Novemver 28, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, C rockett County in Book UT Vol. C-lpage 137
This 24th day of February, 1937.

Orig. in Bk.UT, Vol. 11, p 41, G:L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

nen.

tman. versity o law; cribed corded e 139

ind

12, G.L.O.; and in Vol. C-2, The State of Texas

B 39 9 10 11 12 U T

CROCKETT

676.4

County

BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

SECTION No. 12

59

.3

of

1E

an

in

as,

th

ras.

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 100 East. 00 161 True North is

the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn Creek, a tributary about 18 miles N 22°E of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set for the SW corner of section No. 9, being the SE corner of section No. 10, and the NE corner of section No. 11, this Block, situated on the SE end of a low point between two drains, one running East, the other South, being 129.7 varas West of a North-South fence, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a 6-inch letter "F" and a similar "X" and "T", cut in the faces of fixed rocks, bear respectively N 74° 20' W 91.7 varas, N 54° 40' W 76.8 varas, and N 22° 45' W 96.5 varas.

Thence East 1950.0 varas to the SW corner of section No. 8.

Thence South 1958.3 varas to a point for the SE corner of this section No. 12.

Thence West 1950.0 varas to the SE corner of section No. 11.

Thence North --- at 39 varas cross the head of a wide shallow drain running SW --- at 240.4 varas pass a 60d hub nail in a small rock mound on the top of an East-West ridge --- at 882 varas cross another wide shallow drain running SE --- at 1321.2 varas pass through at about right angles a 36-inch net wire fence having 1 barbed wire above the net, about 133 varas West of its junction with a North-South 24-inch net wire fence having 3 barbed wires above the net --- at 1833 varas cross the head of a wide drain running West --- at 1958.3 varas varas cross the bed of a wide drain running West --- at 1958.3 varas the place of beginning.

NOTE: Running North on the East line of section No. 11 there will be found at 1467.2 varas a 60d hub nail in a small rock mound.

Surveyed November 28, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 138 24th day of February, 1937.

Orig. in Bk.UT, Vol. 11,p 42,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en.

man. ersity law; cribed orded : 139

nd

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 13

BLOCK No. CROCKETT County

B 39 8 7 13 14 T U

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 35' East. Mag. Declination

0° 15'30" to the True North is

of the North point used in right

the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 19 miles N 25°E of Ozona, the County Site.

County, Texas, CROCKETT Creek, a tributary of Dry Devil's River,

676.4

Beginning at the common corner of sections Nos. 8, 9, and 12, this Block, for the NW corner of this section No. 13.

Thence South 1958.3 varas to the SE corner of said section No. 12.

Thence East 1950.0 varas to a point for the SE corner of this section No. 13.

Thence North --- at 40.3 varas pass a 60d hub nail in a small rock mound --- at 1183 varas cross a road running East and West --- at 1273 varas cross another East-West road, from which a windmill bears East about 200 varas --- at 1290.3 varas pass another 60d hub nail in a small rock mound --- at 1455.0 varas cross at about right angles a 24-inch net wire fence having 2 barbed wires above the net --- at 1775 veras cross enother road running NW and SE --- at 1958.3 veras strike the concrete monument set for the SW corner of section No. 7, this Block, being the SE corner of section No. 8 and the NE corner of this section No. 13, situated in the South edge of a dry lake, the bottom of which is thickly matted with grass and sparsely covered with large mesquites and rugged boulders, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a windmill bears S 41° 15' E about 1000 varas; a 6-inch letter "F" cut on the face of a fixed boulder bears N 29° 20' E 11.4 varas; a 6-inch mesquite marked "T", and a 7-inch mesquite marked "X" been respectively N 12° 70' W 21 8 varas and N 17° 70' TO 10 TO 20 "X" bear respectively N 13° 30' W 21.8 varas and N 43° 50' E 68.2 varas.

Thence West 1950.0 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 139 day of February, 1937. 24th This

Orig. in Bk.UT, Vol.11, p 43, G.L.O.

For Plat see General Sketch in Vol. 2, G.L.O.; and in Vol. C-2, The State of Texas

B 39
8 7
13 14
U T

CROCKETT County | SECTION No. 14

CROCKETT County | BLOCK No. 39

FIELD NOTES of a survey of

676.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 37! East.
True North is 0° 15!

Said survey is situated in CROCKETT
on the drainage of Buckhorn Creek, a tributary
about 19 miles N 28°E of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas,
Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set for the SW corner of section No. 7, being the SE corner of section No. 8 and the NE corner of section No. 13, this Block, situated in the South edge of a dry lake, the bottom of which being covered by a thick mat of grass and sparsely covered with large mesquites and rugged boulders, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a windmill bears S 41°15' E about 1000 varas; a 6-inch mesquite marked "T" and a 7-inch mesquite marked "X" bear respectively N 13° 30' W 21.8 varas and N 43° 50' E 68.2 varas; a 6-inch letter "F" cut on the face of a fixed rock bears N 29° 20' E 11.4 varas.

Thence East --- at 1085.1 varas pass a 60d hub nail in a small rock mound --- at 1700 varas cross the bed of a rocky drain running South --- at 1744.0 varas pass through at about right angles a 36-inch net wire fence having 4 barbed wires above the net --- at 1950.0 varas strike the SW corner of section No. 6.

Thence South 1958.3 varas to a point for the SE corner of this section No. 14.

Thence West 1950.0 varas to the SE corner of section No. 13.

Thence North --- at 40.3 varas pass a 60d hub nail in a small rock mound --- at 1183 varas cross an East-West road --- at 1273 varas cross another East-West road about 200 varas West of a windmill --- at 1290.3 varas pass another 60d hub nail in a small rock mound --- at 1455.0 varas cross at about right angles a 24-inch net wire fence having 2 barbed wires above the net --- at 1775 varas cross another road running NW and SE --- at 1958.3 varas the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Chainmen.

Jim H ward King
Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 140

This 24th day of February, 1937.

Orig. in Bk.UT, Vol. 11,p 44,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 15

Crockett County B B 16 15 16 25 55 39 T U

BLOCK No. CROCKE TT County

FIELD NOTES of a survey of

688.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 45' East. Mag. Declination

0° 141 30" to the True North is

right

of the North point used in

the Field notes of this survey. County, Texas, CROCKETT Said survey is situated in Creek, a tributary of Dry Devil's River, on the drainage of Buckhorn 20 miles N 31°E of Ozona, the County Site.

Beginning at the NE corner of section No. 14, this Block, being the SW corner of section No. 6 and the SE corner of section No. 7,

Thence East --- at 50.0 varas pass a 60d hub nail in a small rock mound at 1050.0 varas pass another 60d hub nail in a small rock mound at 1981.2 varas strike the SE corner of section No. 6.

Thence S 0° 09' 10" E --- at 81.3 varas pass through a 36-inch net wire fence having 2 barbed wires above the net --- at 1384.2 varas pass under a telephone line --- at 1388.8 varas pass over a pipe line --- at 1958.3 varas set a concrete monument in a prairie of good turf sparsely covered with mesquite, stamped the brass plate in top of the monument as is represented in the figure above, from which a 12-inch mesquite marked "T", another 12-inch mesquite marked "F", and a 14-inch mesquite marked "X" bear respectively S 12° 16' W 90.5 varas, S 73° 06' W 49.9 varas, end N 88° 41' E 44.6 varas; a windmill bears S 9° Ol' E about 1 mile.

Thence West 1986.4 varas to the SE corner of section No. 14.

Thence North 1958.3 varas to the place of beginning.

Surveyed Novembber 29, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 141 day of February, 1937. 24th This

wans Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol. 11,p 45,G.L.O.

For Plat see General Sketch in C-2, The State of Texas

SECTION No. 16

BLOCK No.

County, Texas,

B 55 B B B 15 16 16 25 16 25 25 1 55 39 B 56 39 T U T

FIELD NOTES of a survey of ... ye

ACRES of land made for THE 690.0

County

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Fig. #1. Fig. #2. 100 Mag. Declination 431 East.

Said survey is situated in

right of the North point used in

0° 14' 30" to the True North is the Field notes of this survey.

CROCKETT Dry Devil's River, Creek, a tributary of

CROCKETT

Buckhorn on the drainage of 19 miles N 32°E of Ozona, the County Site.

Beginning at a concrete monument set in a prairie of good turf sparsely covered with mesquite trees for the SE corner of section No. 15, this Block, the brass plate in top of the monument having been stamped as is represented in figure No. 1 above, from which a 12-inch mesquite marked "T", another 12-inch mesquite marked "F", and a 14-inch mesquite marked "X" bear respectively S 12° 16' W 90.5 varas, S 73° 06' W 149.9 varas, and N 88° 41' E 44.6 varas; a windmill bears S 9° 01' E about 1 mile.

Thence S 0° 09' 10" E -- at 745.0 varas pass through a 42-inch net wire fence having 1 barbed wires above the net -- at1958.3 varas set a concrete monument for the SE corner of this section No. 16, situated a concrete monument for the SE corner of this section No. 16, situated in a drain running South, 50 varas above the mouth of another drain from the NE, stamped the brass plate in top of the monument as is represented in figure No. 2 above, from which a letter "T", a letter "X", and a letter "F" cut in the faces of fixed rocks bear respectively S 18° 31' W 46.2 varas, N 50° 24' W 35.2 varas, and N 5° 06' E 65.2 varas; a windmill near steel tanks bears N 73° 56' E about 400 varas; an old stone mound of 40 large stones 30 varas North of the junction of 3 fences, one from the South, enother from the West, and a third of 3 fences, one from the South, another from the West, and a third from the NE, which may be the original stone mound called for at the SE of this section No. 16, bears S 34° 42' E 146.0 yaras.

Thence West 1991.6 varas to a point for the Swcorner of this section No. 16.

Thence North 1958.3 varas to the SE corner of section No. 14, and the SW corner of section No. 15.

Thence East 1986.4 varas to the place of beginning.

Surveyed November 29, 1933.

Chainmen. Robert A. Leidecker Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 142

day of February, 1937,

Orig. in Bk.UT, Vol.11,p 46,G.L.O.

24th

This

For Plat see General Sketchin
Vol. 12, G.L.O.; and in Vol. C=2, The State of Texas
Crockett County.

39 B 18 1 23 24 T U

CROCKETT

BLOCK No. 39 County

SECTION No. 17

FIELD NOTES of a survey of

676.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 38' E is 0° 15' Mag. Declination True North is

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn to the

of the North point used in right

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the common corner of sections Nos. 14, 15, and 16, for the NE corner of this section No. 17.

Thence South 1958.3 varas to the SW corner of said section No. 16.

Thence West 1950.0 varas set a concrete monument in a rolling prairie sparsely covered with catclaw brush and mesquite, inconsistently stamped the brass plate in top of the monument as is represented in the figure above, from which a windmill bears N 9° 35' E about 1 3/4 miles; a letter "X" and a letter "F" cut on the faces of flat fixed rocks bear respectively N 34° 26' E 34.9 varas and S 9° 00' E 19.3 varas; a mesquite 5 inches in diameter marked "X" bears S 80° 46' W 93.0 varas.

Thence North --- at 520.4 varas and at 1048.6 varas pass 60d hub nails in small rock mounds --- at 1958.3 varas strike the South common corner of sections Nos. 13 and 14.

Thence East 1950.0 to the place of beginning.

about 18 miles N 30°E of Ozona, the County Site.

Surveyed November 29, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, CrockettCounty in Book UT Vol. Calpage 143 24th day of February, 1937. This

Orig. in Bk.UT, Vol. 11, p 47, G.L.O.

Vol. 12, G.L.O and in Vol. C-2, The State of Texas

SECTION No. 18

CROCKETT

County | BLOCK No.

676.4

ML

FIELD NOTES of a survey of

ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 351 East.

18

23

1

24

True North is 0° 15' 30" to the

T

39

right

of the North point used in

the Field notes of this survey. Said survey is situated in

U

Buckhorn

CROCKETT

County, Texas,

on the drainage of Creek, a tributary of Dry Devil's River, about 18 miles N 27°E of Ozona, the County Site.

Beginning at a concrete monument set in rolling prairie sparsely covered with catclaw and mesquite brush for the SW corner of section No. 17, this Block, the brass plate in top of the monument having been inconsistently marked as is represented in the figure above, from which a windmill bears N 9° 35' E about 1 3/4 miles; a letter "X" and a letter "F" cut on the faces of flat fixed rocks bear respectively N 34° 26' E 34.9 varas and S 9° 00' E 19.3 varas; a mesquite 5 inches in diameter marked "X" bears S 808 46' W 93.0 varas.

Thence North --- at 520.4 varas and at 1048.6 varas pass 60d hub nails, each in a small rock mound --- at 1958.3 varas strike the South common corner of sections Nos. 13 and 14.

Thence West 1950.0 varas to the SE corner of section No. 12.

Thence South 1958.3 varas to a point for the SW corner of this section No. 18.

Thence East 1950.0 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 144 day of February, 1937. 24th This

Orig. in Bk.UT, Vol.11,p 48,G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in Vol.C-2, The State of Texas Crockett County. Vol. 12.G.L.O.; Crockett

SECTION No. 19 CROCKETT County J BLOCK No.

39 20 19 21 22 TI T

FIELD NOTES of a survey of

676.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

100 Mag. Declination 371 East. 0° 16' True North is the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of Buckhorn about 17 miles N 24°E of Ozona, the County Site.

CROCKETT

County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the SE corner, the SW corner, and the NW corner respectively of sections Nos. 12, 13, and 18, this Block, for the NE corner of this section No. 19.

Thence South 1958.3 varas to the SW corner of said section No. 18.

Thence West 1950.0 varas set a concrete monument in grassy rolling prairie on the NE slope of a hill about 60 varas below the crest of same and about 200 varas N 45° W of the SE corner of a pasture for the SW corner of this section No. 19, stamped the brass plate in top of the monument as is represented in the figure above, from which a letter "X" and a letter "F" cut in the faces of fixed rocks bear respectively S 67° 48' E 103.6 varas and N 47° 40' W 21.6 varas; a windmill bears N 39° 35' W; a double mesquite 6 inches in diameter marked "F" bears N 10° 07' W 64.0 varas.

Thence North --- at 1015 varas cross the bed of a wide rocky drain running SE --- at 1664.8 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas strike the SE corner of section No. 11 and the SW corner of section No. 12.

Thence West 1950.0 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

n.

ty

ed ed

51

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 145

day of February, 1937,

Orig. in Bk.UT, Vol. 11,p 49,G.L.O.

24th

This

vol. 12 G.L.O.; and in vol. C-2, The State of Texas

SECTION No. 20

B 39 20 19 21 22 U T

County | BLOCK No.

FIELD NOTES of a survey of

637.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 40' Mag. Declination East.

on the drainage of

Said survey is situated in

0° 16' 30" to the True North is the Field notes of this survey.

right of the North point used in

CROCKE TT County, Texas, Creek, a tributary of Dry Devil's River,

about 17 miles N 21° E of Ozona, the County Site.

Buckhorn

Beginning at a concrete monument set for the SW corner of section No. 19, this Block, situated on a grassy rolling prairie on the NE slope of a hill about 60 varas below the crest of same and about 200 varas N 45° W of the SE corner of a pasture, said monument having been stamped as is represented in the figure above, from which a letter "X" and a letter "F" cut in the faces of fixed rocks bear respectively S 67° 48' E 103.6 varas and N 47° 40' W 21.6 varas; a windmill bears N 39° 35' W; a double mesquite 6 inches in diameter marked "F" bears N 10° 07' W 64.0 varas.

CROCKETT

... 05

Thence North --- at 1015 varas cross the bed of a wide rocky drain running SE --- at 1664.8 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas strike the South common corner of sections Nos. 11 and 12.

Thence West 1836.4 varas to the Sw corner of said section No. 11.

Thence South 1958.3 varas to a point for the SW corner of this section No. 20.

Thence East 1836.4 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

n.

ity

w;

ped

led

51

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volcel page 146 24th day of February, 1937.

Orig. in Bk.UT, Vol. 11, p 50,G L.O.

For Plat see General Sketch in vol. 12, G.L.O and in vol. C-2, the State of Texas

SECTION No. 21

CROCKE TT

County | BLOCK No.

FIELD NOTES of a survey of

637.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

20

21

U

10° 39! East.
0° 16'30" to the True North is the Field notes of this survey.

39

T

19

22

right

of the North point used in

Said survey is situated in on the drainage of

Buckhorn 16 miles N 22°E of Ozona, the County Site. about

CROCKETT Creek, a tributary of Dry Devil's River,

County, Texas,

Beginning at a concrete monument set for the SW corner of section No. 19, being the SE corner of section No. 20, and the NE corner of this section No. 21, situated in a grassy rolling prairie on the NE slope of a hill about 60 varas below the crest of same and about 200 varas N 45° W of the SE corner of a pasture, the brass platein top of the monument having been stamped as is represented in the figure above, from which a letter "X" and a letter "F" cut in the faces of fixed rocks bear respectively S 67° 48' E 103.6 varas and N 47° 40' W 21.6 varas; a windmill bears N 39° 35' W; a double mesquite 6 inches in diameter marked "F" bears N 10° 07' W 64.0 varas.

Thence South --- at 109.6 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 751 varas cross a road running NE and SW --- at 1424 varas cross a wide rocky drain running SE --- at 1866 varas cross the bed of a short drain running NE --- at 1958.3 varas point for the SE corner of this section

Thence West 1836.4 varas to a point for the SW corner of this section No. 21.

Thence North 1958.3 varas to the SW corner of section No. 20.

Thence East 1836.4 varas to the place of beginning.

November 29, 1933. Surveyed

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 147 24th day of February, 1937,

Orig. in Bk.UT, Vol. 11,p 51,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n. an. rsity aw; ibed rded 151

Vol. 12, G.L.O.; and in Vol. C-2, he State of Texas

SECTION No. 22

B 39
20 19
21 22
U T

County J BLOCK No. 39

FIELD NOTES of a survey of

ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 37' East.
True North is 0° 16'
the Field notes of this survey.

to the right

CROCKE TT

of the North point used in

Said survey is situated in on the drainage of Buckhorn about 17 miles N 25 20 of 0

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

about 17 miles N 25°E of Ozona, the County Site.

Beginning at a concrete monument set for the SW corner of section No. 19, being the SE corner of section No. 20 and the NE corner of section No. 21, this Block, situated on a grassy rolling prairie on the NE slope of a hill about 60 varas below the crest of same and about 200 varas N 45° W of the SE corner of a pasture, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a letter "X" and a letter "F" cut on the faces of fixed rocks bear respectively S 67° 48' E 103.6 varas and N 47° 40' W 21.6 varas; a windmill bears N 39° 35' W; a double mesquite marked "F", and 6 inches in diameter, bears N 10° 07' W 64.0 varas.

Thence South --- at 109.6 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 751 varas cross a road running NE and SW --- at 1424 varas cross a wide rocky drain running SE --- at 1866 varas cross the bed of a short drain running NE --- at 1958.3 varas strike the SE corner of section No. 21.

Thence East 1950.0 varas to a point for the SE corner of this section No. 22.

Thence North 1958.3 varas to the South common corner of sections Nos. 18 and 19.

Thence West 1950.0 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 148

This 24th day of February, 1937.

Orig. in Bk.UT, Vol. 11,p 52,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands n.
nan.
rsity
law;
ribed

rded 151

n

18

er

r

For Plat see General Sketch in Vol. 12, G.I. Oti and in Vol. C-2, The State of Texas B 18 1 23 24 TT T

SECTION No. 23 CROCKETT County BLOCK No.

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 351 100 East.

True North is 0° 15' 30" to the the Field notes of this survey.

676.4

right

of the North point used in

Said survey is situated in CROCKETT on the drainage of Buckhorn about 15 miles N 29°E of Ozona, the County Site.

County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the common corner of sections Nos. 18, 19, and 22, this Block, for the NW corner of this section No. 23.

Thence East 1950.0 varas to the concrete monument set for the SW corner of section No. 17, being the SE corner of section No. 18, and the NE corner of this section No. 23, situated in a rolling prairie sparsely covered with catclaw and mesquite brush, the brass plate in top of the monument having been inconsistently marked as is represented in the figure above, from which a windmill bears N 9° 35' E about 1 3/4 miles; a letter "X" and a letter "F" cut on the faces of flat rocks bear respectively N 34° 26' E 34.9 varas and S 9° 00' E 19.3 varas; a mesquite 5 inches in diameter marked "X" bears S 80° 46' W 93.0 varas.

Thence South --- at 101.4 varas pass a 60d hub nail in a small rock mound in center of a brush-cut-out line running nearly East and West at 125.2 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 845.3 varas pass another 60d hub nail in a small rock mound --- at 1280 varas cross a narrow shallow drain running SW --- at 1865 varas cross a rocky drain running SE --- at 1958.3 varas point for the SE corner of this section No. 23.

Thence West 1950.0 varas to the SE corner of section No. 22.

Thence North 1958.3 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 149 day of February, 1937. This 2Lth

Orig. in Bk.UT, Vol. 11,p 53,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en. man.

ersity law; cribed orded 151

nd

E

n

n

s,

18

Br

t

W

ar

SECTION No. 24

For Plat see General Sketch in Vol. 27, he State of Texas Crockett County.

B 39 CROCKETT County

18 1

23 24

676 de ACPES

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 36! East.
True North is 0° 15!
the Field notes of this survey.

U

to the right of the North point used in

Said survey is situated in CROCKETT
on the drainage of Buckhorn Creek, a tributary
about 18 miles N 31 E of Ozona, the County Site.

T

CROCKETT County, Texas,
Creek, a tributary of Dry Devil's River,

Beginning at the concrete monument set for the SW corner of section No. 17, being the SE corner of section No. 18, and the NE corner of section No. 23, this Block, situated in a rolling prairie sparsely covered with catclaw and mesquite brush, the brass plate in top of the monument having been inconsistently stamped as is represented in the figure above, from which a windmill bears N 9° 35' E about 1 3/4 bear respectively N 34° 26' E 34.9 varas and S 9° 00' E 19.3 varas; a mesquite 5 inches in diameter marked "X" bears S 80° 46' W 93.0 varas.

Thence South --- at 101.4 varas pass a 60d hub nail in a small rock mound in the center of a brush-cut-out line running nearly East and West --- at 125.2 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 845.3 varas pass another 60d hub nail in a small rock mound --- at 1280 varas cross a narrow shallow drain running SW --- at 1865 varas cross a rocky drain running SE --- at 1958.3 varas strike the SE corner of section No. 23.

Thence East 1950.0 varas to a point for the SE corner of this section No. 24.

Thence North 1958.3 varas to the South common corner of sections Nos. 16 and 17.

Thence West 1950.0 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker

Jim Howard King

Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 150 This 24th day of February, 1937,

Orig. in Bk.UT, Vol.11,p 54,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands ien.

man.
versity
b law;
cribed
corded

e-151

ind

Vol. 12 G.L. Ot; cand in Vol. C-2, he State of Texas

SECTION No. 25

CROCKETT

County BLOCK No. 39

FIELD NOTES of a survey of

691.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Fig. #2 East. 100 Mag. Declination

0°14'30" to the True North is

25

26

39

of the North point used in right

the Field notes of this survey.

B 55

B 56

T

25

1

B

16

25

39

Said survey is situated in Buckhorn on the drainage of

County, Texas, CROCKETT Creek, a tributary of Dry Devil's River,

about 18 miles N 34°E of Ozona, the County Site.

B

56

1

10

Beginning at the SW, the SE, and the NE corner respectively of sections No.s 16, 17, and 24, this Block, for the NW corner of this section No.

Thence East 1991.6 varas to the concrete monument set for the SE corner of section No. 16, this Block, situated in a drain running South about 50 varas North of the mouth of another drain running SW, the brass plate in top of the monument having been stamped as is represented in figure No. 1 above, from which a letter "T", a letter "X", and a letter "F" cut in the faces of fixed rocks bear respectively S 18°31'W 46.2 varas, N 50° 24' W 35.2 varas, and N 5° 06' E 65.2 varas; a windmill near steel tanks bears N 73° 56' E about 400 varas; an old stone mound of 40 large stones 30 varas N rth of the junction of 3 fences, one from the South, another from the West, and a third from the NE, which may be the original stone mound called for at the NE corner of this section No. 25, bears S 34° 42' E 146.0 varas.

Thence S 0° 09! 10" E --- at 1557 varas cross a road running NW and SE --- at 1958.3 varas set another concrete monument for the SE corner of this section No. 25, situated on a hill covered with catclaw, mesquite and rough, loose boulders, stamped the brass plate in top of the monument as is represented in figure No. 2 above, from which a windmill at two steel tanks bears N 8° Ol' E about 1 1/4 miles; windmills at ranch houses bear S 88° 24' E about 4 1/4 miles and N 51° 39' E about 2 1/2 miles; a catclaw 6 inches in diameter marked "X" bears S 23° 39' E 71.5 varas; an 8-inch mesquite marked "F" and a 6-inch mesquite marked "T" bear respectively S 16° 56' W 83.4 varas and N 82° 57' W 89.0 varas.

Thence West 1996.8 varas to the SE corner of section No. 24. Thence North 1958.3 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 151 day of February, 1937. 2Lth

Orige in Bk.UT, Vol. 11,p 55,G.L.O.

This

G.L.O.; and in Vol. C-2, he State of Texas For Plat see General Sketch in Vol. 12,

SECTION No. 26 County BLOCK No.

B B 56 B 39 B 26 10 25 26 10 11 56 39 B 56 U Fig. No. 2.

FIELD NOTES of a survey of

710.8 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

CROCKETT

Fig. No. 100 Mag. Declination

39! East. 0° 14' 30" to the True North is

of the North point used in right

the Field notes of this survey.

Said survey is situated in Buckhorn on the drainage of

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

about 17 miles N 36°E of Ozona, the County Site.

Beginning at a concrete monument set for the SE corner of section No. 25, this Block, situated on a hill covered with catclaw, mesquite and rough loose boulders, the brass plate in top having been stamped as is represented in figure No. 1 above, from which a windmill at two steel tanks bears N 8° Ol! E about 1 1/4 miles; windmills at ranch houses bear S 88° 24! E about 4 1/4 miles and N 51° 39! E about 2 1/2 miles; a catclaw 6 inches in diameter marked "X" bears S 23° 39! E 71.5 varas; an 8-inch mesquite marked "F" and a 6-inch mesquite marked "T" bear respectively S 16° 56! W 83.4 varas and N 82° 57! W 89.0 varas.

Thence S 0° 09' 10" E -- at 96 varas cross a drain running SW -- at Thence S 0° 09' 10" E --- at 96 varas cross a drain running SW --- at 134.7 varas pass through at about right angles a 36-inch net wire fence having 4 barbed wires above the net --- at 576 varas cross a drain running NE --- at 1440 varas cross a wide shallow drain running NE --- at 2012.0 varas set a concrete monument for the SE corner of this section No. 26 on the NE bank of a drain running SE, 82.4 varas West of a North-South 36-inch net wire fence having 4 barbed wires above the net, stamped the brass plate in top of the monument as is represented in figure No. 2 above, from which a mesquite 8 inches in diameter marked "X" bears N 80° 42' W 153.9 varas; a windmill bears S 71° 30' E about 1 mile; a letter "F" cut in the face of a fixed flat rock bears S 58° 28' W 72.7 varas.

Thence N 89° 42' W --- at 706.8 varas pass a 60d hub nail in a small rock mound --- at 1552.2 varas pass another 60d hub nail in a small rock mound --- at 1878.2 varas cross a wide shallow drain running SW --- at 2002.2 varas point for the SW corner of this section No. 26.

Thence North 2001.5 varas to the SE corner of section No. 24 and the SW corner of section No. 25.

Thence East 1996.8 varas to the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.g-1 page 152
This 24th day of February, 1937.

Orig. in Bk.UT, Vol. 11,p 56,G.L.O.

Vol. 12. G.L.O.; and in Vol. C-2, he State of Texas

39

27

County

CROCKETT

BLOCK No.

689.6

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 361 Mag. Declination East. True North is 00 151

to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in

U

28

B

CROCKETT Creek, a tributary of Dry Devil's River, Buckhorn

County, Texas,

on the drainage of about 17 miles N 34°E of Ozona, the County Site.

Beginning at the NW corner of section No. 26, this Block, being also the SE corner of section No. 24 and the SW corner of section No. 25.

Thence West 1950.0 varas to the SE corner of section No. 23.

Thence South --- at 545 varas cross a rocky drain running East --- at 1332.2 varas pass a 60d hub nail in a small rock mound --- at 1333.8 varas pass through a 40-inch net wire fence having I barbed wire above the net --- at 1678.5 varas pass another 60d hub nail in a small rock mound —— at 1991.3 varas pass another old hub hall in a small rock mound —— at 1991.3 varas set a concrete monument for the SW corner of this section No. 27 on the NW side of a wide shallow drain running SW, stamped the brass plate in top of the monument as is represented in the figure above, from which a letter "X" and a letter "F" cut in the faces of fixed flat rocks bear respectively S 11° 10' W 82.2 varas and N 78° 55' W 46.3 varas; a windmill bears S 85°30' W.

Thence S 89° 42' E --- at 69.8 varas pass over an old stone mound composed of 7 large rocks and 4 smaller ones, all partially embedded in soil and surrounded by turf, one rock 8 inches by 5 inches resting on end, being near the foot and on the West side of a low hill. In 1926 the writer found an old stump which fit the call in the original fieldnote, but it has since disapperaed; this stone mound is therefore identified as the original SW corner of this section No. 27. at 207.0 varas pass a 60d hub nail in a small rock mound at 659 varas cross a rocky drain running South --- at 825.7 varas cross a 40-inch net wire fence having I barbed wire above the net, running nearly NW and SE --- at 1812.3 varas pass another 60d hub nail in a small rock mound --- at 1950.0 varas strike the SW corner of section No. 26.

Thence North 2001.5 varas to the place of beginning.

NOTE: Running South on the West line of this section there will be found at 53.2 varas a 60d hub nail in a small rock mound.

Surveyed November 29, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volcel page 153 day of February, 1937. This 24th

Orig. in Bk.UT.Vol. 11,p 57,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, he State of Texas

T

27

39

U

28

B

SECTION No. 28

CROCKETT

County

BLOCK No.

FIELD NOTES of a survey of

686.1

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

351 10° East. Mag. Declination

0° 15 1 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

about 16 miles N 30°E of Ozona, the County Site.

Beginning at the concrete monument set for the SW corner of section No. 27, this Block, on the NW side of a wide shallow drain running SW, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a letter "X" and a letter "F" cut in the faces of fixed flat rocks bear respectively S 11°10'W 82.2 varas and N 78° 55' W 46.3 varas; a windmill bears S 85° 30' W.

Thence North --- at 312.8 varas pass a 60d hub nail in a small rock mound --- at 657.5 varas pass through a 40-inch net wire fence having 1 barbed wire above the net --- at 659.1 varas pass another 60d hub nail in a small rock mound --- at 1446.3 varas cross a rocky drain running East --- at 1938.1 varas pass another 60d hub nail in a small rock mound --- at 1991.3 varas strike the NW corner of said section No. 27, being the SE corner of section No. 23 and the SW corner of section No. 24.

Thence West 1950.0 varas to the SE corner of section No. 22.

Thence South 1981.1 veras to a point for the SW corner of this section No. 28.

Thence S 89° 42' E --- at 7 varas pass about 350 varas South of a wind-mill near a concrete tank --- at 286.2 varas cross a 36-inch net wire fence having 1 barbed wire above the net, running NE and SW, about 15 varas SW of a gate --- at 297 varas cross an abandoned road running NW and SE --- at 311 varas cross a road running NW and SE --- at 1374.4 varas pass a 60d hub nail in a small rock mound --- at 1663 varas cross the bed of a rocky drain running SW --- at 1950.0 varas the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 154 day of February, 1937.

Orig. in Bk.UT, Vol. 11,p 58,G.L.O.

24th

This

Vol. 12, G.L.O.; and in Vol. (Crockett County.)

U T
B 42
29

h in Vol. C-2, The State of Texas

CROCKETT

County BLOCK No.

TELD NOTES of a survey.

SECTION No. 29

FIELD NOTES of a survey of

682.5 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 36! East.

True North is 0° 16!

the Field notes of this survey.

Said survey is situated in

0° 16' to the right vey.

of the North point used in

Said survey is situated in CROCKETT County, Texas, on the drainage of Buckhorn Creek, a tributary of Dry Devil's River, about 16 miles N 27°E of Ozona, the County Site.

Beginning at the SW corner of section No. 28, this Block.

Thence North 1981.1 varas to the South common corner of sections Nos. 22 and 23, being the NE corner of this section No. 29.

Thence West 1950.0 varas to the SE corner of section No. 21.

Thence South --- at 268.7 varas cross from the West side to the East side of a 36-inch net wire fence having 2 barbed wires above the net --- at 312.7 varas and at 710.6 varas pass 60d hub nails, each in a small rock mound --- at 1662 varas and at 1668 varas cross roads running East and West, the last being an old road --- at 1970.9 varas set a concrete monument for the SW corner of this section No. 29, situated on the North bank of Buckhorn Draw, the brass plate in top of the monument being inconsistently stamped as is represented in the figure above, from which a windmill bears N 80° 08' E; a letter "F" cut on a fixed rock on the SE bank of Buckhorn Draw bears S 33° 45' E 61.4 varas; another windmill bears S 59° 48' W; a 6-inch mesquite marked "X" bears N 49° 05' W 43.7 varas; a conspicuous hackberry mott on the South bank of a creek bears S 55° 23' W 125 varas; a 10-inch mesquite bears S 83° 43' W 95 varas.

Thence S 89° 42' E --- at 110 varas point among rugged boulders in bed of Buckhorn Draw running NE --- at 516.9 varas pass a 60d hub nail in a small rock mound --- at 664 varas and at 685 varas cross roads running NE and SW --- at 1223 varas recross the bedof Buckhorn Draw, here running SE --- at 1516 varas and at 1587 varas cross roads running NW and SE, the latter being an abandoned road --- at 1650.0 varas pass 60d hub nail in a small rock mound --- at 1700 varas cross a road running NE and SW --- at 1722 varas cross the bed of a drain 50 feet wide and 5 feet deep running South into Buckhorn Creek --- at 1950.0 varas the place of beginning.

Surveyed November 24, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King

Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 155

This 21th day of February, 1937.

Orig. in Bk.UT, Vol. 11,p 59,G.L.O.

and in Vol. C-2, he State of Texas For Plat see General Sketch in Vol. 12, G.I.O.; Crockett

SECTION No. 30

CROCKETT

County

BLOCK No.

FIELD NOTES of a survey of

639.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

37 1 Mag. Declination 10° East.

U

30

B

08 16' 30" to the True North is

42

29

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

about 15 miles N 24°E of Ozona, the County Site.

Beginning at a concrete monument set on the North bank of Buckhorn Creek for the SW corner of section No. 29, this Block, the brass plate in top of the monument having been inconsistently stamped as is represented in the figure above, from which a windmill bears N 80° 08' E; a letter "F" cut in a fixed rock on the SE bank of Buckhorn Draw bears S 33° 45' E 61.4 varas; another windmill bears S 59° 18' W: a 6-inch mescuite marked "Y" bears N 10° 06' W 13.7 years S 59° 48' W; a 6-inch mesquite marked "X" bears N 49° 05' W 43.7 varas; a conspicuous hackberry mott on the South bank of a creek bears S 55° 23' W 125 varas; a 10-inch mesquite bears S 83° 43' W 95 varas.

Thence N 89° 42' W 1836.4 varas to a point for the SW corner of this section No. 30.

Thence North 1961.3 varas to the SW corner of section No. 21.

Thence East 1836.4 varas to the SE corner of said section No. 21, the SW corner of section No. 22, and the NW corner of section No. 29.

Thence South --- at 268.7 varas cross from the West side to the East side of a 36-inch net wire fence having 2 barbed wires above the net at 312.7 varas and at 710.6 varas pass 60d hub nails in small rock mound --- at 1662 varas and at 1668 varas cross East-West roads, the latter being an old road --- at 1970.9 varas the place of beginning.

Surveyed November 29, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 156 day of February, 1937. 24th

Orig. in Bk.UT, Vol. 11,p 60,G.L.O.

This

Vol. 12, G.L.O.; and in this Vol. The State of Texas

BLOCK No. 40 IRION County

WCR 43 R CO. 58 10 11 1 40 40 T U U

FIELD NOTES of a survey of

ACRES of land made for THE 635.1

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Fig. #1. Fig. Mag. Declination 100 East. 501

0° 161 30" to the True North is the Field notes of this survey.

of the North point used in right

IRION County, Texas,

Said survey is situated in drainage of Spring Creek Creek, a tributary of 25 miles S 71°W of Mertzon, the County Site. Creek, a tributary of Concho River, on the drainage of

about 25 miles S 71°W of Mertzon, the County Site.

Beginning at a concrete monument set at the established original SW corner of Survey No. 58, Washington County Railroad Co. Lend, for the NW corner of this section No. 1, situated in a mesquite covered drain running SW, under a North-South 36-inch net wire fence having 2 barbed wires above the net, its brass plate in top being stamped as is represented in Fig. #1 above, from which a windmill near a white house bears N 7° 00' E; a 6-inch mesquite marked "T", another 6-inch mesquite marked "X", a triple mesquite marked "U", and a 5-inch mesquite marked "F" bear respectively N 43° 42' E 35.2 varas, N 66°52' E 8.2 varas, S 51° 21' E 45.3 varas, S 45° 43' E 29.2 varas; an old stone mound being one large rock set on end, surrounded by numerous smaller rocks, deeply sunk in soil, from which old mound a 20-inch mesquite recently marked X bears N 9° 13' E 31.0 varas and a large mesquite stump with sprouts on It, having a large rock marked "X" at its base, bears N 1° 50' E 38.0 varas, identified as the original common corner of Surveys Nos. 46, 47, 48, and 49, Washington County Railroad Company Land, bears N 89° 53' 15" E 3836.1 varas and N 0° 11' 31" E 1900.8 varas.

Thence S 0° 29' 16' W --- at 407.7 varas cross the Santa Fe and Panhandle Railroad running S 81°57'30"E- N 81°57'30"W--- at 1919.7 varas point for the SW corner of this section No. 1, from which point an old stone mound of about 18 stones partially buried in soil and undisturbed, identified as the original SW corner of this section No. 1, bears S 0° 29' 16" W 84.1 varas.

Thence East 1874.2 varas to a point for the SE corner of this section No. 1.

Thence East 1874.2 varas to a point for the SE corner of this

section No. 1.

Thence North --- at 1400.2 varas recross the Santa Fe and Panhandle Railroad center line about 100 varas East of a curve --- at 1430.2 varas cross an old highway --- at 1923.2 varas set a concrete monument for the NE corner of this section No. 1 in a rocky prairie monument for the NE corner of this section No. 1 in a rocky prairie sloping SE toward a large drain running SW, stamped its brass plate in top as is represented in Fig. #2 above, from which a windmill on the South side of highway bears N 8° 25' E about 700 varas; a steel windmill bears S 66° 24' E about 3/4 mile; a 6-inch mesquite marked "T" bears S 29° 27' E 96.4 varas; a 6-inch letter "X" and a similar "T" cut on the faces of fixed rocks bear respectively S 30° 30' W 24.4 varas and S 86° 28' W 17.1 varas; an old stone mound identified as the original common corner of surveys Nos. 16. 17. 18. and 19. Washington County common corner of surveys Nos. 46, 47, 48, and 49, Washington County
Railroad Company Land, bears N 89° 53' 15" E 1978.2 varas and
N 0° 11' 31" E 1900.8 varas.

Thence S 89° 53' 15" W 1857.9 varas to the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-lpage 6
This 4th day of March, 1937.

Orig. in Bk.UT, Vol. 11, p 61, G.L.O.

For Plat see General Sketch in G.L.O.; and in back of Vol. I-1, Irion Co.

2 B 40 U

The State of Texas

SECTION No. 2 BLOCK No. 40

IRION

County

FIELD NOTES of a survey of

649.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 521 East.

00 161 True North is

to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

TRION

County, Texas,

drainage of Spring Creek Creek, a tributary of Concho River, 24 miles S 70° Wof Mertzon, the County Site. on the drainage of

Beginning at a concrete monument set in a rocky prairie sloping SE toward a large drain running SW for the NE corner of section No. 1, this Block, for the NW corner of this section No. 2, its brass plate in top having been stamped as is represented in the figure above, from which a windmill on the South side of highway bears N 8° 25' E about 700 varas; a steel windmill bears S 66° 24' E about 3/4 mile; a 6-inch mesquite marked "T" bears S 29° 27' E 96.4 varas; a 6-inch letter "X" and a similar "T" cut on the faces of fixed rocks bear respectively S 30° 30' W 24.4 varas and S 86° 28' W 17.1 varas; an old stone mound identified as the original common corner of Surveys Nos. 46, 47, 48, and 49, Washington County Railroad Company Lands, bears N 89° 53' 15" E 1978.2 varas and N 0° 11' 31" E 1900.8 varas.

Thence South --- at 493 varas cross old highway --- at 523 varas cross the center line of the Santa Fe and Panhandle Railroad about 100 varas East of a curve --- at 1923.2 varas strike the SE corner of said section No. 1.

Thence East 1905.0 varas to a point for the SE corner of this section No. 2.

Thence North 1926.8 varas to a point for the NE corner of this section No. 2.

Thence S 89° 53' 15" W --- at 357.4 varas cross the Santa Fe and Panhandle Railroad in a long, gradual curve --- at 1905.0 varas the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. 1 page 7 day of March , 1937.

Orig. in Bk.UT, Vol. 11, p 62, G.L.O.

Lith

This

Vol. 12, G.L.O.; and in back of this Vol. I-1, Irion Co.

this Vol. I-1, Irion Co.

3 4

B 40

U T

The State of Texas

SECTION No. 3

IRION County | BLOCK No. 40

FIELD NOTES of a survey of

650.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 55! East.

True North is 0°15'30" the Field notes of this survey.

Said survey is situated in

to the

right of the North point used in

IRION County, Texas,
Creek, a tributary of Concho River,

on the drainage of Spring Creek, a tributary of about 23 miles S 69° Wof Mertzon, the County Site.

Beginning at the NE corner of section No.2, this Block, for the NW corner of this section No. 3.

Thence South 1926.8 varas to the SE corner of said section No. 2.

Thence East --- at 1206.5 varas cross the Ozona-Barnhart paved highway at 1905.0 varas point for the SE corner of this section No. 3.

Thence North 1925.5 varas set a concrete monument in a rocky prairie sloping NW, 15.4 varas North of an East-West 24-inch net wire fence with 3 barbed wires above the net, and 88 varas West of a North-South 24-inch net wire fence having 4 barbed wires above the net, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite tree marked "T" and another 6-inch mesquite marked "X" bear respectively S 37° 28' W 103.8 varas and S 40° 08' W 90.6 varas; the SW corner of the school building in the town of Barnhart bears N 49° 34' W; a stone mound bears N 88° 25' E 88.0 varas; the SE corner of a pasture bears S 80° 19' E 89.4 varas.

Thence N 89° 57' 30" W --- at 688.7 varas recross the Ozona-Barnhart paved highway --- at 1831.8 varas point for a corner of this section No. 3, from which an old stone mound composed of one large stone set on end, having numerous other smaller stones surrounding it, deeply sunk in soil, from which a 20-inch mesquite recently marked "x" bears N 9° 13' E 31 varas, and a mesquite stump with sprouts growing on it, with an oblong rock marked "X" at its base, bears N 1° 50' E 38 varas, said mound being identified as the original common corner of Surveys Nos. 46, 47, 48, and 49, Washington County Railroad Co. Land, bears N 0° 11' 31' E 1900.8 varas.

Thence S 89° 53' 15" W 73.2 varas to the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1page 8

day of March, 1937,

Orig. in Bk.UT, Vol.11,p 63,G.L.O.

4th

This

For Plat see General Sketch in The State of Texas 2, G.L.O.; and in back of this Vol. I-1, Irion County. Vol. 12, G Irion County. 3 4 B 40

T

BLOCK No. 40 County TRION

FIELD NOTES of a survey of

SECTION No. 1

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 521 East. Mag. Declination 00 15 True North is

to the right of the North point used in

the Field notes of this survey. Said survey is situated in

U

IRION Creek, a tributary of

· of 648.7

County, Texas,

on the drainage of Concho River,

drainage of Spring Creek, a tributary of 22 miles 68°W of Mertzon, the County Site.

Beginning at a concrete monument set on a rocky prairie sloping NW for the NE corner of section No. 3, this Block, situated 15.4 varas North of an East-West 24-Inch net wire fence having 3 barbed wires above the net, and 88 varas West of a North-South 24-inch net wire fence having 4 barbed wires above the net, its brass plate in top having been stamped as is represented in the figure above, from which 6-inch mesquite trees, one marked "T", the other "X", bear respectively S 37° 28' W 103.8 varas and S 40° 08' W 90.6 varas; the SW corner of the school building in the town of Barnhart bears N 49° 34' W; a stone mound bears N 88° 25' E 88.0 varas; the SE corner of a pasture bears S 80° 19' E 89.4 varas.

Thence South 1925.5 varas to the SE corner of section No. 3.

Thence East 1905.0 varas to a point for the SE corner of this section No. 4.

Thence North 1919.3 varas to a point for the NE corner of this section No. 4.

Thence N 89° 48' 29" W 1815.7 varas to a point for a corner of this section No. 4, from which a mound now composed of gypsum tile, broken glass, and small stones in the NW corner of the Barnhart Cemetary, from which a 12-inch mesquite marked "X" bears N 30° W 4.3 varas, said mound being identified as the original common corne r of Surveys Nos. 36, 37, 46, and 47, Washington County Railrad Company Land, bears N 0° 11' 31" E 1900.8 varas.

Thence N 89° 57' 30" W 89.3 varas to the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 9 March , 1937. day of

Orig. in Bk.UT, Vol. 11,p 64,G.L.O.

4th

This

this Gol. i-1, Irion Co.

The State of Texas

6 5 40 B U T

SECTION No. 5

IRION

BLOCK No. 40 County

FIELD NOTES of a survey of

646.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 48 · East. Mag. Declination

00 141 30" True North is to the right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Spring about 22 miles S 67° Wof Mertzon, the County Site.

IRION Creek, a tributary of

County, Texas,

Concho River,

Beginning at the NE corner of section No. 4, this Block, for the NW corner of this section No. 5.

Thence South 1919.3 varas to the SE corner of said section No. 4.

Thence East 1905.0 varas to a point for the SE corner of this Section No. 5.

Thence North 1912.9 varas set a concrete monument on the North end of a very rocky point of hill for the NE corner of this section No. 5, stamped its brass plate in top as is represented in the figure above, stamped its brass plate in top as is represented in the figure above, from which a steel windmill on the new highway and a wooden windmill bear respectively N 25° 13' E and N 84° 00' E about 2 miles; a stone mound bears S 37° 48' E 114.7 varas; another stone mound bears S 30° 55' E 124.4 varas; and a third stone mound bears S 29° 04' E 195.0 varas; a 6-inch letter "F" and a similar "X" cut on the faces of fixed rocks bear respectively S 11° 35' E 14.7 varas and S 3° 30' W 28.3 varas; the NW corner of the school building in the town of Barnhart bears N 75° 21' W; a windmill at the Linthicum Ranch bears N 64° 59' W.

Thence N 89° 48' 29" W 1905.0 varas to the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 10 This day of March , 1937. 4th

Orig. in Bk.UT, Vol. 11, p 65,G.L.O.

Vol. 12, G.L.O.; and in back of this Vol. I-1, Irion Co.

WCR R CO 24 5 6 6 B 40 B 40 T U T

Fig. #1. Mag. Declination Fig. #2. 10° 45' East. is 0° 14' 30

14' 30" to the True North is the Field notes of this survey.

Said survey is situated in on the drainage of Spring miles S 67°W of Mertzon, the County Site. about 21

SECTION No. 6

BLOCK No. 40 IRION County

FIELD NOTES of a survey of

692.1 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

of the North point used in right

County, Texas,

IRION Creek, a tributary of Concho River,

Beginning at a concrete monument set on the North end of a very rocky point of hill for the NE corner of section No. 5, this Block, its brass plate in top having been stamped as is represented in Fig. #1 above, from which a steel windmill on the new highway and a wooden windmill bear respectively N 25° 13' E and N 84° 00' E about 2 miles; stone mounds bear S 37° 48' E 114.7 varas, S 30° 55' E 124.4 varas, and S 29° 04' E 195.0 varas; a 6-inch letter "F" and a similar "X" cut on the faces of fixed rocks bear respectively S 11° 35' E 14.7 varas and S 3° 30' W 28.3 varas; the NW corner of the school building in the town of Barnhart bears N 75° 21' W; a windmill at the Linthicum Ranch bears N 64° 59' W bears N 64° 59' W.

Thence South 1912.9 varas to the SE corner of said section No. 5.

Thence East 2043.0 varas to a point for the SE corner of this section No. 6.

Thence N 0° 11' 31" E 1906.0 varas set a concrete monument for the NE corner of this section No. 6, situated in a smooth prairie sloping North, about 10 varas East of the East side of a North-South lane, stamped its brass plate in top as is represented in Fig. #2 above, from which a stone mound bears S 78° 10' E 1.6 varas; an earth mound containing broken glass bears S 28° 14' E 50 varas; another stone mound bears S 7° 19' E 34.9 varas; a steel windmill, the wheel only being visible, bears N 57° 28' W; an old stone mound of 26 stones embedded in soil .5 vara North of an East-West fence, from which a mesquite stump with large rock leaning against it bears N 60° 30' W 24.4 varas and another stump with two sprouts growing on it, having a flat rock at its base, bears N 70° W 5.4 varas, said mound being identified as the original common corner of Surveys Nos. 23, 24, and 25, Washington County Railroad Company Land, bears N 0° 11' 31" E 1900.8 varas.

Thence N 89° 48' 29" W 2049.4 varas to the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-lpage 11 March , 1937. day of This Lth

Orig. in Bk.UT, Vol. 11, p 66, G.L.O.

ror Plat see General Sketch in The State of Texas this Vol. I-1, Irion Co. Vol.

40 B 8 7 18 17 T U

SECTION No. 7

IRION

BLOCK No. 40 County

FIELD NOTES of a survey of

693.7

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 47' East. Mag. Declination

0° 15' True North is

to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Spring IRION

County, Texas,

Creek, a tributary of Concho River,

21 miles S 64°W of Mertzon, the County Site.

Beginning at the SE corner of section No. 6, this Block.

Thence S 0° 11' 31" W 1920.0 varas to a point for the SE corner of this section No. 7.

Thence West 2036.6 varas set a concrete monument in prairie sloping SE sparsely covered with mesquite and black brush, about 250 varas North of a rocky drain running East, stamped its brass plate in top as is represented in the figure above, from which the SW corner of a lane bears S 87° 16' E about 2040 varas; a windmill, the wheel only being visible, bears S 57° 21' 30" E; a mesquite 12 inches in diameter marked "T" and another 7 inches in diameter marked "X" bear respectively N 11° 11' E 130.7 varas and N 57° 21' E 41.0 varas.

Thence North 1920.0 varas to the South common corner of sections Nos. 5 and 6.

Thence East 2043.0 varas to the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 12
This 4th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 67,G.L.O.

G.L.O.; and in back of The State of Texas For Plat see General Sketch in

40 B 8 17 18 U T

SECTION No. 8

County

BLOCK No. 40

FIELD NOTES of a survey of

647.9

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

clination 10° 50' East.
True North is 0° 15' 30"

to the right of the North point used in

the Field notes of this survey.

Said survey is situated in

IRION Creek, a tributary of County, Texas,

Concho River,

on the drainage of Spring 22 miles S 65°W of Mertzon, the County Site.

Beginning at the concrete monument set in a prairie sloping SE sparsely covered with mesquite and black brush about 250 varas North of a rocky drain running East for the SW corner of section No. 7, this Block, its brass plate in top having been stamped as is represented in the figure above, from which the SW corner of a lane bears S 87° 16' E about 2040 varas; a windmill, the wheel only being visible, bears S 57° 21' 30" E; a mesquite 12 inches in diameter marked "T", and another 7 inches in diameter marked "X", bear respectively N 11° 11' E 130.7 varas and N 57° 21' E 41.0 varas.

Thence West 1905.0 varas to a point for the SW comer of this section No. 8.

Thence North 1920.0 varas to the SE comer of section No. 4 and the SW corner of section No. 5.

Thence East 1905.0 varas to the SW corner of section No. 6 and the NW corner of section No. 7.

Thence South 1920.0 varas to the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 13 day of March, 1937.

Orig. in Bk.UT, Vol. 11,p 68,G.L.O.

4th

This

Plat see General Sketch in The State of Texas For Plat see General Sketch in

this	vol. I-1	Irion	County.
	В	40	
	10 15	9	
	15	16	
	υ	T	

SECTION No. 9

BLOCK No. 40 County IRION

FIELD NOTES of a survey of

ACRES of land made for THE 647.9

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 52' East. Mag. Declination

0° 16' True North is

the Field notes of this survey. Said survey is situated in to the right of the North point used in

County, Texas, IRION Creek, a tributary of Concho River,

on the drainage of Spring about 23 miless 66°W of Mertzon, the County Site.

Beginning at the SW corner of section No. 8, this Block, for the SE corner of this section No. 9.

Thence North 1920.0 varas to the South common corner of sections Nos. 4 and 5.

Thence West 1905.0 varas to the SE corner of section No. 3.

Thence South --- at 235.0 varas cross at about right angles a 36-inch net wire fencehaving 2 barbed wires above the net --- at 360 varas cross a narrow mesquite covered drain running West --- at 660 varas point in the NE edge of a flat mesquite covered drain running NW point in the NE edge of a flat mesquite covered drain running NW

--- at 860 varas SW edge of the same drain --- at 1479.5 varas pass a

60d hub nail in a small rock mound --- at 1727 varas cross the head of
a small drain running West --- at 1920.0 varas set a concrete monument
in a mesquite covered prairie slightly sloping West for the SW corner
of this section No. 9, stamped its brass plate in top as is represented
in the figure above, from which a 5-inch mesquite marked "T", a 10-inch
mesquite marked "F", and a 8-inch mesquite marked "X" bear respectively
N 72° 59' E 31.5 varas, S 58° 26' E 83.9 varas, and N 59° 49' W 38.2
varas; a windmill bears S 13° 26' W about 1/2 mile; another windmill
near a white house bears N 49° 20' W.

Thence East 1905.0 varas to the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 14 day of March, 1937.

Orig. in Bk.UT, Vol. 11,p 69,G.L.O.

This

For Plat see General Sketch in 2, G.L.O; and in back of this Vol. I-1, Irion Co. Vol. 12

40 B 10 9 15 16 T U

The State of Texas

SECTION No. 10

County | BLOCK No. 40 IRION

FIELD NOTES of a survey of

647.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

100 55" East. Mag. Declination 0º16'30" True North is

to the

of the North point used in right

the Field notes of this survey.

Said survey is situated in on the drainage of on the drainage of Spring Creek, a tributary of about 24 miles S 67°W of Mertzon, the County Site.

IRION Creek, a tributary of Concho River,

County, Texas,

Beginning at the common corner of sections Nos. 3, 4, and 9, this Block, for the NE corner of this section No. 10.

Thence South --- at 235.0 varas cross at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 360 varas cross a narrow mesquite covered drain running West --- at 660 varas point on the NE edge of a flat mesquite covered drain running NW --- at 860 varas point on the SW edge of the same drain --- at 1479.5 varas pass a 60d hub nail in a small rock mound --- at 1727 varas cross the head of a small drain running West --- at 1920.0 varas strike the concrete monument small drain running West --- at 1920.0 varas strike the concrete monument set for the SW corner of section No. 9, situated in a mesquite covered prairie sloping West, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "T", a 10-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively N 72° 59' E 31.5 varas, S 58° 26' E 83.9 varas, and S 59° 49' W 38.2 varas; a windmill bears S 13° 26' W about 1/2 mile; another windmill, near a white house bears N 49° 20' W.

Thence West --- at 635.3 varas cross the Ozona-Barnhart paved highway --- at 1905.0 varas point for the SW corner of this section No. 10.

Thence North 1920.0 varas to the SE corner of section No. 2 and the SW corner of section No. 3.

Thence East --- at 1206.5 varas recross the Ozona-Barnhart paved highway --- at 1905.0 varas the place of beginning.

Surveyed November 30, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 15

day of March, 1937. This 5th

Orig. in Bk.UT, Vol.11,p 70,G.L.O.

For Plat see General Sketch in The State of Texas Vol. 12, G.L.O.; and in Vol. I-1, The State of Texas

SECTION No. 11 BLOCK No. County

40 B 11 12 14 13

FIELD NOTES of a survey of

ACRES of land made for THE 647.9

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

clination 10° 55' East. True North is 0° 16' 30" Mag. Declination

to the

right

IRION

of the North point used in

the Field notes of this survey.

U

Said survey is situated in on the drainage of Spring

T

IRION

County, Texas,

Creek, a tributary of Concho River,

25 miles S 68°W of Mertzon, the County Site.

Beginning at the SW corner of section No. 10, this Block, for the SE corner of this section No. 11.

Thence North 1920.0 varas to the common corner of this section No. 11 and sections Nos. 2, 3, and 10.

Thence West 1905.0 varas to the SE corner of section No. 1.

Thence South --- at 659 4 varas pass a 60d hub nail --- at 777.0 varas pass another 60d hub nail in a small rock mound --- at 1045 varas point 17 varas West of the junction of an East-West fence and a North-South fence --- at 1518.8 varas pass another 60d hub nail in a small rock mound, from which a steel windmill on a wood tower bears S 34° 26' W and a new steel windmill bears S 35° 19' W, each being distant about 900 varas --- at 1710 varas point about 50 varas East of the confluence of three small drains --- at 1920.0 varas set a concrete monument in a high rocky prairie sparsely covered with mesquites, for the SW corner a high rocky prairie sparsely covered with mesquites, for the SW corner of this section No. 11, stamped its brass plate in top as is represented in the figure above, from which a steel windmill on a wooden tower, a new all-steel windmill, and a windmill near a white house bear respectively S 44° 29' W, S 45° 27' W and N 20° 05' W; the SE corner of a pasture bears S 33° 50' E21.8 varas; a 7-inch mesquite marked "F", and a 6-inch mesquite marked "T", bear respectively S 80° 50' W 63.6 varas and N 33° 46' W 47.8 varas; a 6-inch letter "T" and a similar letter "F" cut in the faces of fixed rocks bear respectively N 76° 54'W 25.4 varas and N 50° 48' W 21.1 varas.

Thence East 1905.0 varas to the place of beginning.

Surveyed December 1, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT VolI-1 page 16

This 5th day of March, 1937,

Orig. in Bk.UT, Vol.11,p 71,G.L.O.

Vol. 12, G.L.O.; and in back of thise State of Texas

B	40	
12 13		
ד - ד	T	

IRION

County BLOCK No. 40

FIELD NOTES of a survey of

640.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

551 East. 100 Mag. Declination

0 161 True North is the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in IRION County, Texas, Spring Creek, a tributary of Concho River,

on the drainage of about 26 miles S 69°W of Mertzon, the County Site.

Beginning at a concrete monument set on a high rocky prairie sparsely covered with mesquite trees for the SW corner of section No. 11, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a steel windmill on a wooden tower, a new all-steel windmill, and a windmill on a wooden tower, a new all-steel windmill, and a windmill near a white house bear respectively S 44° 29' W, S 45° 27' W, and N 20° 05' W; the SE corner of a pasture bears S 33° 50' E 21.8 varas; a 7-inch mesquite marked "F" and a 6-inch mesquite marked "T" bear respectively S 80° 50' W 63.6 varas and N 33° 46' W 47.8 varas; a 6-inch letter "T" and a similar letter "F" cut in the faces of fixed rocks bear respectively N 76°54'W 25.4 varas and N 50° 48' W 21.1 varas.

Thence West 1890.5 varas to a point for the SW corner of this section No. 12.

Thence N 0° 29' 16" E --- at 1836.0 varas strike an old stone mound of about 18 stones partially buried in soil and undisturbed, identified as the original NW corner of this section No. 12 --- at 1920 .1 varas strike the SW corner of section No. 1, this Block.

Thence East 1874.2 varas to the SW corner of section No. 2 and the NW corner of section No. 11.

Thence South --- at 659.4 varas and at 777.0 varas pass 60d hub nails, the second being in a small rock mound --- at 1045 varas the junction of a fence from the East with a North-South fence bears East 17 varas at 1518.8 varas pass another 60d hub nail in a small rock mound, from which a steel windmill on a wooden tower and a new steel windmill bear respectively S 34° 26' W and S 35° 19' W, each being distant about 900 varas --- at 1710 varas pass about 50 varas East of the confluence of three small drains --- at 1920.0 varas the place of beginning.

Surveyed December 1, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1page 17

This day of March, 1937. 5th

Orig. in Bk.UT, Vol.11,p 72,G.L.O.

For Plat see General Sketch in The State of Texas Vol. 12, G. L. O.; in Vol. I-1, Irion The State of Texas Go.; and in Vol. G-2, Grockett Co. 40 11 12 13 14

IRION & CROCKETT County BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE 619.3

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

110 001 Mag. Declination East.

T

True North is 0° 15 ' 30" to the right of the North point used in

the Field notes of this survey.

U

Said survey is situated in IRION & CROCKETT County, Texas, Creek, a tributary of Concho River, on the drainage of Spring about 26 miles S 67°W of Mertzon, the County Site of Irion County; and about 25 miles NORTH of Ozona, the County Site of Crockett County.

Beginning at the SW corner of section No. 12, this Block, for the NW corner of this section No. 13.

Thence S 0° 29' 16" W --- at 145.2 varas an old stone mound, identified as the original NW corner of this section No. 13, bears East 6.4 varas varas point for the SW corner of this section No. 13.

Thence East 1906.2 varas to a point for the SE corner of this section No. 13.

Thence North --- at 719.6 varas recross the Crockett-Irion County Line --- at 1841,7 varas strike the concrete monument set for the SW corner of section No. 11, being the SE corner of section No. 12 and the NE corner of this section No. 13, situated on a high rocky prairie sparsely covered with mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which a steel windmill on a wooden tower, a new all-steel windmill, and a windmill near a white house bear respectively S 44° 29' W, S 45° 27' W, and N 20° 05' W; the SE corner of a pasture bears S 33° 50' E 21.8 varas; a 7-inch mesquite marked "F" and a 6-inch mesquite marked "T" bear respectively S 80°50'W 63.6 varas and N 33° 46' W 47.8 varas; a 6-inch letter "T" and a similar letter "F" cut in the faces of fixed rocks bear respectively N 76°54'W letter "F" cut in the faces of fixed rocks bear respectively N 76°54'W 25.4 varas and N 50° 48' W 21.1 varas.

Thence West 1890.5 varas to the place of beginning.

NOTE: Of this survey, there are 379.0 acres in Irion County, and 240.3 acres in Crockett County.

Surveyed December 1, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 18

This 5th day of March, 1937.
Orig. in Bk.UT, Vol.11, p 73, G.L.O.

Recorded in Bk.UT, Vol.C-1,p 157, Ozona, Texas, Crockett Co.

For Plat see General Sketch in The State of Texas Vol.12, G.L.O.; in Vol. I-1, Irion Co.; and in Vol.C-2, Crockett Co.

B 40 12 11 13 14 T U

IRION & CROCKETT County BLOCK No.

FIELD NOTES of a survey of

621.5 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

001 Mag. Declination East.

True North is 00 151 the Field notes of this survey.

to the

right

of the North point used in

IRION & CROCKETT County, Texas,

Said survey is situated in on the drainage of Spring Creek, a tributary of Concho River, about 25 miles S 66°W of Mertzon, the County Site of Irion County; and about 25 miles N 3° E of Ozona, the County Site of Crockett County.

Beginning at a concrete monument set on a high rocky prairie sparsely covered with mesquite trees for the SW corner of section No. 11, being the SE corner of section No. 12 and the NE corner of section No. 13, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a steel windmill on a wooden tower, a new all-steel windmill, and a windmill near a white house bear respectively S 44° 29' W, S 45° 27' W, and N 20° 05' W; the SE corner of a pasture bears S 33° 50' E 21.8 varas; a 7-inch mesquite marked "F" and a 6-inch mesquite marked "T" bear respectively S 80° 50' W 63.6 varas and N 33° 46' W 47.8 varas; a 6-in ch letter "T" and a similar letter "F" cut in the faces of fixed rocks bear respectively N 76° 54' W 25.4 varas and N 50° 48' W 21.1 varas.

Thence South --- at 1122.1 varas cross the Crockett-Irion County Line --- at 1841.7 varas strike the SE corner of section No. 13.

Thence East 1905.0 varas to a point for the SE corner of this section No. 14.

Thence North --- at 733.2 varas recross the Crockett-Irion County Line at 1841.7 varas strike the South common corner of sections Nos. 10

Thence West 1905.0 varas to the place of beginning.

NOTE: Of this survey, there are 376.4 acres in Irion County; and 245.1 acres in Crockett County.

Surveyed December 1, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. 1-1page 19

day of March, 1937. This 5th Orig. in Bk.UT, Vol.11,p 74, G.L.O.

Recorded in Bk.UT, Vol.C-1,p 158, Ozona, Texas, Crockett County.

For Plat see General Sketch in The State of Texas Vol. 12, G.L.O.; in Vol. I-1, Irion The State of Texas Co.; and in Vol. C-2, Crockett Co. B 40 10 9 15 16

SECTION No.15 BLOCK No. 40 IRION & CROCKETT County

FIELD NOTES of a survey of

621.5 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 57 1 Mag. Declination East.

T

00 141 30" True North is of the North point used in to the right

.

the Field notes of this survey.

IRION & CROCKETT Said survey is situated in County, Texas, on the drainage of Spring Creek, a tributary of Concho River, about 24 miles S 64 W of Mertzon, the County Site of Irion County; and about 25 miles N 5° E of Ozona, the County Site of Crockett County.

Beginning at the common corner of sections Nos. 10, 11, and 14, this Block, for the NW corner of this section No. 15.

Thence South --- at 1108.5 varas cross the Crockett-Irion County Line at 1841.7 varas strike the SE corner of section No. 14.

Thence East --- at 1366.6 varas cross the Ozona-Barnhart paved highway at 1905.0 varas point for the SE corner of this section No. 15.

Thence North --- at 746.8 varas recross the Crockett-Irion County Line at 1841.7 varas strike the concrete monument set for the SW corner of section No. 9, being the SE corner of section No. 10, situated in a mesquite covered prairie sloping West, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "T", a 10-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively N 72° 59' E 31.5 varas, S 58° 26' E 83.9 varas, and N 59° 49' W 38.2 varas; a windmill bears S 13° 26' W about 1/2 mile; another windmill near a white house bears N 49° 20' W.

Thence West --- at 635.3 varas recross the Ozona-Barnhart paved highway at 1905.0 varas the place of beginning.

NOTE: Of this survey, there are 371.8 acres in Irion County; and 249.7 acres in Crockett County.

Surveyed December 1, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 20

day of March, 1937. This 5th Orig.inBk.UT, Vol.11,p 75,G.L.O.

Recorded in Bk.UT, Vol.C-1,p 159,

Ozona, Texas, Crockett County.

For Plat see General Sketch in Vol. 12, G.L.O.; in Vol. I-1, Irion Co.; and in Vol. C-2. Crockett Co. 40 9 10 15 16 U T

The State of Texas

SECTION No. 16

IRION & CROCKETT County BLOCK No. 40

FIELD NOTES of a survey of

621.5 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 55' Mag. Declination East.

True North is 0014130"

the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in IRION & CROCKETT County, Texas, Creek, a tributary of Concho River,

on the drainage of Spring Creek, a tributary of Concho River, about 23 miles S 63°W of Mertzon, the County Site of Irion County; and about 25 miles N 7° E of Ozona, the County Site of Crockett County.

Beginning at a concrete monument set on a mesquite covered prairie sloping West for the SW corner of section No. 9, this Block, being the NE corner of section No. 15, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "T", a 10-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively N 72° 59' E 31.5 varas, S 58° 26' E 83.9 varas, and N 59° 49' W 38.2 varas; a windmill bears S 13° 26' W about 1/2 mile; another windmill near a white house bears N 49° 20' W.

Thence South --- at 1094.9 varas cross the Crockett-Irion County Line at 1841.7 varas strike the SE corner of section No. 15.

Thence East 1905.0 varas to a point for the SE corner of this section No. 16.

Thence North --- at 760.4 varas recross the Crockett-Irion County Line at 1841.7 varas strike the SW corner of section No. 8 and the SE corner of section No. 9.

Thence West 1905.0 varas to the place of beginning.

NOTE: Of this survey, there are 367.2 acres in Irion County; and 254.3 acres in Crockett County.

Surveyed December 1, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded County in Book UT Vol 1-1 page 21 in the Surveyor's Records in Mertzon, Texas, Irion

day of March, 1937. 5th This Orig. in Bk.UT, Vol.11,p 76,G.L.O.

Recorded in Bk.UT, Vol.C-1,p 160, Ozona, Texas, Crockett County.

For Plat see General Sketch in The State of Texas Vol. 12, G.L.O.; in Vol. I-1, Irion The State of Texas Co.; and in Vol. C-2. Crockett Co. .Crockett Co. in IRION & CROCKETT County BLOCK No. 10 FIELD NOTES of a survey of 8 7 ACRES of land made for THE 18 17 621.5 UNIVERSITY OF TEXAS by virtue of an U T ACT approved March 29, 1929. 100 521 Mag. Declination East. 00 15 True North is to the right of the North point used in the Field notes of this survey. IRION & CROCKETT Said survey is situated in County, Texas, on the drainage of Spring Creek, a tributary of Concho River, about 22 miles S 62°W of Mertzon, the County Site of Irion County; and about 26 miles N 10° E of Ozona, the County Site of Crockett County.

Beginning at the common corner of sections Nos. 8, 9, and 16, this Block, for the NW corner of this section No. 17.

Thence South --- at 1081.3 varas cross the Crockett-Irion County Line at 1841.7 varas strike the SE corner of section No. 16.

Thence East 1905.0 varas to a point for the SE corner of this section No. 17.

Thence North --- at 774.0 varas recross the Crockett-Irion County Line at 1841.7 varas strike the concrete monument set for the Sw corner of section No. 7, being the NE corner of this section No. 17, situated in a prairie sloping SE sparsely covered with mesquite and black brush, about 250 varas North of a rocky drain running East, its brass plate in top having been stamped as is represented in the figure above, from which the SW corner of a lane bears S 87° 16' E about 2040 varas; a windmill, the wheel only being visible, bears S 57° 21' 30" E; a mesquite 12 inches in diameter marked "T", and another 7-inches in diameter marked "X" bear respectively N 11° 11' E 130.7 varas and N 57° 21' E 41.0 varas.

Thence West 1905.0 varas to the place of beginning.

NOTE: Of this survey, there are 362.6 acres in Irion County; and 258.9 acres in Crockett County.

Surveyed December 1, 1933.

Robert A. Leidecker Jim Howard king Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. 1-1 page 22

This 5th day of March, 1937.
Orig. in Bk.UT, Vol.11, p 77, G.L.O.

Recorded in Bk.UT, Vol.C-1,p 161, Ozona, Texas, Crockett County.

vol. 12 G. L. Ovol. I-1 Irion The State of Texas

SECTION No. 18

IRION & CROCKETT County | BLOCK No. 40

FIELD NOTES of a survey of

40 8 7 18 17 1 B 38 T

Fig. #1. Fig. #2. 100 501

ACRES of land made for THE 664.2 UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

0° 15' 30" Mag. Declination of the North point used in right True North is to the

the Field notes of this survey. County, Texas, IRION & CROCKETT Said survey is situated in on the drainage of Spring Creek, a tributary of the Concho River, about 21 miles S 61° W of Mertzon, the County Site of Irion County; and about 26 miles N 11° E of Ozona, the County Site of Crockett County.

Beginning at the concrete monument set for the SW corner of

section No. 7, this Block, in a prairie sloping SE sparsely covered with mesquite and black brush, about 250 varas North of a rocky drain running East, its brass plate in top having been stamped as is represented in Fig. #1 above, from which the SW corner of a lane bears S 87° 16' E about 2040 varas; a windmill, the wheel only being visible, bears S 57° 21' 30" E; a mesquite 12 inches in diameter marked "T", and another 7 inches in diameter marked "X" bear respectively N 11° 11' E another (Inches in diameter marked "A" bear respectively N II' II' E 130.7 varas and N 57° 21' E 41.0 varas; an old stone mound identified as the original common corner of sections Nos. 7, 8, 17, and 18, this Block, situated on the North bank of a dry creek running East, bears \$ 28° 44' E 232.3 varas.

Thence South --- at 1067.7 varas cross the Crockett-Irion County Line --- at 1841.7 varas strike the SE corner of section No. 17. Thence East 2036.0 varas strike the Sw corner of section No. 1,

being the NW corner of section No. 10, Block 38, University Land.

Thence North --- at 788.6 varas recross the Crockett-Irion County Line --- at 1654.9 varas strike the concrete monument set for the NW corner of said section No. 1, Block 38, situated on the North side of a gully running East, 60.2 varas South of the South end of a lane where it turns East, its brass plate in top having been stamped as is represented in Fig. #2 above, from which a mesquite 6 inches in diameter bears South 1.6 varas; a 20-inch mesquite marked "X", an 8-inch mesquite marked "K", another 8-inch mesquite marked "E", and a 6-inch diameter bears South 1.6 varas; a 20-inch mesquite marked "X", an 8-inch mesquite marked "K", another 8-inch mesquite marked "F", and a 6-inch mesquite marked "T" bear respectively S 54° 23' E 12.5 varas, S 12°41'W 42.5 varas, N 74° 25' W 35.4 varas, and N 61° 03' W 39.8 varas; a steel windmill bears S 21° 53' W about 475 varas; the original common corner of surveys Nos. 23, 24, and 25, Washington County Railroad Company Land, being an old stone mound of 26 stones embedded in soil 0.5 vara North of an East-West fence, from which a mesquite stump with a large rock leaning against it, and another mesquite stump with two sprouts on it, against the base of which is also a flat rock, bear respectively N 60° 30' W 24.4 varas and N 70° W 5.4 varas, bears N 0° 11' 31" E 5913.6 varas; an old stone mound identified as the original common 5913.6 varas; an old stone mound identified as the original common corner of sections Nos. 7, 8, 17, and 18, this Block, situated on the North bank of a dry creek running East, bears S 89° 29' 40" W 1924.4

Thence N 0° 11' 31" E 186.8 varas to the SE corner of section No. 7, this Block, being the NE corner of this section No. 18.

Thence West 2036.6 varas to the place of beginning.

Of this survey, there are 382.4 acres in Irion County; and NOTE: 281.8 acres in Crockett County.

Surveyed December 1, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded County in Book UT Vol. I-1 page 23 in the Surveyor's Records in Mertzon, Texas, Irion

day of March, 1937. This Orig. in Bk.UT, Vol.11, p 78, G.L.C. Recorded in Bk.UT, Vol.C-1, p 162, Ozona, Texas, Crockett Co.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

U	T	
20	19	
20	30	
В	40	

SECTION No. 19

CROCKETT

: .ot ...

County J

BLOCK No. 40

FIELD NOTES of a survey of

706.3

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 55' East. Mag. Declination 00 161 True North is

the Field notes of this survey.

Said survey is situated in on the drainage of

right to the

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Concho River,

on the drainage of Spring Creek, a tributary about 25 miles N 12°E of Ozona, the County Site.

Beginning at the SW and the NW corner respectively of sections Nos. 1 and 10, block 38, University Land, and the SE corner of section No. 18, this Block, for the NE corner of this section No. 19.

Thence West 2036.0 varas to the SE corner of section No. 17.

Thence South 1958.3 varas set a concrete monument in the North-Central portion of a very large dry lake, stamped its brass plate in top as is represented in the figure above, from which an 8-inch mesquite marked "T", another 8-inch mesquite marked "X", and a 16-inch mesquite marked "F" bear respectively N 42° 30' E 213.1 varas, N 57° 07' W 191.9 varas, and N 10° 06' W 227.2 varas.

Thence East --- at 475 varas point in the East edge of the lake --- at 1667 varas cross a road running North and South --- at 2036.0 varas strike the SW corner of section No. 10 and the NW corner of section No. 11, Block 38, being the SE corner of this section No. 19.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 2, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volcel page 163 day of March, 1937.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol.11,p 79,G.L.O.

5th

This

For Plat see General Sketch in The State of Texas Crockett County.

T 20 19 29 B 40

CROCKETT County BLOCK No.

FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 57' Mag. Declination East.

True North is 0° 16' 30" to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of about 25 miles N 10°E of Ozona, the County Site.

CROCKETT

County, Texas,

Creek, a tributary of Concho River,

Beginning at the common corner of sections Nos. 17, 18, and 19, this Block, for the NE corner of this section No. 20.

Thence West 1905.0 varas to the SE corner of section No. 16.

Thence South 1958.3 varas to a point for the SW corner of this section No. 20.

Thence East --- at 172.6 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 220 varas pass about 75 varas North of the NW edge of a dry lake --- at 380 varas pass about 50 varas North of the North edge of the same lake --- at 580 varas cross a small drain running South into the same lake at 1555 varas point in the West edge of a very large dry lake at 1905.0 varas strike the concrete monument set for the SW corner of section No. 19, situated in the North-Central portion of a very large dry lake, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", another 8-inch mesquite marked "X", and a 16-inch mesquite marked "F" bear respectively N 42° 30' E 213.1 varas, N 57° 07' W 191.9 varas, and N 10° 06' W 227.2 varas.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 2, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 164 day of March, 1937.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol.11,p 80,G.L.O.

5th

This

For Plat see General Sketch in The State of Texas Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

TT 22 21 27 28 B 40

11° 00' Mag. Declination East. True North is 0816130# the Field notes of this survey.

Said survey is situated in on the drainage of drainage of Spring Creek, a tributary 25 miles N 8 E of Ozona, the County Site.

SECTION No. 21

CROCKETT County BLOCK No. 40

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT Creek, a tributary of County, Texas,

Concho River,

Beginning at the SW corner of section No. 20, this Block, for the SE comer of this section No. 21.

Thence North 1958.3 varas to the South common corner of sections Nos. 16 and 17.

Thence West 1905.0 varas to the SE corner of section No. 15.

Thence South 1958.3 varas set a concrete monument for the SW corner of this section No. 21, being in low, soft ground thickly covered with mesquite and buffalo grass about 275 varas NE of a dry lake, stamped its brass plate in top as is represented in the figure above, from which a 6-inch letter "U" cut on the face of a fixed rock bears S 15° 37' W 17.7 varas; a 5-inch mesquite marked "F", a 7-inch mesquite marked "E", a 4-inch mesquite marked "T", and a 3-inch mesquite marked "X" bear respectively S 45° 50' W 46.6 varas, N 82° 19' W 88.3 varas, N 31°30'E 17.9 varas and S 63° 30' E 5.8 varas.

Thence East --- at 604 varas cross a North-South road --- at 1785 varas enter thick mesquites --- at 1905.0 varas the place of beginning.

Surveyed December 4, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 165 day of March, 1937.

This 5th Orig. in Bk.UT, Vol.11,p 81,G.L.O.

For Plat see General Sketch in The State of Texas Crockett County.

TT 22 21 27 28 B 40

CROCKETT

County

BLOCK No. 40

FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

11° 02' East.

00 161 True North is

the Field notes of this survey.

Said survey is situated in on the drainage of Spring about 24 miles N 5°E of Ozona, the County Site.

to the right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Concho River,

Beginning at a concrete monument set in low, soft ground densely covered with mesquite and buffalo grass about 275 varas NE of a dry lake, said monument being the SW corner of section No. 21, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch letter "U" cut on the face of a fixed rock beers S 15° 37' W 17.7 varas; a 5-inch mesquite marked "F", a 7-inch mesquite marked "E", a 4-inch mesquite marked "T", and a 3-inch mesquite marked "X" bear respectively S 45° 50' W 46.6 varas, N 82° 19' W 88.3 varas, N 31° 30' E 17.9 varas and S 63° 30' E 5.8 varas.

Thence North 1958.3 varas to the South common corner of sections Nos. 15 and 16.

Thence West --- at 538.4 varas cross the Ozong-Barnhart paved highway --- at 1905.0 varas strike the SE corner of section No. 14.

Thence South 1958.3 varas to a point for the SW corner of this section No. 22.

Thence East --- at 517 varas cross a road running NE and SW --- at 1452.7 varas cross West right-of-way fence on the Ozona-Barnhart Highway --- at 1471.0 varas cross the center line of the pavement of said highway --- at 1490.8 varas cross the East right-of-way fence of said highway --- at 1905.0 varas the place of beginning.

Surveyed December 4, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 166 day of March, 1937.

Orig. in Bk.UT, Vol.11,p \$2,G.L.O.

This 5th

For Plat see General Sketch in Vol. 12, Crockett County,

υ			T	
	2 <u>4</u>	23		
	25	26		
В			40	

The State of Texas

SECTION No.23

CROCKETT

County | BLOCK No. 40

.: .../

FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Clination 11° 05' East.

True North is 0° 15' 30" to the Mag. Declination

the Field notes of this survey.

Said survey is situated in on the drainage of Spring 24 miles N 3°E of Ozona, the County Site. about

right

of the North point used in

CROCKETT Creek, a tributary of County, Texas,

Concho River,

Beginning at the SE, the SW, and the NW corner respectively of sections Nos. 14, 15, and 22, this Block, for the NE corner of this section No.

Thence West 1905.0 varas to the SE corner of section No. 13.

Thence South 1958.3 varas set a concrete monument in a smooth, grassy prairie sparsely covered with mesquite, for the SW corner of this section No. 23, stamped its brass plate in top as is represented in the figure above, from which the North gate post of the 0-B Trap No. 1 bears S 6° 12' W 144.6 varas; a 6-inch mesquite marked "T", another 6-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively S 36° 44' W 48.4 varas, N 84° 09' W 64.4 varas, and N 69° 28' W 58.7 varas.

Thence East --- at 64.8 varas cross the West right-fo-way fence of the old Ozona-Barnhart Highway --- at 127 varas point in center of the same highway --- at 181.8 varas cross the East right-of-way fence of said highway, also under a 5-wire telephone line coursing N 29° 40' E - S 29° 40' W --- at 1100 varas cross a dim road running NE and SW --- at 1905.0 varas strike the SW corner of section No. 22.

Thence North 1958.3 varas to the place of beginning.

330,4 165,2

Surveyed December 4, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 167

day of March, 1937.

Orig. in Vol. 11, Bk.UT,p 83,G.L.O.

5th

This

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

Crockett County.

U T

24 23 26

B 40

Mag. Declination 11° 08! East.

True North is 0° 15!
the Field notes of this survey.

Said survey is situated in CROCKETT on the drainage of Spring Creek, a tributary about 24 miles NORTH of Ozona, the County Site.

SECTION No. 24

CROCKETT County BLOCK No. 40

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

to the right of the North point used in

ACT approved March 29, 1929.

CROCKETT County, Texas, Creek, a tributary of Concho River,

Beginning at a concrete monument set in a smooth prairie sparsely covered with mesquites for the SW corner of section No. 23, this Block, its brass plate in top having been stamped as is represented in the figure above, from which the North gate post of the O-B Trap No. 1 bears S 6° 12' W 144.6 varas; a 6-inch mesquite marked "T", another 6-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively S 36° 44' W 48.4 varas, N 84° 09' W 64.4 varas, and N 69° 28' W 58.7 varas.

Thence North 1958.3 varas to the South common corner of sections Nos. 13 and 14.

Thence West 1906.2 varas to the SW corner of said section No. 13.

Thence S 0° 29' 16" W 1958.4 varas to a point for the SW corner of this section No. 24.

Thence East --- at 418 varas point on the West side of a drain running North --- at 518 varas point on the East side of the same drain --- at 964.7 varas pass through a 36-inch net wire fence having 2 barbed wires above the net running N 0° 23' W - S 0° 23' E --- at 975 varas cross a North-South road --- at 1837 varas cross another road running NW and SE --- at 1922.9 varas the place of beginning.

Surveyed December 4, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 168

This 5th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 84, G.L.O.

For Plat see General Sketch in Vol. 0-2, The State of Texas

SECTION No. 25 County | BLOCK No. 40

TI 24 23 25 26 40 B

FIELD NOTES of a survey of

669.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

CROCKETT

right

Mag. Declination 11° 16' East. True North is 0° 14' 30"

to the

of the North point used in

the Field notes of this survey.

Said survey is situated in CROCKETT

on the drainage of the divide between Greek, antibutary of the RioGrande & Colorado, about 23 miles NORTH of Ozona, the County Site.

Beginning at a concrete monument set in a smooth, grassy prairie sparsely covered with mesquites for the SW corner of section No. 23, being the SE corner of section No. 24, this Block, for the NE corner of this section No. 25, its brass plate in top having been stamped as is represented in the figure above, from which the North gate post of the O-B Trap No. 1 bears S 6° 12' W 144.6 varas; a 6-inch mesquite marked "T", another 6-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively S 36° 44' W 48.4 varas, N 84° 09' W 64.4 varas, and N 69° 28' W 58.7 varas.

Thence South 1958.3 varas to a point for the SE corner of this section No. 25.

Thence West 1939.6 varas to a point for the SW corner of this section No. 25.

Thence N 0° 29' 16" E 1958.4 varas to the SW corner of section No. 24.

Thence East --- at 418 varas point on the West side of a drain running North --- at 518 varas point on the East side of the same drain --- at 964.7 varas cross a 36-inch net wire fence having 2 barbed wires above the net running N 0° 23' W - S 0° 23' E --- at 975 varas cross a North-South road --- at 1837 varas cross another road running NW and SE --- at 1922.9 varas the place of beginning.

Surveyed December 4, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 169
This 5th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 85,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 26

U CROCKETT

County | BLOCK No. 40

24 23 25 26 B 40

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' Mag. Declination East. True North is 0° 14' 30" the Field notes of this survey.

to the right

660.8

of the North point used in

Said survey is situated in on the drainage of the divide between Greek aximbutary of the RioGrande & Colorado, about 23 miles N 3° E of Ozona, the County Site.

Beginning at a concrete monument set in a smooth grassy prairie sparsely Beginning at a concrete monument set in a smooth grassy prairie sparsely covered with mesquites for the SW corner of section No. 23, this Block, being the SE corner of section No. 24 and the NE corner of section No. 25, its brass plate in top having been stamped as is represented in the figure above, from which the North gate post of the 0-B Trap No. 1 bears S 6° 12' W 144.6 varas; a 6-inch mesquite marked "T", another 6-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively S 36° 44' W 48.4 varas, N 84° 09' W 64.4 varas, and N 69° 28' W 58.7

Thence East --- at 64.8 varas cross the West right-of-way fence of the old Ozona-Barnhart highway --- at 181.8 varas cross the East right-of-way fence of the same highway, also passing under a 5-wire telephone line coursing N 29° 40' E = S 29° 40' W --- at 1100 varas cross a dim road running NE and SW --- at 1905.0 varas strike the SW corner of section

Thence South 1958.3 varas to a point for the SE corner of this section No. 26.

Thence West 1905.0 varas to the SE corner of section No. 25.

Thence North 1958.3 varas to the place of beginning.

NOTE: Going East on the North line of this section No. 26 pass at 127 varas the center line of the Ozona-Barnhart paved highway.

Surveyed December 4, 1933.

Robert A. LeideckerChainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.c-1 page170

day of March, 1937. 5th

Orig. in Bk.UT, Vol.11,p 86,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No.27 CROCKETT County | BLOCK No. 40

U 22 21 28 27 40 B

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 11' East. 00 15' True North is

to the right

of the North point used in

the Field notes of this survey.

Said survey is situated in

on the drainage of the divide between Grack; astributary of the RioGrande & Colorado, about 23 miles N 5° E of Ozona, the County Site. CROCKETT

Beginning at the SE corner of section No. 26, this Block, for the SW corner of this section No. 27.

Thence North 1958.3 varas to the South common corner of sections Nos. 22 and 23.

Thence East --- at 517 varas cross a road running NE and SW --- at 1452.7 varas cross the West right-of-way fence of the Ozona-Branhart paved highway --- at 1471.0 varas cross the center line of the same highway --- at 1490.8 varas cross the East right-of-way fence of said highway --- at 1905.0 varas strike the concrete monument set for the SW corner of section No. 21, situated in low soft ground densely covered with mesquite and buffalo grass, being about 275 varas NE of a dry lake, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch letter "U" cut on the face of a fixed rock bears S 15° 37' W 17.7 varas; a 5-inch mesquite marked "F", a 7-inch mesquite marked "E", a 4-inch mesquite marked "T", and a 3-inch mesquite marked "X" bear respectively S 45° 50' W 46.6 varas, N 82° 19' W 88.3 varas, N 31° 30' E 17.9 varas and S 63° 30' E 5.8 varas.

Thence South 1958.3 varas to a point for the SE corner of section No.

Thence West --- at 422 5 varas recross the Ozona-Barnhart Highway --- at 1905.0 varas the place of beginning.

> 330,4 165,2

Surveyed December 4, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C=1 page 171

day of March, 1937. This

Orig. in Bk.UT, Vol. 11,p 87,G.L.O.

Vol. 12. G. L. O.; and in Vol. C-2, The State of Texas For Plat see General Sketch in

U T 22 21 27 28 B 40

SECTION No. 28

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 05' East.

True North is 0° 15' 30" to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

on the drainage of the divide between Crack axtributary xof x the RioGrande & Colorado, about 23 miles N 8°E of Ozona, the County Site. CROCKETT

Beginning at a concrete monument set in low soft ground thickly covered with mesquite and buffalo grass, being about 275 varas NE of a dry lake, for the SW corner of section No. 21, this Block, being the NE corner of section No. 27, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch letter "U" cut in the face of a fixed rock bears S 15° 37' W 17.7 varas; a 5-inch mesquite marked "F", a 7-inch mesquite marked "E", a 4-inch mesquite marked "T", and a 3-inch mesquite marked "X" bear respectively S 45° 50' W 46.6 varas, N 82° 19' W 88.3 varas, N 31° 30' E 17.9 varas and S 63° 30' E 5.8 varas.

Thence East --- at 604 varas cross a road running North and South --- at 1785 varas enter thick mesquite brush --- at 1905.0 varas strike the SW corner of section No. 20.

Thence South 1958.3 varas to a point for the SE corner of this section No. 28.

Thence West 1905.0 varas to the SE corner of section No. 27.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 4, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 172

day of March, 1937. This 5th

Orig. in Bk.UT, Vol.11,p 88, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

T 20 19 29 30 B 40

CROCKETT

SECTION No.29

County | BLOCK No. 40 FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 021 Mag. Declination

00 161 True North is

to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in CROC KETT

County, Texas, on the drainage of the divide between Crack; extributary of the RioGrande & Colorado, about 24 miles N 10°E of Ozona, the County Site.

Beginning at the SE corner of section No. 28, this Block, for the SW corner of this section No. 29.

Thence North 1958.3 varas to the SW corner of section No. 20, the SE corner corner of section No. 21, and the NE corner of said section No. 28.

Thence East --- at 172.6 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 220 varas pass about 75 varas North of the NW edge of a dry lake --- at 380 varas pass about 50 varas North of the North edge of the same lake --- at 580 varas cross a small drain running South into the same lake --- at 1555 varas point on the West edge of a very large dry lake --- at 1905.0 varas strike the concrete monument set for the SW corner of section No. 19, situated in the North-Central portion of a very large dry lake, for the NE corner of this section No. 29, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", another 8-inch mesquite marked "X", and a 16-inch mesquite marked "F" bear respectively N 42° 30' E 213.1 varas, N 57° 07' W 191.9 varas, and N 10° 06' W 227.2 varas.

Thence South 1958.3 varas to a point for the SE corner of this section No. 29.

Thence West 1905.0 varas to the place of beginning.

Surveyed December 4, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 173

day of March, 1937.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol.11,p 89,G.L.O.

This

H 9

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 30

County 20 19 29 30 40 B

County | BLOCK No. 40

FIELD NOTES of a survey of

706.3 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Clination 11° 00' East. True North is 0° 16' 30" Mag. Declination the Field notes of this survey.

to the

right

CROCKETT

: ... pk.

of the North point used in

Said survey is situated in CROCKETT County, Texas, on the drainage of the divide between Kreek, a tributary of the RioGrande & Colorado, about 24 miles N 13°E of Ozona, the County Site.

Beginning at a concrete monument set in the North-Central portion of a very large dry lake for the SW corner of section No. 19, being the SE corner of section No. 20, and the NE corner of section No. 29, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", another 8-inch mesquite marked "X", and a 16-inch mesquite marked "F" bear respectively N 42° 30' E 213.1 varas, N 57° 07' W 191.9 varas, and N 10° 06' W 227.2

Thence East --- at 475 varas point on the East edge of the same lake at 1667 varas cross a road running North and South --- at 2036.0 varas strike the SW corner of section No. 10 and the NW corner of section No. 11, Block 38, University Land, being also the SE corner of section No. 19, and the NE corner of this section No. 30, Block 40.

Thence South 1958.3 varas to the SW corner of said section No. 11, Block 38 .

Thence West 2036.0 varas to the SE corner of section No. 29, this Block. Thence North 1958.3 varas to the place of beginning.

Surveyed December 4, 1933.

Robert A. Leidecker Jim Howard king Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 174 day of March, 1937.

Orig. in Bk.UT, Vol.11,p 90,G.L.O.

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

y d d 9

of

E

n

SECTION No. 1

For Plat see General Sketch in 2, G.L.O.; and in Vol.C-2, The State of Texas Grockett County. Vol. 12 U CROCKETT 2 1 706.3 11 12

FIELD NOTES of a survey of ACRES of land made for THE

County | BLOCK No. 41

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 02' East. 0° 17' True North is the Field notes of this survey.

41

B

to the right Said survey is situated in CROCKETT on the drainage of high divide Greek, a tributary about 23 miles N 12°E of Ozona, the County Site. Greek, a tributary of

of the North point used in County, Texas.

dry lakes,

Beginning at the SW corner of section No. 11, Block 38, being the NW corner of section No. 20, same Block, and the SE corner of section No. 30, Block 40, University Land, for the NE corner of this section

Thence South, following the West line of said section No. 20, Block 38, 1958.3 varas to the NW corner of section No. 21, Block 38, for the SE corner of this section No. 1.

Thence West 2036.0 varas set a concrete monument on a grass and mesquite covered knoll for the SW corner of this section No. 1, stamped its brass plate in top as is represented in the figure above, from which a windmill at a ranch house and another on distant horizon bear respectively N 25° 41' E about 1/2 mile and N 84° 55' E; a mesquite 5 inches in diamter marked "F" bears S 67° 13' E 110.3 varas; a 4-inch mesquite marked "T" bears S 64° 48' W 35.6 varas.

Thence North --- at 420 varas cross a short drain running East at 1377 varas cross a road --- at 1386.1 varas pass through a 36-inch net wire fence having 3 barbed wires above the net running N 80° 17' W - S 80° 17' E --- at 1387.6 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas strike the South common corner of sections Nos. 29 and 30, Block 40.

Thence East 2036.0 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

y

7; :d

ed.

19

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 175 This 12th day of March, 1937.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol.11,p 91,G.L.O.

For Plat see General Sketch in Vol. 0-2, The State of Texas SECTION No.2

U T CROCKETT County BLOCK No. 41

2 1 FIELD NOTES of a survey of ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929. 11° 05' Mag. Declination East. 0° 17' 30" to the True North is right of the North point used in the Field notes of this survey. Said survey is situated in CROCKETT miles N 10°E of Ozona, the County Site. on the drainage of County, Texas, Greek, a tributary of about 23 dry lakes,

Beginning at the concrete monument set on a grass and mesquite covered knoll for the SW corner of section No. 1, this Block, for the SE corner of this section No. 2, its brass plate in top having been stamped as is represented in the figure above, from which a windmill at a ranch house and another on distant horizon bear respectively N 25° 41' E about 1/2 mile and N 84° 55' E; a mesquite 5 inches in diameter marked "F" bears S 67° 13' E 110.3 varas; a 4-inch mesquite marked "T" bears S 64° 48' W 35.6 varas.

Thence North --- at \$\frac{1}{20}\$ varas cross a short drain running East --- at \$1377\$ varas cross a road --- at \$1386.1\$ varas pass through a \$36-inch net wire fence having 3 barbed wires above the net running N 80° 17'W - S 80° 17'E --- at \$1387.6\$ varas pass a 60d hub nail in a small rock mound --- at \$1958.3\$ varas strike the SE corner of section No. 29, and the SW corner of section No. 30, Block \$\frac{1}{40}\$, University Land.

Thence West 1905.0 varas to the SE corner of section No. 28, same block.

Thence South 1958.3 varas to a point in a dry lake for the SW corner of this section No. 2.

Thence East --- at 92 varas point in the SE edge of said dry lake --- at 175 varas cross a north-south road --- at 184.8 varas pass through a 24-inch net wire fence having 3 barbed wires above the net running N 0° 20' E - S 0° 20' W --- at 185.9 varas and at 1012.3 varas pass 60d hub nails in small rock mounds --- at 1905.0 varas the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 176

This 12th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 92,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands ity w; ed ed

n.

of

IE

an

in

S,

Le

B.W

1

of

HE.

an

in

as.

ie

aw

1.

an.

sity

iw;

bed ded

199

Vol. 12, G.I.O.; and in Vol. C-2, The State of Texas U 4 3

9 10 B 41

110 071 Mag. Declination East. 0° 181 True North is the Field notes of this survey.

Said survey is situated in on the drainage of high divide Greek, a tributary about 22 miles N 8° E of Ozona, the County Site.

SECTION No. 3 CROCKETT County | BLOCK No. 41 FIELD NOTES of a survey of 660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the of the North point used in right CROCKETT

County, Texas, Greek, a tributary of dry lakes,

Beginning at a point in a dry lake at the SW corner of section No. 2, this Block.

Thence North 1958.3 varas to the SE corner of section No. 28 and the SW corner of section No. 29, Block 40, University Land, for the NE corner of this section No. 3.

Thence West 1905.0 varas to the SE corner of section No. 27, Block

Thence South 1958.3 varas set a concrete monument in a smooth grass covered prairie for the SW corner of this section No. 3, stamped its brass plate in top as is represented in the figure above, from which a windmill bears N 59° 59' W about 3/4 mile; an 8-inch mesquite marked "T" bears N 48° 20' W 119.9 varas; an earth mound containing broken glass bears S 74° 00' E 5.4 varas; a windmill just East of the Ozona-Barnhart Highway bears S 13° 41' W; a 7-inch mesquite marked "X" bears S 51° 42' W 119.4 varas.

Thence East --- at 781.3 varas pass a 60d hub nail in a small rock mound --- at 1117 varas the North edge of a dry lake bears South 12 varas --- at 1623.9 varas pass another 60d hub nail in a rock mound --- at 1767 varas point in the SW edge of a dry lake --- at 1905.0 varas the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King I ransitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the field and according to law; in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 177 13th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 93, G.L.O.

1

of

4E

an

in

as,

ie

aW

1

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 4 4 3 9 10

41

CROCKETT County BLOCK No. 41

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 10' Mag. Declination East. 0° 18' 30" to the True North is the Field notes of this survey.

B

right of the North point used in

Said survey is situated in on the drainage of high divide about 22 miles N 6° E of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of dry lakes,

Beginning at a concrete monument set in smooth grassy prairie for the SW corner of section No. 3, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears N 59° 59' W about 3/4 mile; an 8-inch mesquite marked "T" bears N 48° 20' W 119.9 varas; an earth mound containing broken glass bears S 74° 00' E 5.4 varas; a windmill just East of the Ozona-Barnhart Highway bears S 13° 41' W; a 7-inch mesquite marked "X" bears S 51° 42' W 119.4 varas.

Thence North 1958.3 varas to the SE corner of section No. 27 and the SW corner of section No. 28, Block 40, University Land.

Thence West --- at 422.5 varas cross the Ozona-Barnhart paved highway --- at 1905.0 varas the SE corner of section No. 26, same Block.

Thence South 1958.3 varas to a point for the SW corner of this section No. 4.

Thence East --- at 172.3 varas pass a 60d hub nail in a small rock mound --- at 337 varas cross a North-South road --- at 41.8 varas cross a 36-inch net wire fence having 1 barbed wire above the net running N 14° 09' E - S 14° 09' W --- at 142.9 varas strike a 60d hub nail in a small rock mound, from which a windmill bears
N 16° 25' E about 1500 varas --- at 846.3 varas cross another road
running NW and SE --- at 1073 varas point in the West edge of a dry
lake --- at 1222 varas point in the East edge of the same lake at 1372.3 varas cross the North-South right-of-way fence on the West side of the Ozona-Barnhart Highway --- at 1386.7 varas strike a 60d hub nail on the West shoulder of said highway --- at 1392.2 varas recross the center line of the Ozona-Barnhart paved highway --- at 1409.6 varas set another 60d hub nail in a small rock mound, from which a right-of-way marker, a concrete post, bears N 5° 38' E 140.1 varas and a windmill bears N 45° 54' W about 1050 varas --- at 1410.3 varas pass through the North-South east right-of-way fence of the same highway --- at 1425 varas cross a North-South road --- at 1905.0 varas the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 178

Orig. in Bk.UT, Vol.11,p 94, G.L.O.

13th day of March, 1937.

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

1. an. sity

ìw; bed ded

199

口

rof

HE

an

in

ras.

rie

law

el

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas 6 5 8 7

41

SECTION No. 5 CROCKETT County | BLOCK No. 41

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 12' East. -0° 191 True North is the Field notes of this survey.

Said survey is situated in on the drainage of high divide about 22 miles N 4°E of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas, Greek, a tributary of dry lakes,

Beginning at the SW corner of section No. 4, this Block, for the SE corner of this section No. 5.

Thence North 1958.3 varas to the SE and the SW corner respectively of sections Nos. 26 and 27, Block 40, University Land.

Thence West 1905.0 varas to the SE corner of section No. 25, same Block.

Thence South 1958.3 varas set a concrete monument about 100 varas East of the top of a low round mesquite and grass covered knoll for the SW corner of this section No. 5, stamped its brass plate in top as is represented in the figure above, from which a 5-inch mesquite marked "T", a 6-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively S 31° 02! W 46.0 varas, S 80° 12! W 72.2 varas, and N 50° 14' W 95.5 varas.

Thence East --- at 978.3 varas pass a 60d hub nail in a small rock mound --- at 1753 varas cross a road running NE and SW --- at 1905.0 varas the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 179 13th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 95, G.L.O.

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

an.

sity aw; ibed

ded 199

For Plat see General Sketch in C-2, The State of Texas Crockett County. SECTION No.6 25 CROCKETT County | BLOCK No. 41 山 6 FIELD NOTES of a survey of ·. . . 5 y of 8 7 675.7 ACRES of land made for THE THE UNIVERSITY OF TEXAS by virtue of an B 41 an ACT approved March 29, 1929. Mag. Declination 11° 15' East. 0°-19' 30" to the True North is right of the North point used in the Field notes of this survey. 1 in Said survey is situated in CROCKETT on the drainage of high divide about 22 miles NORTH of Ozona, the County Site. County, Texas, xas. Greek, a tributary of dry lakes, Beginning at a concrete monument set about 100 varas East of the top of a low round mesquite and grass covered knoll for the SW corner of section No. 5, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "T", a 6-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively S 31° 02' W 46.0 varas, S 80° 12' W 72.2 varas, and N 50° 14' W 95.5 varas. d Thence West --- at 522 varas point from which the North edge of a dry lake bears South 12 varas --- at 810.6 varas set a 60d hub nail rie in a small rock mound --- at 848 varas cross an old abandoned North-South road --- at 1172 varas point on the NE side of a mesquite covered law drain running SE --- at 1422 varas point on the SW side of the same el drain --- at 1635.9 varas set a 60d hub nail in a small rock mound at 1637.4 varas pass through the SE right-of-way fence of the old Ozona-Barnhart graded road, being under a 5-wire telephone line at 1663 varas center line of the same graded road --- at 1737.7 varas cross the NW right-of-way fence of the same graded road --- at 1737.7 1956.3 varas point for the SW corner of this section No. 6. Thence N 0° 29 ' 16" E 1958.4 varas to the SW corner of section No. 25, Block 40, University Land, being the NW corner of this section No. 6. Thence East 1939.6 varas to the SE corner of said section No. 25 and the SW corner of section No. 26, Block 40, and the NW corner of section No. 5, this Block. Thence South 1958.3 varas to the place of beginning. Robert A. Leidecker en. Chainmen. Surveyed December 5, 1933. Jim Howard King

Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the field and according to law; in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 180

day of March, 1937. 13th

Orig. in Bk.UT, Vol.11,p 96,G.D.C.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

nan.

rsity law; ribed

rded 199

For Plat see General Sketch in 12, G.L.O.; and in Vol. C-2, he State of Texas Vol. SECTION No. 7 25 U CROCKETT County | BLOCK No. 41 41 in of 6 5 FIELD NOTES of a survey of y of 8 681.5 ACRES of land made for THE THE UNIVERSITY OF TEXAS by virtue of an 41 fan ACT approved March 29, 1929. 11° 17' Mag. Declination East. -0° 19'30'to the True North is right of the North point used in the Field notes of this survey. d in Said survey is situated in CROCKETT Buckhorn County, Texas. on the drainage of xas. Creek, a tributary of Dry Devils' River, NORTH of Ozona, the County Site. about 21 miles Beginning at the SW corner of section No. 6, this Block, for the NW corner of this section No. 7. Thence S 0° 29' 16" W 1958.4 varas to a point for the SW corner of this section No. 7. d Thence East 1973.0 varas to a point for the SE corner of this section No. 7. Thence North 1958.3 varas to the concrete monument set for the SW rie corner of section No. 5, this Block, situated about 100 varas East of the top of a low round mesquite and grass covered knoll, its brass plate in top having been stamped as is represented in the law el figure above, from which a 5-inch mesquite marked "T", a 6-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively S 31° 02' W 46.0 varas, S 80° 12' W 72.2 varas, and N 50° 14' W 95.5 varas. Thence West --- at 522 varas point from which the North edge of a dry lake beers South 12 varas --- at 810.6 varas set a 60d hub nail in a small rock mound --- at 848 varas cross an old abandoned North-South road --- at 1172 varas point on the NE side of a mesquite covered drain running SE --- at 1422 varas point on the SW side of the same drain --- at 1635.9 varas set a 60d hub nail in a small rock mound --- at 1637.4 varas pass through the SE right-of-way fence of the old Ozona-Barnhart graded road, being under a 5-wire telephone line --- at 1663 varas center line of the same graded road --- at 1737.7 varas cross the NW right-of-way fence of the same graded road --- at 1956.3 varas the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidekcer | Chainmen. | Jim Howard King | Transitman. | Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 181

This 13th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 97,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands en.

nan.

law; ribed

rded 199

,

41

y of

THE

f an

d in

xas,

id

Lrie

law

el

Vol. 12, G.L.O.; and in Vol. C-2 The State of Texas SECTION No.8 U 6 5 8 B 41

True North is

the Field notes of this survey.

Mag. Declination

110 151

East.

00 191

CROCKETT County BLOCK No. 41

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

1. 1

to the right of the North point used in

Said survey is situated in CROCKETT Buckhorn County, Texas, on the drainage of Creek, a tributary of Dry Devil's River, about 21 miles N 3°E of Ozona, the County Site.

Beginning at the common corner of sections Nos. 5, 6, and 7, this Block, being a concrete monument set about 100 varas East of the top of a low round mesquite and grass covered knoll, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "T", a 6-inch mesquite marked "F", and an 8-inch mesquite marked "X" bear respectively S 31° 02' W 46.0 varas, S 80° 12' W 72.2 varas, and N 50° 14' W 95.5 varas.

Thence East --- at 978.3 varas pass a 60d hub nail in a small rock mound --- at 1753 varas cross a road running NE and SW --- at 1905.0 varas strike the SW corner of section No. 4.

Thence South 1958.3 varas to a point for the SE corner of this section

Thence West 1905.0 varas to the SE corner of section No. 7.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page182

day of March, 1937.

Orig. in Bk.UT. Vol.11,p 98,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en.

nan.

ersity law; ribed orded

199

d

11

7 of

HE

an

cas.

rie

Law

el

SECTION No. 9 CROCKETT County | BLOCK No. 41

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 12' Mag. Declination East. True North is

B

on the drainage of

0° 18' 30" to the the Field notes of this survey. Said survey is situated in

Buckhorn

41

right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River, about 21 miles N 6°E of Ozona, the County Site.

Beginning at the SE corner of section No. 8, this Block, for the SW corner of this section No. 9.

660.8

Thence North 1958.3 varas to the South common corner of sections Nos. 4 and 5.

Thence East --- at 172.3 varas pass a 60d hub nail in a small rock mound --- at 337 varas cross a North-South road --- at 441.8 varas cross a 36-inch net wire fence having 1 barbed wire above the net running N 14° 09' E - S 14° 09' W -- at 442.9 varas strike a 60d hub nail in a small rock mound, from which a windmill bears N 16° 25' E about 1500 varas --- at 846.3 varas cross another road running NW and SE --- at 1073 varas point in the West edge of a dry lake --- at 1222 varas point in the East edge of the same lake --- at 1372.3 varas cross the North-South right-of-way fence on the West side of the Ozona-Barnhart Highway --- at 1386.7 varas strike a 60d hub nail on the West shoulder of said highway --- at 1392.2

varas recross the center line of the Ozona-Barnhart paved highway --at 1409.6 varas set another 60d hub nail in a small rock mound,
from which a right-of-way marker, a concrete post, bears N 5° 38' E

140.1 varas and a windmill bears N 45° 54' W about 1050 varas --- at 1410.3 varas pass through the North-South East right-of-way fence of the same highway --- at 1425 varas cross a North-South road --- at 1905.0 varas strike the concrete monument set in a grassy prairie for the SW corner of section No. 3, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears N 59° 59' W about 3/4 mile; an 8-inch mesquite marked "T" bears N 48° 20' W 119.9 varas; an earth mound containing broken glass bears S 74° 00' E 5.4 varas; a windmill immediately east of the Ozona-Barnhart Highway bears S 13° 41' W; a 7-inch mesquite marked "X" bears S 51° 42' W 119.4 varas.

Thence South 1958.3 varas to a point for the SE corner of this section

Thence West --- at 748.3 varas recross the Ozona-Barnhart paved high-way --- at 1905.0 varas the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 183
This 13th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 99,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n. an.

sity w; bed

ded 199

3

11

v of

HE

an

in

kas.

rie

law el

For Plat see General Sketch in vol. 12, G.L.O.; and in Vol. C-2, The State of Texas 4 3 9 10 B 41

CROCKETT

SECTION No. 10

County | BLOCK No. 41

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 10' Mag. Declination East. True North is 00 181 the Field notes of this survey. Said survey is situated in

Buckhorn

on the drainage of

to the

of the North point used in right

CROC KETT County, Texas, Creek, a tributary of Dry Devil's River, about 21 miles N 9°E of Ozona, the County Site.

Beginning at the common corner of sections Nos. 3, 4, and 9, this Block, for the NW corner of this section No. 10, being a concrete monument set in a grassy prairie, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears N 59° 59' W about 3/4 mile; an 8-inch mesquite marked "T" bears N 48° 20' W 119.9 varas; an earth mound containing broken glass bears S 74° 00' E 5.4 varas; a windmill immediately East of the Ozona-Barnhart Highway bears S 13° 41' W; a 7-inch mesquite marked "X" bears S 51° 42' W 119.4 varas.

Thence East --- at 781.3 varas pass a 60d hub nail in a small rock mound --- at 1117 varas the North edge of a dry lake bears South 12 varas --- at 1623.9 varas pass another 60d hub nail in a small rock mound --- at 1767 varas point on the SW edge of a dry lake at 1905.0 varas point in a dry lake at the SW corner of section

Thence South 1958.3 varas to a point for the SE corner of this section No. 10.

Thence West 1905.0 varas to the SE corner of section No. 9.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 184 13th day of March, 1937. This

Orig. in Bk.UT, Vol.11,p 100,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

an.

sitv aw;

bed ded 199

17

v of

HE

an

lin

xas.

rie

law el

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas U CROCKETT 2 11 12

SECTION No. 11 County BLOCK No. 41

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 061 East. True North is 0° 17' 30" the Field notes of this survey. Said survey is situated in

B

on the drainage of

to the right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

drainage of Buckhorn Creek, a tributary 22 miles N 11°E of Ozona, the County Site.

41

Beginning at a point in a dry lake, the common corner of this section No. 11 and sections Nos. 2, 3, and 10, this Block.

Thence East --- at 92 varas point in the SE edge of a dry lake --- at 175 varas cross a North-South road --- at 184.8 varas cross a 24-inch net wire fence having 3 barbed wires above the net running N 0° 20' E-S 0° 20' W --- at 185.9 varas and at 1012.3 varas pass 60d hub nails in small rock mounds --- at 1905.0 varas strike the concrete monument set for the SW corner of section No. 1, this Block, situated on a round grass and mesquite covered knoll, its brass plate in top having been stamped as is represented in the figure above, from which a windmill at a ranch house and anotheron distant horizon bear respectively N 25° 41' E about 1/2 mile and N 84° 55' E; a mesquite 5 inches in dismeter marked "F" bears S 67° 13' E 110.3 varas; a 4-inch mesquite marked "T" bears S 64° 48' W 35.6 varas.

Thence South 1958.3 varas to a point for the SE corner of this section No. 11.

Thence West 1905.0 varas to the SE corner of section No. 10.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in 020 na, Texas, Crockett County in Book UT Volc=1 page 185
This 13th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 101,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

an.

sity aw; bed

ded 199

3

11

y of

HE

an

l in

xas.

d

rie

law

el

υ	T T	
2	1 12	
В	41	

CROCKETT County BLOCK No. 41

FIELD NOTES of a survey of

706.3 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

110 021 Mag. Declination East. True North is 00 171 the Field notes of this survey. Said survey is situated in

Buckhorn

on the drainage of

to the right CROCKETT

Creek, a tributary of

of the North point used in

County, Texas, Dry Devil's River.

about 22 miles N 14°E of Ozona, the County Site. Beginning at a concrete monument set on a round grassy and mesquite covered knoll for the SW corner of section No. 1, this Block, for the NW corner of this section No. 12, being also the NE corner of section No. 11, its brass plate in top having been stamped as is represented in the figure above, from which a windmill at a ranch house and another on distant horizon bear respectively N 25° 41' E about 1/2 mile and N 84° 55' E; a mesquite 5 inches in diameter marked "F" bears S 67° 13' E 110.3 varas; a 4-inch mesquite marked "T" bears S 64°48'W

35.6 varas.

Thence East 2036.0 waras to the SE corner of said section No. 1, being also the SW corner of section No. 20 and the NW corner of section No. 21, Block 38, University Land.

Thence South 1958.3 varas to the NW corner of section No. 30, Block 38, University Land.

Thence West 2036.0 varas to the SE corner of section No. 11.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Chainmen. Jim Howard king Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 186

day of March, 1937. 13th This

Orig. in Bk.UT, Vol.11,p 102, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

an.

sity aw; ibed

:ded 199

41

y of

HE

an

l in

xas,

d

rie

law el

SECTION No. 13

C	rockett	County,	AOTEOFS
	σ	T	
	114	13 24	
	23	24	
	В	41	

Mag. Declination 11° 00° East. 00 171 True North is the Field notes of this survey.

Said survey is situated in on the drainage of Buc khorn about 21 miles N 14°E of Ozona, the County Site.

706.3

CROCKETT County | BLOCK No. 11

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the SE corner of section No. 12, this Block, which is the same as the SW corner of section No. 21 and the NW corner of section No. 30, Block 38, University Land.

Thence South 1958.3 varas to the SW corner of said section No. 30, Block 38, and the NW corner of section No. 1, Block 39, for the SE corner of this section No. 13.

Thence West 2036.0 varas to a concrete monument set in the center of a rocky bottomed dry lake for the SW corner of this section No. 13, stamped its brass plate in top as is represented in the figure above, from which a large stone monument (new) 4 feet at base and 3 feet high, bears S 19 41' W 90.7 varas.

Thence North 1958.3 varas to the South common corner of sections Nos. 11 and 12.

Thence East 2036.0 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 187
This 13th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 103,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

lan. rsity

aw; ibed rded 199

SECTION No. 14

CROCKETT

660.8

County

BLOCK No. 41

ACRES of land made for THE

FIELD NOTES of a survey of

ey of

10

25

41

THE

of an

ed in

exas,

nd

irie

claw

eel

S

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 05' Mag. Declination East. True North is 0° 17' 30"

41

the Field notes of this survey.

14 13

23 24

U

B

Said survey is situated in on the drainage of Buc khorn about 21 miles N 12°E of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set in the center of a rocky bottomed dry lake for the SW corner of section No. 13, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a large stone monument (new), 4 feet at base and 3 feet high, bears S 19° 41' W 90.7 varas.

Thence West --- at 120 varas point in the West edge of the dry lake at 1746.4 varas cross at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1905.0 varas point for the SW corner of this section No. 14.

Thence North 1958.3 varas to the SE corner of section No. 10 and the SW corner of section No. 11.

Thence East 1905.0 varas to the SW corner of section No. 12, being the NW corner of section No. 13.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 188

Orig. in Bk.UT, Vol.11,p 104,G.L.O.

13th day of March, 1937.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ien.

man.

ersity law; cribed

orded = 199

nd

LO

25

41

y of

THE

f an

d in

xas.

d

rie

law

el

For Plat see General Sketch in Vol. 12, G. L.O.; and in Vol. C-2, The State of Texas | SECTION No. 15 TI 16 15 21 22 B 41

CROCKETT County | BLOCK No.

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 091 East. 00 181 True North is

the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 20 miles N 9°E of Ozona, the County Site.

to the of the North point used in right

County, Texas, CROCKETT Creek, a tributary of Dry Devil's River,

Beginning at the SW comer of section No. 14, this Block, for the SE corner of this section No. 15.

Thence West --- at 1120 varas point in the center of the grassy bottom of a dry lake --- at 1905.0 varas set a concrete monument in a level open prairie for the SW corner of this section No. 15, stamped its brass plate in top as is represented in the figure above, from which a steel windmill among mesquite trees bears S 88° 27' E; an 8-inch double mesquite marked "X" and another 8-inch double mesquite marked "T", being the only trees within a radius of 800 varas, bear respectively S 34° 10' E 295.4 varas and S 33°08'E 240.4 varas; a windmill immediately East of the Ozona-Barnhart Highway bears N 26° 55' W about 1100 varas; another steel windmill bears N 15° 22' W N 15° 22' W.

Thence North 1958.3 varas to the SE corner of section No. 9 and the SW corner of section No. 10.

Thence East 1905.0 varas to the SW corner of section No. 11 and the NW corner of section No. 14.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howgard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 189 day of March, 1937.

13th

Origain Bk.UT, Vol.11,p 105,G.L.O.

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

lan. rsity law;

ibed rded 199

3

. 25

41

ey of

THE

of an

ed in

exas,

nd S

irie n

claw eel d

.3

For Plat see General Sketch in vol. 12. G.L.O.; and in vol. C-2. The State of Texas

U 16 15 21 22 B 41

CROCKETT

SECTION No. 16

County | BLOCK No. 41

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 11' Mag. Declination East. True North is 0° 18' 30" the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 20 miles N 6° E of Ozona, the County Site.

to the right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set in a smooth open prairie for the SW corner of section No. 15, this Block, for the SE corner of this section No. 16, its brass plate in top having been stamped as is represented in the figure above, from which a steel windmill among mesquite trees bears \$ 88° 27' E; an 8-inch double mesquite marked "X" and another 8-inch double mesquite marked "T", being the only trees within a radius of 800 varas bear respectively \$ 34° 10' E 295.4 varas and \$ 33° 08' E 240.4 varas; a windmill immediately East of the Ozona-Barnhart Highway bears N 26° 55' W about 1100 varas; another steel windmill bears N 15° 22' W.

Thence West --- at 738.9 varas cross the East right-of-way fence of the Ozona-Barnhart Highway --- at 758 varas cross the center of the pavement of said highway coursing S 0° 17' W - N 0° 17' E --- at 776.0 varas cross the West right-of-way fence of said highway, 64.3 varas South of a concrete right-of-way marker --- at 777.3 varas set a 60d hub nail in a small rock mound --- at 1392.2 varas set another 60d hub nail in a small rock mound --- at 1590 varas pass over a 5-inch freshly cut mesquite stump --- at 1905.0 varas point for the SW corner of this section No. 16.

Thence North 1958.3 varas to the SE corner and the SW corner respectively of sections Nos. 8 and 9.

Thence East --- at 1156.7 varas recross the pavement of the Ozona-Barnhart Highway --- at 1905.0 varas strike the SW corner of section No. 10.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 190 15th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 106, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

nen.

tman.

versity o law; cribed corded e 199

nd

CROCKE TT

1- 2 00 de 2

660.8

BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

25 41

LO

ey of

THE

f an

d in

exas,

ACT approved March 29, 1929.

ıd

Lrie

claw eel

Mag. Declination 110 141 East. 0° 19' True North is the Field notes of this survey.

U

B

18

19

17

20

41

Said survey is situated in on the drainage of Buckhorn about

to the of the North point used in right County, Texas, CROCKETT Creek, a tributary of Dry Devil's River, 20 miles N 3°E of Ozona, the County Site.

County

UNIVERSITY OF TEXAS by virtue of an

Beginning at the SE, the SW, and the NW corner respectively of sections Nos. 8, 9, and 16, this Block, for the NE corner of this section No.-17.

Thence South 1958.3 varas to the SW corner of said section No. 16,

Thence West --- at 185 varas cross a drain running South --- at 267.6 varas cross at about right angles a 24-inch net wire fence having 3 barbed wires above the net, under a telephone line --- at 688.6 varas set a 60d hub nail in a small rock mound, from which a windmill East of the highway bears N 57° 08' E --- at 1202 varas cross a drain running SE --- at 1479.4 varas set another 60d hub nail in thick mesquites --- at 1905.0 varas set a concrete monument on a level mesa thickly covered with small mesquite bushes for the SW corner of this section No. 17, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "F", another 6-inch mesquite marked "X", and a 3-inch mesquite marked "T" bear respectively S 2° 34' W 53.2 varas, S 48° 16' W 19.6 varas, and N 65° 23' W 18.2 varas.

Thence North 1958.3 varas to the SE corner of section No. 7 and the SW corner of section No. 8.

Thence East 1905.0 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Chainmen. Jim Howard-king Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 191 day of March, 1937

Orig. in Bk.UT, Vol.11,p 107, G.L.O.

15th

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en. nan.

rsity law; ribed

orded 199

3

vol. 12, G. L. O.; and in Vol. C-2, The State of Texas Crockett County U 18 17 19 20 B 41

CROCKETT

687.3

County

SECTION No. 18

FIELD NOTES of a survey of

ACRES of land made for THE

BLOCK No.

47

ey of

10

25

THE f an

Mag. Declination 11° 17' East.

on the drainage of

Said survey is situated in

00 19 30" True North is to the the Field notes of this survey.

of the North point used in right

UNIVERSITY OF TEXAS by virtue of an

d in

exas.

nd 3

irie

claw

eel 1

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

ACT approved March 29, 1929.

Buckhorn about 20 miles NORTH of Ozona, the County Site.

Beginning at a concrete monument set on a level mesa covered with small mesquite brush for the SW corner of section No. 17, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", another 6-inch mesquite marked "X", and a 3-inch mesquite marked "T" bear respectively S 2° 34' W 53.2 varas, S 48° 16' W 19.6 varas, and N 65° 23' W 18.2

Thence West --- at 480.2 varas set a 60d hub nail in a small rock mound --- at 680 varas cross a brushy drain running South --- at 930 varas and at 1230 varas cross drains, each running South --- at 1579.3 varas set another 60d hub nail in a small rock mound --- at 1723.0 varas cross the East right-of-way fence of the old Ozona-Barnhart graded road under a 5-wire telephone line --- at 1757 varas cross the said road --- at 1821.8 varas cross the West right-of-way fence of the same graded road --- at 1989.7 varas point for the SW corner of this section No. 18.

Thence N 0° 29' 16" E 1958.4 varas to the SW corner of section No. 7, being the NW corner of this section No. 18.

Thence East 1973.0 varas to the SW corner of section No. 8.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 5, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 192

This 15th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 108,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en.

nan. ersity law;

ribed orded 199

13

d

25

41

ey of

THE

of an

d in

exas.

nd

irie

claw

eel

f

3

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 19

U 18 17 19 20 B 41

CROCKETT County BLOCK No. FIELD NOTES of a survey of 693.1 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 16' Mag. Declination East. True North is 0° 191 30" the Field notes of this survey. Said survey is situated in

to the right of the North point used in CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

on the drainage of Buckhorn about 19 miles NORTH of Ozona, the County Site.

Beginning at the SW corner of section No. 18 for the NW corner of this section No. 19.

Thence S 0° 29' 16" W 1958.3 varas to a point for the SW corner of this section No. 19, from which an old stone mound of about 14 rocks having on top a large stone 10 x 20 x 6 inches, identified as the original SW corner of this section No. 19, bears S 0° 29' 16" W 74.8 varas.

Thence East 2006.4 varas to a point for the SE corner of this section No. 19.

Thence North 1958.3 varas to the concrete monument set on a level mesa thickly covered with small mesquite brush for the SW corner of section No. 17, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", another 6-inch mesquite marked "X", and a 3-inch mesquite marked "T" bear respectively S 2° 34' W 53.2 varas, S 48° 16' W 19.6 varas, and N 65° 23' W 18.2 varas.

Thence West --- at 480.2 varas set a 60d hub nail in a small rock mound --- at 680 varas cross a brushy drain running South --- at 930 varas and at 1230 varas cross drains, each running South --- at 1579.3 varas set another 60d hub nail in a small rock mound --- at 1723.0 varas cross the East right-of-way fence of the old Ozona-Barnhart graded road under a 5-wire telephone line --- at 1757 varas cross the said road --- at 1821.8 varas cross the West right-of-way fence of the same graded road --- at 1989.7 varas point for the NW corner of this section No. 19, the place of beginning.

Surveyed December 6, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 193
This 15th day of March, 1937.

Orig. in Bk.UT, Vol.11, p 109, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en. man.

ersity law;

ribed orded 199

13

d

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, he State of Texas 18 17 19 20

41

CROCKETT

1. , ... He.

660.8

County J

BLOCK No.

SECTION No. 20

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 141 East. 00 191 True North is

B

to the

of the North point used in right

d in exas.

nd S

irie

claw eel

d

i O

25

41

ey of

THE

of an

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn about 19 miles N 3° E of Ozona, the County Site.

CROCKETT

County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on a level mesa thickly covered with small mesquite bushes for the SW corner of section No. 17, this Block, being the NE corner of section No. 19, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", another 6-inch mesquite marked "X", and a 3-inch mesquite marked "T" bear respectively S 2° 34' W 53.2 varas, S 48° 16' W 19.6 varas, and N 65° 23' W 18.2 varas.

Thence South 1958.3 varas to the SE corner of said section No. 19.

Thence East 1905.0 varas to a point for the SE corner of this section No. 20.

Thence North 1958.3 varas to the SW and the SE corner respectively of sections Nos. 16 and 17.

Thence West --- at 185 varas cross a drain running South --- at 267.6 varas cross at about right angles a 24-inch net wire fence having 3 barbed wires above the net under a telephone line --- at 688,6 varas set a 60d hub nail in a small rock mound, from which a windmill East of the highway bears N 57° 08' E --- at 1202 varas cross a drain running SE --- at 1479.4 varas set another 60d hub nail in thick mesquites --- at 1905.0 varas the place of beginning.

December 6, 1933. Surveyed

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 194 day of March, 1937.

Orig. in Bk.UT, Vol.11,p 110,G.L.O.

15th

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

en.

man. ersity

law; ribed orded : 199

3

ıd

LO

25

41

ey of

THE

of an

ed in

exas.

nd S

irie

claw eel

n

Vol. 12 G.L.O.; and in Vol. C-2, he State of Texas SECTION No. 21 BLOCK No. 11 CROCKETT County . 1. 1. Off. 16 15

> 21 22

> > 41

B

660.8

FIELD NOTES of a survey of ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929. Mag. Declination 110 101 East. True North is 0° 181 30" to the right of the North point used in the Field notes of this survey. Said survey is situated in CROCKETT County, Texas, on the drainage of Buckhorn Creek, a tributary of Dry Devil's River, about 19 miles N 7° E of Ozona, the County Site.

Beginning at the SE corner of section No. 20, this Block, for the SW corner of this section No. 21.

Thence East --- at 1137.4 varas cross the Ozona-Barnhart paved highway --- at 1905.0 varas point for the SE corner of this section No.

Thence North 1958.3 varas strike the monument set for the SW corner of section No. 15, situated in a level open prairie, its brass plate in top having been stamped as is represented in the figure above, from which a steel windmill among mesquite trees bears S 88° 27' E; an 8-inch double mesquite marked "X" and another 8-inch double mesquite marked "T", being the only trees within a radius of 800 varas, bear respectively S 34° 10' E 295.4 varas and S 33° 08' E 240.4 varas; a windmill immediately East of the Ozona-Barnhart Highway bears N 26° 55' W about 1100 varas; another steel windmill bears N 15° 22' W.

Thence West --- at 738.9 varas cross the East right-of-way fence of the Ozona-Barnhart Highway --- at 758 varas cross the center of the pavement of said highway coursing S 0° 17' W - N 0° 17' E --- at 776.0 varas cross the West right-of-way fence of said highway, 64.3 varas South of a concrete right-of-way marker --- at 777.3 varas set a 60d hub nail in a small rock mound --- at 1392.2 varas set another 60d hub nail in a small rock mound --- at 1590 varas pass over a 5-inch freshly cut mesquite stump --- at 1905.0 varas point for the NW corner of this section No. 21, being the SE corner of section No. 17 and the NE corner of section No. 20.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 6, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 6-1page 195 15th day of March, 1937. This

Orig. in Bk.UT, Vol.11,p 111,G.L.O.

an Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ien.

man. ersity

law; cribed orded

: 199

ıd

LO

25

41

ey of

THE

of an

ed in

exas,

nd S

irie n claw

eel

d

3

Vol. 12 G.L.O.; and in Vol. C-2, he State of Texas For Plat see General Sketch in U 16 15 21 22 B 41

BLOCK No. CROCKETT County

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 06' East. Mag. Declination 00-181 True North is

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn

to the right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River, about 19 miles N 9°E of Ozona, the County Site.

Beginning at a concrete monument set in a level open prairie for the SW corner of section No. 15, being the NE corner of section No. 21, its brass plate in top having been stamped as is represented in the figure above, from which a steel windmill among mesquite trees bears S 88° 27' E; an 8-inch double mesquite marked "X" and another 8-inch double mesquite marked "T", being the only trees within a radius of 800 varas, bear respectively S 34° 10' E 295.4 varas and S 33° 08' E 240.4 varas; a windmill immediately East of the Ozona-Barnhart Highway bears N 26° 55' W about 1100 varas; another steel windmill bears N 15° 22' W.

Thence South 1958.3 varas to the SE corner of said section No. 21.

Thence East 1905.0 varas to a point for the SE corner of this section No. 22.

Thence North 1958.3 varas to the SW corner of section No. 14 and the SE corner of section No. 15.

Thence West --- at 1120 varas point in the grassy bottom of a dry lake --- at 1905.0 varas the place of beginning.

Surveyed December 6, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 196

day of March, 1937. This 15th

> Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ien.

man.

ersity

law;

cribed

orded

199

nd

Orig. in Bk.UT, Vol.11,p 112,G.L.O.

. 25

41

ey of

THE

of an

ed in

exas,

nd

S

n

3

irie

claw

eel d

For Plat see General Sketch in Vol. 12 G.L.O.; and in Vol. C.Z, he State of Texas CROCKETT U 14 13

County BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

660.8

Mag. Declination 11° 021 East. True North is 0° 17' 30" the Field notes of this survey.

23 24

B

Said survey is situated in on the drainage of Buckhorn

41

to the of the North point used in right

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River, about 20 miles N 12° E of Ozona, the County Site.

Beginning at the common corner of sections Nos. 14, 15, and 22, this Block, for the NW corner of this section No. 23.

Thence South 1958.3 varas to the SE corner of said section No. 22.

Thence East 1905.0 varas to a point for the SE corner of this section No. 23.

Thence North --- at 393 varas cross a mesquite covered drain running SE --- at 892.1 varas and at 1261.1 varas set 60d hub nails in small rock mounds --- at 1634.6 varas set another 60d hub nail in a small rock mound on the South edge of a dry lake --- at 1645.0 varas cross at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1958.3 varas strike the concrete monument set in the center of a rocky bottomed dry lake for the SW corner of section No. 13, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a large stone monument (new) 4 feet at base and 3 feet high, bears S 19° 41' W 90.7

Thence West --- at 120 varas point on the West edge of the dry lake --- at 1746.4 varas pass through at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1905.0 varas the place of beginning.

December 6, 1933. Surveyed

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 197 day of March, 1937. 15th

Orig. in Bk.UT, Vol.11, p 113, G.L.O.

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

nen.

man. rersity

o law; cribed corded e 199

nd

For Plat see General Sketch in 12, G.L.O.; and in Vol. C-Z, he State of Texas Crockett County. SECTION No. 24 . 25 U CROCKETT T County BLOCK No. 41 · ... 1/4. FIELD NOTES of a survey of 14 13 ey of 23 24 706.3 ACRES of land made for THE THE UNIVERSITY OF TEXAS by virtue of an B of an 41 ACT approved March 29, 1929. Mag. Declination 10° 551 00 17' True North is to the right of the North point used in ed in the Field notes of this survey. Said survey is situated in CROCKETT County, Texas, on the drainage of Buckhorn Creek, a tributary about 20 miles N 15°E of Ozona, the County Site. exas, Creek, a tributary of Dry Devil's River, Beginning at a concrete monument set in the center of the rocky bottom of a dry lake for the SW corner of section No. 13, being the NE corner of section No. 23, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a large stone monument (new) 4 feet at base and 3 feet high, bears S 19 41 W 90.7 varas. nd S Thence East 2036.0 varas to the SE corner of said section No. 13, being the NE corner of this section No. 24, and the SW corner of section No. 30, Block 38, and the NW of section No. 1, Block 39, irie University Land. n claw eel Thence South 1958.3 varas to the NW corner of section No. 10, Block d 39, and the SE corner of this section No. 24. Thence West 2036.0 varas to the SE corner of section No. 23. Thence North --- at 393 varas cross a mesquite covered drain running SE --- at 892.1 varas and at 1261.1 varas set 60d hub nails, each in a small rock mound --- at 1634.6 varas set another 60d hub neil in a small rock mound on the South edge of a dry lake --- at 1645.0 varas cross at about right engles a 24-inch net wire fence having 3 barbed wires above the net --- at 1958.3 varas strike the concrete monument 13 set in the center of a rocky bottomed dry lake, the place of beginning. Robert A. Leidecker Chainmen. Surveyed December 6, 1933. nen. Jim Howard King Transitman. Norris B. Creath man. I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University rersity Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; o law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described cribed in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded corded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 198 e 199 15th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 114, G.L.O.

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

nd

SECTION No. 25

Vol. 12 G.L.O.; and in Vol. C-2, he State of Texas

U 41 B 26 5 6 B 42

CROCKETT

County BLOCK No. 41

FIELD NOTES of a survey of

706.3

ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 51' Mag. Declination 00 171 True North is

the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 19 miles N 16°E of Ozona, the County Site.

to the right of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the SE corner of section No. 24, this Block, which is the same as the SW corner of section No. 1 and the NW corner of section No. 10, Block 39, University Land.

Thence South 1958.3 varas to the SW corner of said section No. 10 and the NW corner of section No. 11, Block 39, and the SE corner of this section No. 25.

Thence West 2036.0 varas set a concrete monument in a high open prairie for the SW corner of this section No. 25, stamped its brass plate in top as is represented in the figure above, from which a 3-prong catclaw marked "X" on the central prong bears S 37° 50' W 204.6 varas; a steel windmill among mesquite trees bears N 22° 51' E; a fixed rock marked "T" bears S 43° 17' E 63.6 varas; a windmill at a ranch house bears s 71° 18' E.

Thence North --- at 550 varas cross a short grassy drain running East --- at 772.7 varas set a 60d hub nail in a small rock mound --- at 881 varas cross an East-West road --- at 1362.0 varas and at 1718.3 varas set 60d hub nails in small rock mounds --- at 1958.3 varas strike the South common corner of sections Nos. 23 and 24.

Thence East 2036.0 varas to the place of beginning.

Surveyed December 6, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 199
This 15th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 115,G.L.O.

Vol. 12, G.L.O., and in Vol. C-2, he State of Texas

CROCKETT

County

BLOCK No. 41

FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 59' East. Mag. Declination

True North is 0° 17' 30"

T 41

25

6

42

the Field notes of this survey.

TI

B

B

26

to the right of the North point used in

Said survey is situated in on the drainage of Buckhorn

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

about 19 miles N 13°E of Ozona, the County Site.

Beginning at the South common corner of sections Nos. 23 and 24, being the NW corner of section No. 25, this Block, for the NE corner of this section No. 26.

Thence West 1905.0 varas to the SE corner of section No. 22.

Thence South 1958.3 varas to a point for the SW corner of this section No. 26.

Thence East 1905.0 varas to the concrete monument set on a high open prairie for the SW corner of section No. 25, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 3-prong catclaw marked "X" on the center prong bears S 37° 50' W 204.6 varas; a steel windmill among mesquite trees bears N 22° 51' E; a fixed rock marked "T" bears S 43° 17' E 63.6 varas; a windmill at a ranch house bears S 71° 18' E.

Thence North --- at 550 varas cross a short grassy drain running East --- at 772.7 varas set a 60d hub nail in a small rock mound --- at 881 varas cross an East-West road --- at 1362.0 varas and at 1718.3 varas set 60d hub nails in small rock mounds --- at 1958.3 varas the place of beginning.

Surveyed December 6, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 200
This 15th day of March, 1937,

Orig. in Bk.UT, Vol.11,p 116,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, he State of Texas

U T 41 B 28 27 34 B 42

SECTION No. 27

County BLOCK No. CROCKETT

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 02' Mag. Declination East. -0° 181 True North is the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 18 miles N 10°E of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the SW corner of section No. 26, this Block, for the SE corner of this section No. 27.

Thence West 1905.0 varas set a concrete monument among thick mesquite trees about 150 varas NE of a large dry lake for the SW corner of this section No. 27, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "X", a 5-inch mesquite marked "T", and another 6-inch mesquite marked "F" bear respectively S 43° 05' W 75.3 varas, N 34° 00' W 62.5 varas, and N 86° 35' E 44.0 varas; a new windmill near a concrete tank bears \$ 23° 53' W.

Thence North 1958.3 varas to the SW and the SE corner respectively of sections Nos. 22 and 21.

Thence East 1905.0 varas to the SW corner of section No. 23.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 6, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 201

This day of March, 1937. 15th

Orig. in Bk.UT, Vol.11,p 117,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

SECTION No. 28

U T B 41 28 27 4 B 42 CROCKETT County J BLOCK No.

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 07' East.

0° 18' 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

CROCKETT

County, Texas,

on the drainage of Buckhorn Creek, a tributary about 18 miles N 7° E of Ozona, the County Site. Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set among thick mesquite trees about 150 varas NE of a large dry lake for the SW corner of section No. 27, this Block, for the SE corner of this section No. 28.

Thence West --- at 300 varas point from which the North edge of a dry lake bears South about 100 varas --- at 759.7 varas cross the East right-of-way fence of the Ozona-Barnhart paved highway --- at 759.9 varas set a 60d hub nail in a rock mound, from which a concrete right-of-way marker on the East side of the highway bears N 0° 15' E 24.6 varas --- at 777.3 varas center line of the pavement of said highway --- at 795.8 varas cross the West right-of-way fence of said highway --- at 806.6 varas and at 1564.8 varas set 60d hub nails in small rock mounds --- at 1905.0 verse point for the SW commer in small rock mounds --- at 1905.0 varas point for the SW corner of this section No. 28.

Thence North 1958.3 varas to the SE corner of section No. 20 and the SW corner of section No. 21.

Thence East --- at 1137.4 varas recross the Ozona-Barnhart paved highway --- at 1905.0 varas strike the SW corner of section No. 22 and the NW corner of section No. 27.

Thence South 1958.3 varas to the place of beginning.

NOTE: From the concrete monument mentioned above, the place of beginning, a 6-inch mesquite marked "X", a 5-inch mesquite marked "T", and another 6-inch mesquite marked "F" bear respectively S 43° 05' W 75.3 varas, N 34° 00' W 62.5 varas, and N 86° 35' E 44.0 varas; a new windmill near a concrete tank bears S 23° 53' W. Its brass plate in top was stamped as is represented in the figure above.

Surveyed December 6, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 202
This 15th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 118,G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in Vol.C-2, The State of Texas County

SECTION No. 29

varas by 30 varas.

Blain's Barn 0

CROCKETT County BLOCK No.

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 11' Mag. Declination East. 0° 19' True North is the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of Buckhorn Creek, a tributary about 18 miles N 4°E of Ozona, the County Site.

CROCKETT Creek, a tributary of Dry Devil's River,

County, Texas,

Beginning at the SW corner of section No. 28, this Block, for the SE corner of this section No. 29.

Thence West --- at 317.4 varas and at 874.9 varas set 60d hub nails, each in a small rock mound --- at 1905.0 varas point inside of, but near the West end of a rock, sheet iron covered barn 30 varas long East and West by 7 varas wide North and South, for the SW corner of this section No. 29.

Thence North 1958.3 varas to the South common corner of sections Nos. 19 and 20.

Thence East 1905.0 varas to the SW corner of section No. 21.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 6, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. G-1page 203
This 15th day of March, 1937.

Orig. in Bk.UT, Vol.11, p 119, G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

SECTION No. 30

varas by 30 varas.

0 Blain's Barn

County | BLOCK No. 41 CROCKETT

FIELD NOTES of a survey of

698.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

110 1/1 Mag. Declination East. 0° 19' 30" to the True North is the Field notes of this survey.

right

of the North point used in

Said survey is situated in Buckhorn on the drainage of about 18 miles NORTH of Ozona, the County Site.

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at a point inside of, but near the West end of a rock, sheet iron covered barn 30 varas long East and West by 7 varas wide North and South, the SW corner of section No. 29, this Block, for the SE corner of this section No. 30.

Thence West --- at 7.9 varas pass through West wall of barn --- at 21.2 varas cross a rock corral fence 6 varas South of the NW corner of corral and 6 varas North of the SW corner of corral --- at 41.2 varas cross a fence made of railroad ties 6 varas East of the NW corner of same --- at 47.2 varas enter a corral through a fence made of railroad ties --- at 110.3 varas cross a North-South 48-inch net wire fence having 2 barbed wires above the net, 6 varas South of a round lumber corral --- at 113.2 varas cross a North-South road --- at 217 varas a large drain running SE, called Buckhorn Creek --- at 260.0 varas cross another 48-inch net wire fence having 2 barbed wires above the net --- at 432.0 varas set a 60d hub nail in a small rock mound --- at 463 varas pass 7 varas North of the NE corner of an old field --- at 1563.2 varas and at 1666.6 varas set 60d hub nails in small rock mounds --- at 1767.7 varas cross the East righteof-way fence of the old Ozona-Barnhart road under a 5-wire telephone line --- at 1819 varas cross the center of the same road --- at 1874.7 varas cross the West right-of-way fence of the said road --- at 1954.6 varas set a 60d hub nail in a small rock mound --- at 2023.1 varas point for the SW corner of this section No. 30.

Thence N 0° 29' 16" E --- at 1883.5 varas strike an old stone mound of about 14 rocks, having on top a large rock 10 x 20 x 6 inches, identified as the original NW corner of this section No. 30 --- at 1958.3 varas strike the SW corner of section No. 19.

Thence East 2006.4 varas to the SW corner of section No. 20 and the NW corner of section No. 29.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 6, 1933.

Robert A. Leidecker Jim Howard king Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. page 204
This 15th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 120,G.L.O.

vol. 12 G.L.O.; and in Vol.G-2, The State of Texas

varas by 30 varas. 0 Blain's Barn

CROCKE TT County | BLOCK No. 42

FIELD NOTES of a survey of

701.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 12' Mag. Declination East. True North is 0° 19' 30" the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 17 miles NORTH of Ozona, the County Site.

to the right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the SW corner of section No. 30, Block 41, University Land, for the NW corner of this section No. 1.

Thence South 1958.3 varas to a point for the SW corner of this section No. 1.

Thence East 2023,1 varas to a point for the SE corner of this section

Thence North 1958.3 varas to the South common corner of sections Nos. 29 and 30, Block 41, being a point inside of, but near the West end of a rock, sheet iron covered, barn 30 varas long East and West by 7 varas wide North and South,

Thence West --- at 7.9 varas pass through West wall of barn --- at 21.2 varas cross a rock corral fence 6 varas South of the NW corner 21.2 varas cross a rock corral fence 6 varas South of the NW corner of corral and 6 varas North of the SW corner of corral --- at 41.2 varas cross a fence made of railroad ties 6 varas East of the NW corner of same --- at 47.2 varas enter a corral through a fence made of railroad ties --- at 110.3 varas cross a North-South 48-inch net wire fence having 2 barbed wires above the net, 6 varas South of a round, lumber corral --- at 113.2 varas cross a North-South road --- at 217 varas cross a large drain running SE, called Buckhorn Creek --- at 260.0 varas cross another 48-inch net wire fence having 2 barbed wires above the net --- at 432.0 varas pass a 60d hub nail in a small rock mound --- at 463 varas pass 7 varas North of the NE corner of an old mound --- at 463 varas pass 7 varas North of the NE corner of an old field --- at 1563.2 varas and at 1666.6 varas pass 60d hub nails in small rock mounds --- at 1767.7 varas cross the East right-of-way fence of the old Ozona-Barnhart Road under a 5-wire telephone line --- at 1819 varas cross the center of the same road --- at 1874.7 varas cross the West right-of-way fence of the said road --- at 1954.6 varaspass a 60d hub nail in a small rock mound --- at 2023.1 varas the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 205
This 18th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 121,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, Crockett County.

varas by 30 varas 0 Blain's Barn

11° 09' Mag. Declination East. 0° 19' True North is

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn about 17 miles N 3°E of Ozona, the County Site.

15

SECTION No. 2

CROCKETT County J BLOCK No. 42

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the NE corner of section No. 1, this Block, being the SW and the SE corner respectively of sections Nos. 29 and 30, Block 41, University Land, said point being within, but near the West end of a rock, sheet iron covered barn 30 varas long East and West by 7 varas wide North and South, for the NW corner of this section No. 2.

Thence South 1958.3 varas to the SE corner of said section No. 1.

Thence East 1905.0 varas to a point for the SE corner of this section

Thence North 1958.3 varas to the SW corner of section No. 28 and the SE corner of section No. 29, Block 41.

Thence West --- at 317.4 varas and at 874.9 varas pass 60d hub nails, each in a small rock mound --- at 1905.0 varas the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 206

19th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 122,G.L.O.

ıf

E

n

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 3

CROCKETT

County | BLOCK No. 42

i. or

FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 06' Mag. Declination East.

28 27

3 4

True North is 0° 18' 30" to the

right

of the North point used in

the Field notes of this survey.

B

U B

Said survey is situated in on the drainage of Buckhorn

47

42

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

about 17 miles N 7°E of Ozona, the County Site.

Beginning at the NE corner of section No. 2, this Block, being the same as the SW corner of section No. 28 and the SE corner of section No. 29, Block 41, University Land.

Thence South 1958.3 varas to the SE corner of said section No. 2.

Thence East --- at 1105.0 varas cross the Ozona-Barnhart paved highway --- at 1905.0 varas point for the SE corner of this section No. 3.

Thence North --- at 197 varas cross an East-West road on the South side of a rocky point extending East --- at 297.6 varas set a 60d hub nail in a small rock mound, from which a windmill bears \$ 89° 05! W about 1/2 mile --- at 741.7 varas and at 1418.2 varas set 60d hub nails, each in a small rock mound --- at 1958.3 varas strike the concrete monument set in thick mesquites about 150 varas NE of a large dry lake for the SW corner of section No. 27, being the SE corner of section No. 28, Block 41, University Land, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "X", a 5-inch mesquite marked "T", and another 6-inch mesquite marked "F" bear respectively S 43° 05' W 75.3 varas, N 34° 00' W 62.5 varas, and N 86° 35' E 44.0 varas; a new windmill near a concrete tank bears S 23° 53' W.

Thence West --- at 300 varas point from which the North edge of a dry lake bears South about 100 varas --- at 759.7 varas cross the East right-of-way fence of the Ozona-Barnhart paved highway --- at 759.9 varas pass a 60-d hub nail in a rock mound, from which a concrete right-of-way marker on the East side of the highway bears N 0° 15' E 24.6 varas --- at 777.3 varas center line of the pavement of said highway --- at 795.8 varas cross the West right-of-way fence of said highway --- at 806.6 varas and at 1564.8 varas pass 60d hub nails, each in a small rock mound --- at 1905.0 varas the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

:d

:d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 207
This 19th day of March, 1937,

Orig. in Bk.UT, Vol.11,p 123, G.L.O.

of

ΙE

an

in

IS.

e,

For Plat see General Sketch in The State of Texas Crockett County.

U T B 41 28 27 3 4 42 B

110 011 Mag. Declination East. True North is 00 181 the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 17 miles N 10° E of Ozona, the County Site.

CROCKETT

, .N< ...

660.8

County | BLOCK No. 42

SECTION No. 4

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the NE corner of section No. 3, this Block, being the SW corner of section No. 27, and the SE corner of section No. 28, Block 41, University Land, a concrete monument set among thick mesquite trees about 150 varas NE of a large dry lake, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "X", a 5-inch mesquite marked "T", and another 6-inch mesquite marked "F" bear respectively S 43° 05! W 75.3 varas, N 34° 00'W 62.5 varas, and N 86° 35' E 44.0 varas; a new windmill near a concrete tank bears S 23° 53' W.

Thence East 1905.0 varas to the SW corner of section No. 26, Block 41.

Thence South 1958.3 varas to a point for the SE corner of section No. 4.

Thence West 1905.0 varas to the SE corner of section No. 3.

Thence North --- at 197 varas cross an East-West road on the South side of a rocky point extending East --- at 297.6 varas pass a 60d hub nail in a small rock mound, from which a windmill bears S 89°05'W about 1/2 mile --- at741.7 varas and at 1418.2 varas pass 60d hub nails, each in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

ty

ed

ed

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 208 day of March, 1937. 19th

Orig. in Bk.UT, Vol.11,p 124,G.L.O.

of

HE.

an

in

as,

е,

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County. U T B 41 26 25 6 5

County BLOCK No. 42 CROCKETT

FIELD NOTES of a survey of

SECTION No. 5

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 561 East.

B

True North is 0° 17' 30" of the North point used in to the right

· .. 96.

660.8

the Field notes of this survey. Said survey is situated in

42

CROCKETT County, Texas, on the drainage of Creek, a tributary of Dry Devil's River, Buckhorn about 18 miles N 13°E of Ozona, the County Site.

Beginning at the NE corner of section No. 4, this Block, being the SW corner of section No. 26, and the SE corner of section No. 27, Block 41, University Land.

Thence South 1958.3 varas to the SE corner of said section No. 4.

Thence East 1905.0 varas to a point for the SE corner of this section No. 5.

Thence North --- at 239.5 varas set a 60d hub nail in a small rock mound in a rocky prairie slightly sloping East, from which a windmill bears N 41° 54' E --- at 948 varas cross an old road running SW and NE --- at 1123 varas cross a smooth grassy drain running East --- at 1203 varas cross a road running NW and SE --- at 1797.7 varas set another 60d hub nail in a small rock mound --- at 1798.8 varas cross a 36-inch net wire fence having 1 barbed wire and a single telephone line above the net, coursing S 83° 20' E - N 83° 20' W --- at 1958.3 varas strike the concrete monument set on a high open prairie for the SW corner of section No. 25, being the SE corner of section No. 26, Block 41, its brass plate in top having been stamped as is represented in the figure above, from which a 3-prong catclaw marked "X" on the central prong bears S 37° 50' W 204.6 varas; a steel windmill among mesquite trees bears N 22° 51' E; a fixed rock marked "T" bears S 43° 17' E 63.6 varas; a windmill at a ranch house bears S 71° 18' E.

Thence West 1905.0 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 209 day of March, 1937. 19th

Orig. in Bk.UT, Vol.11,p 125,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ity

W;

ed

ed

rof

an

as,

ve,

n.

ity

w;

ed

led

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

Crockett County. U T 41 B 26 25 B 42

SECTION No. 6 County | BLOCK No. 42 CROCKETT

FIELD NOTES of a survey of

706.3 ACRES of land made for THE HE

UNIVERSITY OF TEXAS by virtue of an

10° 47' Mag. Declination East. 00 True North is the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 18 miles N 16°E of Ozona, the County Site.

to the of the North point used in right

ACT approved March 29, 1929.

· K

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on a high open prairie for the SW corner of section No. 25, being the SE corner of section No. 26, Block 41, University Land, and also the NE corner of section No. 5, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 3-prong catclaw marked "X" on the central prong bears S 37° 50' W 204.6 varas; a steel windmill among mesquite trees bears N 22° 51' E; a fixed rock marked "T" bears S 43° 17' E 63.6 varas; a windmill at a ranch house bears S 71° 18' E.

Thence East 2036.0 varas to the SE corner of said section No. 25, Block 41, and the SW and the NW corner respectively of sections Nos. 10 and 11, Block 39, University Land.

Thence South 1958.3 varas to the NW corner of section No. 20, Block 39.

Thence West 2036.0 varas to the SE corner of section No. 5, this Block.

Thence North --- at 239.5 varas pass a 60d hub nail in a small rock mound in a rocky prairie slightly sloping East, from which a windmill bears N 41° 54' E --- at 948 varas cross an old road running SW and NE --- at 1123 varas cross a smooth grassy drain running East --- at 1203 varas cross a road running NW and SE --- at 1797.7 varas pass another 60d hub nail in a small rock mound --- at 1798.8 varas cross a 36-inch net wire fence having 1 barbed wire and a single telephone line above the net, coursing S 83° 20' E - N 83° 20' W --- at 1958.3 varas the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page day of March, 1937.

Orig. in Bk.UT, Vol.11,p 126,G.L.O.

This

19th

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

CROCKE TT County SECTION No. 7

BLOCK No.

FIELD NOTES of a survey of

706.3

. 75

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 41' Mag. Declination East. True North is

8

17

U

0° 17'

7 18

42

T

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn about 17 miles N 17°E of Ozona, the County Site.

to the right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the SE corner of section No. 6, this Block, being the SW corner of section No. 11 and the NW corner of section No. 20, Block 39, University Land, for the NE comer of this section No. 7.

Thence South 1958.3 varas to the NW corner of section No. 21, Block 39.

Thence West 2036.0 varas set a concrete monument on the South side of a rocky, cedar covered hill for the SW corner of this section No. 7, stamped its brass plate in top as is represented in the figure above, from which a 6-inch letter "F" cut on the face of a fixed rock bears S 61° 25' W 33.8 varas; a mesquite 6 inches in diameter marked "X" bears S 77° 40' W 71.2 varas; a windmill bears S 36° 48' E.

Thence North --- at 100.1 varas, at 351.1 varas, at 612.6 varas, and at 1650.8 varas set 60d hub nails, each in a small rock mound, the first and second being among scrub cedars, the third on a rocky, cedar covered slope toward the West, and the fourth on a brushless hill about 70 varas East of the head of a drain running South --- at 1958.3 varas strike the SE corner of section No. 5 and the SW corner of section No. 6.

Thence East 2036.0 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 211

Orig. in Bk.UT, Vol.11, p 127, G.L.O.

This

19th day of March, 1937.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 8

CROCKETT

County | BLOCK No. 42

1. 1. 1. 195

FIELD NOTES of a survey of

660.8

right

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 52 * East.
True North is 0° 17 * 30 **

8

17

7

18

to the

of the North point used in

the Field notes of this survey.

U

B

Said survey is situated in on the drainage of Buckhorn

42

T

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

about 17 miles N 14°E of Ozona, the County Site.

Beginning at a concrete monument set on the South side of a rocky, cedar covered hill for the SW corner of section No. 7, this Block, for the SE corner of this section No. 8, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch letter "F" cut in the face of a fixed rock bears S 61° 25' W 33.8 varas; a mesquite 6 inches in diameter marked "X" bears S 77° 40' W 71.2 varas; a windmill bears S 36° 48' E.

Thence North --- at 100.1 varas, at 351.1 varas, at 612.6 varas, and at 1650.8 varas pass 60d hub nails, each in a small rock mound, the first and second being among scrub cedars, the third on a rocky, cedar covered slope toward the West, and the fourth on a brushless hill about 70 varas East of the head of a drain running South --- at 1958.3 varas strike the South common corner of sections Nos. 5 and 6.

Thence West 1905.0 varasto the SE corner of section No. 4.

Thence South 1958.3 varas built a large stone mound on the NW bank of a drain running SW for the SW corner of this section No. 8, from which a 3-inch letter "X", a 4-inch letter "F", and a 4-inch letter "T" cut in the faces of fixed rocks bear respectively \$ 76° 20' W 21.8 varas, N 61° 19' W 17.8 varas, and N 15° 30' E 23.0 varas.

Thence East 1905.0 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C=1 page 212

This 19th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 128,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

gr)

For Plat see General Sketch in Vol. 2-2, The State of Texas

B 10 9 16 15 U T

CROCKETT County | BLOCK No. 12

FIELD NOTES of a survey of

660.8 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 10° 57' East. True North is 00 181

the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 16 miles N 11°E of Ozona, the County Site.

to the of the North point used in right

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a large stone mound set on the NW bank of a drain running SW for the SW corner of section No. 8, this Block, from which a 3-inch letter "X", a 4-inch letter "F", and a 4-inch letter "T" cut in the faces of fixed rocks bear respectively S 76° 20! W 21.8 varas, N 61°19'W 17.8 varas, and N 15° 30' E 23.0 varas, for the SE corner of this section No. 9.

1 02

Thence West 1905.0 varas set a concrete monument on the NE side of a rocky hill sparsely covered with cedar and catclaw brush, being about 150 varas East of a caliche pit, for the SW corner of this section
No. 9, stamped its brass plate in top as is represented in the figure
above, from which a letter "F" and a letter "X", each cut in the faces
of fixed rocks, bear respectively N 65° 55' W 6.2 varas and S 27°32'E
45.7 varas; a windmill bears S 84° 21' E; a 6-inch iron pipe set in ground, extending 36 inches above the top of soil, bears S 75° 07' E 89.9 varas.

Thence North --- at 62 varas cross a road running NW and SE --- at 93.2 varas cross at about right angles a 24-inch net wire fence having 4 barbed wires above the net --- at 453.2 varas set a 60d hub nail in a small rock mound --- at 709 varas cross a short drain running NE --- at 1000 varas cross a large drain, known as Buckhorn Creek, running SE --- at 1110 varas cross a road running SE and NW --- at 1119 varas cross an abandoned road --- at 1500 varas cross another short drain running SW --- at 1958.3 varas strike the SE corner of section No. 3 and the SW corner of section No. 4.

Thence East 1905.0 varas to the common corner of sections Nos. 4, 5, and 8.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 213 day of March, 1937. 19th

Orig. in Bk.UT, Vol.11, p 129, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

aust Ich

For Plat see General Sketch in Vol. 0-2, The State of Texas

SECTION No. 10

Crockett County.

B 42

10 9

15 16

U T

CROCKETT County ∫ BLOCK No.

Mc ...

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 02' East.

True North is 0° 18' 30" to the

right of the North point used in

the Field notes of this survey.

Said survey is situated in CROCKETT on the drainage of Buckhorn Creek, a tributary about 16 miles N 8°E of Ozona, the County Site.

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on the NE side of a rocky hill sparsely covered with cedar, and catclaw brush, about 150 varas East of a caliche pit, for the SW corner of section No. 9, this Block, being the SE corner of this section No. 10, the brass plate in top of which monument having been stamped as is represented in the figure above, from which a letter "F" and a letter "X", each cut in the faces of fixed rocks, bear respectively N 65° 55' W 6.2 varas and S 27° 32' E 45.7 varas; a windmill bears S 84° 21' E; a 6-inch iron pipe set in ground, extending 36 inches above the top of soil, bears S 75° 07' E 89.9 varas.

Thence North --- at 62 varas cross a road running NW and SE --- at 93.2 varas cross at about right angles a 24-inch net wire fence having 4 barbed wires above the net --- at 453.2 varas set a 60d hub nail in a small rock mound --- at 709 varas cross a short drain running NE --- at 1000 varas cross a large drain known as Buckhorn Creek, running SE --- at 1110 varas cross a road running SE and NW --- at 1119 varas cross an abandoned road --- at 1500 varas cross another short drain running SW --- at 1958.3 varas strike the South common corner of sections Nos. 3 and 4.

Thence West --- at 800.0 varas cross the Ozona-Barnhart paved highway --- at 1905.0 varas strike the SE corner of section No. 2.

Thence South 1958.3 varas to a point for the SW corner of this section No. 10.

Thence East --- at 1365.0 varas recross the Ozona-Barnhart paved highway --- at 1905.0 varas the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 21

This 19th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 130,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 11

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 05' East. 00 191 True North is

42

11

14

T

B

U

12

13

to the right of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River, about 16 miles N 3° E of Ozona, the County Site.

Beginning at the SW corner of section No. 10, this Block, for the SE corner of this section No. 11.

Thence West 1905.0 varas set a concrete monument on the NE side of a hill, about 15 varas East of a small rock ledge for the SW corner of this section No. 11, stamped its brass plate in top as is represented in the figure above, from which a letter "F" and a letter "T" cut on the faces of small fixed rocks bear respectively S 43° 50' W 19.1 varas and N 45° 30' W 26.7 varas; a windmill bears N 53° 51' E.

Thence North 1958.3 varas to the SE corner of section No. 1 and the SW corner of section No. 2.

Thence East 1905.0 varas to the SW corner of section No. 3 and the NW corner of section No. 10.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page215
This 19th day of March, 1937.

Orig. in Bk.UT, Vol.11, p 131, G.L.O.

For Plat see General Sketch in Vol. C-2, The State of Texas | SECTION No. 12 For Plat see General Sketch in

County | BLOCK No. CROCKETT

B 42 12 11 13 14 U T

FIELD NOTES of a survey of

701.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 071 Mag. Declination East. True North is 0° 191 30" the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in Buckhorn on the drainage of about 16 miles NORTH of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on the NE side of a hill about 15 varas East of a small rock ledge for the Sw corner of section No. 11, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" and a letter "T" cut on the faces of small fixed rocks bear respectively S 43°50'W 19.1 varas and N 45° 30' W 26.7 varas; a windmill bears N 53° 51' E.

Thence North 1958.3 varas to the SE corner of section No. 1 and the SW comer of section No. 2.

Thence West 2023.1 varas to the SW corner of said section No. 1.

Thence South 1958.3 varas to a point for the SW corner of this section

Thence East 2023.1 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 216
This 19th day of March, 1937.

Orig. in Bk.UT. Vol. 11, p 132, G.L.O.

Licensed Land Surveyor of Texas, and

Special Surveyor of University Lands

For Plat see General Sketch in vol. 12, G.L.O.; and in vol. C-2, The State of Texas | SECTION No. 13

CROCKETT · . ok .

County | BLOCK No. 42

FIELD NOTES of a survey of

701.8 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 051 East. True North is 0° 19' 30" the Field notes of this survey.

12

13

U

42

T

11

14

to the

right of the North point used in

Said survey is situated in on the drainage of Buckhorn about 15 miles NORTH of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on the NE side of a hill about 15 varas East of a small rock ledge for the SW corner of section No. 11, being the SE corner of section No. 12, this Block, for the NE corner of this section No. 13, the brass plate in top having been stamped as is represented in the figure above, from which a letter "F" and a letter "T" cut on the faces of small fixed rocks bear respectively S 43° 50' W 19.1 varas and N 45° 30' W 26.7 varas; a windmill bears N 53° 51' E.

Thence South --- at 409.8 varas set a 60d hub nail in a small rock mound --- at 1179 varas point in the bed of a shallow drain running NE --- at 1834.0 varas set another 60d hub nail in a small rock mound --- at 1958.3 varas point for the SE corner of this section No. 13.

Thence West 2023.1 varas to a point for the SW corner of this section No. 13.

Thence North 1958.3 varas to the SW corner of section No. 12.

Thence East 2023.1 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

{Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page217
This 19th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 133,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

SECTION No. 14 County | BLOCK No. 42

42 12 11 13 14 U T

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 02' East. 00 191 True North is the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of Buckhorn about 15 miles N 3°E of Ozona, the County Site.

CROCKETT

CROCKETT

660.8

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on the NE side of a hill about 15 varas East of a small rock ledge for the SW corner of section No. 11, being the SE and the NE corner respectively of sections Nos. 12 and 13, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" and a letter "T" cut on the faces of fixed rocks bear respectively S 43° 50' W 19.1 varas and N 45° 30' W 26.7 varas; a windmill bears N 53° 51' E.

Thence South --- at 409.8 varas pass a 60d hub nail in a small rock mound --- at 1179 varas point in the bed of a shallow drain running NE --- at 1334.0 varas pass another 60d hub nail in a small rock mound --- at 1958.3 varas strike the SE corner of section No. 13.

Thence East 1905.0 varas to a point for the SE corner of this section No. 14.

Thence North 1958.3 varas to the common corner of sections Nos. 10 and 11 and this section No. 14.

Thence West 1905.0 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 218 day of March, 1937. This 19th

Orig. in Bk.UT, Vol.11, p 134, G.L.O.

For Plat see General Sketch in The State of Texas 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

SECTION No. 15 County | BLOCK No. 42 CROCKETT

42 10 9 15 16 U T

FIELD NOTES of a survey of

660.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Clination 10° 56! East.
True North is 0° 18! 30" Mag. Declination the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of Buckhorn about 15 miles N 9° E of Ozona, the County Site.

CROCKETT Creek, a tributary of Dry Devil's River,

County, Texas,

Beginning at the common corner of sections Nos. 10, 11, and 14, this Block, for the NW comer of this section No. 15.

Thence East --- at 1365.0 varas cross the Ozona-Barnhart paved highway --- at 1905.0 varas strike the concrete monument set about 150 varas East of a caliche pit on the NE side of a rocky hill sparsely covered with cedar and catclaw brush for the SW corner of section No. 9, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" and a letter "X", each cut in the faces of fixed rocks, bear respectively N 65° 55' W 6.2 varas and S 27° 32' E 45.7 varas; a windmill bears S 84° 21' E; a 6-inch iron pipe set in ground, extending 36 inches above the top of soil, bears S 75° 07' E 89.9 varas.

Thence South --- at 53.2 varas set a 60d hub nail in a small rock mound --- at 882.4 varas cross under a 3-wire telephone line --- at 886.7 varas cross over a buried pipe line --- at 910 varas cross a road parallel to the pipe line --- at 1257 varas point in the bed of Buckhorn Creek running East --- at 1562 varas a caliche pit bears East 75 varas --- at 1582 varas cross a dim road running SE and NW --- at 1602 varas cross another dim road running SW and NE --- at 1673 varas cross a drain running NE --- at 1958.3 varas point for the SE corner of this section No. 15. SE corner of this section No. 15.

Thence West --- at 280.0 varas recross the Ozona-Barnhart paved highway --- at 1905.0 varas strike the SE corner of section No. 14.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 6-lpage 219
This 19th day of March, 1937.

Orig. in Bk.UT, Vol.11, p 135, G.L.O.

For Plat see General Sketch in 12, G.I.O.; and in Vol. C-2, The State of Texas Crockett County. Vol.

B 42 10 9 15 16 U T

SECTION No. 16 CROCKETT County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

100 511 Mag. Declination East. True North is 0° 18' the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 15 miles N 11°E of Ozona, the County Site.

to the right

660.8

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the concrete monument set on the NE side of a rocky hill sparsely covered with cedar and catclaw brush about 150 varas East of a caliche pit for the NW corner of this section No. 16, being the NE corner of section No. 15, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" and a letter "X", each cut in the faces of fixed rocks, bear respectively N 65° 55' W 6.2 varas and S 27° 32' E 45.7 varas; a windmill bears S 84° 21' E; a 6-inch iron pipe set in ground, extending 36 inches above the top of soil, bears S 75° 07' E 89.9 varas.

Thence South --- at 53.2 varas pass a 60d hub nail in a small rock mound --- at 882.4 varas cross under a 3-wire telephone line --- at 886.7 varas cross over a buried pipe line --- at 910 varas cross a road parallel to the pipe line --- at 1257 varas point in the bed of Buckhorn Creek running East --- at 1562 varas a caliche pit bears East 75 varas --- at 1582 varas cross a dim road running SE and NW --- at 1602 varas cross another dim road running SW and NE --- at 1673 varas cross a drain running NE --- at 1958.3 varas strike the SE corper of said section No. 15. SE corner of said section No. 15.

Thence East 1905.0 varas to a point for the SE corner of this section No. 16.

Thence North --- at 76 varas cross a drain running NE --- at 155 varas cross a dim road running NE and SW --- at 247.3 varas set a 60d hub nail in a small rock mound --- at 286 varas recoss the dim road --- at 744.5 varas set another 60d hub nail in a small rock mound
--- at 1086 varas cross for the third time the dim road --- at 1204
varas recross a large drain (Buckhorn Creek) running East --- at
1275 varas cross for a fourth time the dim road --- at 1359 varas
cross an East-West road --- at 1497.6 varas set a 60d hub nail in a
small rock mound --- at 1862.6 varas pass through at about right
angles a 21-inch net wire fence having 3 barbed wires above the net angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1897.6 varas set another 60d hub nail in a small rock mound --- at 1958.3 varas strike the large rock mound set on the NW bank of a drain running SW for the SW corner of section No. 8, from which rock mound a 3-inch letter "X", a 4-inch letter "F", and a 4-inch letter "T", each cut in the faces of fixed rocks, bear respectively S 76° 20' W 21.8 varas, N 61° 19' W 17.8 varas, and N 15° 30' E 23.0

Thence West 1905.0 varas to the place of beginning.

Surveyed December 7, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King Transitman. N orris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 220 day of March, 1937. This

Orig. in Bk.UT, Vol.11, p 136, G.L.O.

19th

For Plat see General Sketch in Crockett County. The State of Texas | SECTION No. 17

CROCKETT

County BLOCK No.

FIELD NOTES of a survey of

660.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 46' Mag. Declination East.

8

17

0° 17' 30" to the True North is

right

of the North point used in

the Field notes of this survey.

B

U

Said survey is situated in on the drainage of Buckhorn

18

T

CROCKETT Creek, a tributary of Dry Devil's River,

County, Texas,

about 16 miles N 15 E of Ozona, the County Site.

Beginning at a large rock mound set on the NW bank of a drain running SW for the SW corner of section No. 8, this Block, being the NE corner of section No. 16, from which rock mound a 3-inch letter "X", a 4-inch letter "F", and a 4-inch letter "T", each cut in the faces of fixed rocks, bear respectively S 76° 20' W 21.8 varas, N 61° 19' W 17.8 varas, and N 15° 30' E 23.0 varas.

Thence East 1905.6 varas to a concrete monument set for the SW corner of section No. 7, this Block, situated on the South side of a rocky, cedar covered hill, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch letter "F" cut in the face of a fixed rock bears S'61° 25' W 33.8 varas; a mesquite 6 inches in diameter marked "X" bears S 77° 40' W 71.2 varas; a windmill bears S 36° 48' E.

Thence South --- at 100.6 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 810 varas cross a small drain running SE --- at 1100 varas cross the same drain running Sw --- at 1221 varas cross the same drain running SE --- at 1350 varas cross the bed of Buckhorn Creek running SE --- at 1410 varas cross a road running NW and SE --- at 1642.3 varas set a 60d hub nail in a small rock mound --- at 1958.3 varas point for the SE corner of this section No. 17.

Thence East 1905.0 varas to the SE corner of section No. 16.

Thence North --- at 76 veras cross a drain running NE --- at 155 veras cross a dim road running NE and SW --- at 247.3 varas pass a 60d hub nial in a small rock mound --- at 286 varas recross the dim road --- at 744.5 varas pass another 60d hub nail in a small rock mound --- at 1086 varas cross for the third time the dim road --- at 1204 varas recross a large drain (Buckhorn Creek) running East --- at 1275 varas cross for a fourth time the dim road --- at 1359 varas cross an East-West road --- at 1497.6 varas pass a 60d hub nail in a small rock mound --- at 1862.6 varas pass through at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1897.6 varas pass another 60d hub nail in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed December 8, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 221

day of March, 1937.

Orig. in Bk.UT, Vol.11,p 137,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. 0-2, The State of Texas

Count 42 17 18 U T

100 401 Mag. Declination East. 00 171 True North is the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 16 miles N 19°E of Ozona, the County Site.

CROCKETT

SECTION No. 18

County BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on the South side of a rocky, cedar covered hill for the SW corner of section No. 7, this Block, being the NE corner of section No. 17, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch letter "F" cut in the face of a fixed rock bears S 61° 25' W 33.8 varas; a mesquite 6 inches in diameter marked "X" bears S 77°40'W 71.2 varas; a windmill bears S 36° 48' E.

Thence South --- at 100.6 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 810 varas cross a small drain running SE --- at 1100 varas cross the same drain running SW --- at 1221 varas cross the same drain running SE --- at 1350 varas cross the bed of Buckhorn Creek running SE --- at 1410 varas cross a road running NW and SE --- at 1642.3 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas strike the SE corner of section No. 17.

Thence East 2036.0 varas to the West common corner of sections Nos. 21 and 30, Block 39, University Land, the SE corner of this section No. 18, this Block.

Thence North 1958.3 varas to the SE corner of section No. 7, this Block, being the SW corner of section No. 20, Block 39.

Thence West 2036.0 varas to the place of beginning.

Surveyed December 8, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 222 day of March, 1937.

19th Orig. in Bk.UT, Vol.11,p 138,G.L.O.

For Plat see General Sketch in C-2, The State of Texas Crockett County.

CROCKETT County | SECTION No. 19

B 42
20 19

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 39! East.

True North is 0° 17!

the Field notes of this survey.

Said survey is situated in

to the right

. . . . K

705.4

of the North point used in

Said survey is situated in CROCKETT

on the drainage of Buckhorn Creek, a tributary
about 15 miles N 20°E of Ozona, the County Site.

CROCKETT County, Texas,
Creek, a tributary of Dry Devil's River,

Beginning at the SE corner of section No. 18, this Block, being the SW corner of section No. 21 and the NE corner of section No. 30, Block 39, University Land.

Thence West 2036.0 varas to the SE corner of section No. 17.

Thence South --- at 1159.4 varas set a 60d hub nail inea small rock mound --- at 1590 varas cross a wide shallow drain running SE --- at 1950.6 varas set a concrete monument on a rocky hill covered with catclaw brush for the SW corner of this section No. 19, stamped its brass plate in top as is represented in the figure above, from which a windmill bears N 86° 53' E; another windmill bears S 82° 55' E; a 60d hub nail in a rock mound made by Frank F. Friend, County Surveyor of Crockett County, February 11, 1926, bears N 27° 50' W 13.9 varas.

Thence S 89° 42' E --- at 650 varas cross a wide shallow drain running SE --- at 936.6 varas pass 1.6 varas North of the East end of a 36-inch net wire fence having 1 barbed wire above the net, where the fence turns northeasterly --- at 944 varas cross the same fence --- at 1008.5 varas pass 15.4 varas South of the same fence where it again turns East --- at 1823.2 varas cross at about right angles a 24-inch net wire fence having 3 barbed wires above the net, 35.1 varas South of its junction with an East-West fence --- at 1956.5 varas set a 60d hub nail in a small rock mound --- at 1957.2 varas pass 13.3 varas South of a new stone mound of 28 rocks --- at 2030.0 varas strike the SW corner of section No. 30, Block 39, University Land.

Thence North 1961.3 varas to the place of beginning.

Surveyed December 8, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Grockett County in Book UT Vol.C-1 page 223

This 19th day of March, 1937.

Orig. in Bk.UT, Vol.11,p 139,G.L.O.

vol. 12, G.I.O.; and in Vol. C-2, The State of Texas T 42 B 42 20 19 21 20

Fig. #2. Mag. Declination 100

39! East. 0° 17! 30" to the True North is the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 15 miles N 16°E of Ozona, the County Site.

656.5

SECTION No. 20

County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

right

of the North point used in

CROCKETT Creek, a tributary of

County, Texas,

Dry Devil's River,

Beginning at the SE, the SW and the NW corner respectively of sections Nos. 17, 18, and 19, this Block, for the NE corner of this section No. 20.

Thence South --- at 1159.4 varas pass a 60d hub nail in a small rock mound --- at 1590 varas cross a wide shallow drain running SE 0-- at 1950.6 varas strike the concrete monument set on a rocky hill covered with catclaw brush for the SW corner of section No. 19, its brass plate in top having been stamped as is represented in figure No. 1 above, from which a windmill bears N 86° 53' E; another windmill bears N 82° 55' E; a 60d hub nail in a rock mound made by Frank F. Friend, County Surveyor of Crockett County, February 11, 1926, bears N 27°50'W

Thence N 89° 42' W --- at 30.4 varas pass under a 3-wire telephone line running N 51° 22' W - S 51° 22' E --- at 32.0 varas set a 60d hub nail in a small rock mound --- at 35.0 varas cross a pipe line running parallel with the telephone line --- at 39.0 varas cross a road, also parallel to the pipe and telephone lines --- at 360.0 varas set another 60-d hub nail --- at 1905.0 varas set a concrete monument for the SW corner of this section No. 20, situated on a high level plain sparsely covered with mesquite trees, stamped its brass plate in top as is represented in figure No. 2 above, from which a mesquite 5 inches in diameter marked "X" and a mesquite 7 inches in diameter marked "X" and a mesquite 7 inches in diameter marked "F", bear respectively N 26° 54' W 48.1 varas and N 15° 46' E 38.0 varas; a windmill near a concrete tank bears S 3° 28'W about 230 varas.

Thence North --- at 193 varas cross a 36-inch net wire fence having Thence North --- at 193 varas cross a 36-inch net wire fence having 3 barbed wires above the net running nearly NE and SW --- at 219 varas cross a dim road running parallel with the fence --- at 486.7 varas and at 872.1 varas set 60d hub nails in small rock mounds --- at 1200 varas point in the center of a large dry lake --- at 1486.0 varas cross a pipe line coursing N 51° 16' W - S 51° 16' E --- at 1489.0 varas set another 60d hub nail in a small rock mound --- at 1489.6 varas pass under a 3-wire telephone line running parallel with the pipe line --- at 1659.1 varas set another 60d hub nail in a small rock mound --- at 1940.6 varas set another 60d hub nail in a small rock mound --- at 1940.6 varas strike the South common corner of sections Nos. 16 and 17.

Thence East 1905.0 varas to the place of beginning.

Surveyed December 8, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 224

day of March, 1937. This 19th

Orig. in Bk.UT, Vol.11, p 140, G.L.O.

vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

42

21

Buckhorn

22

SECTION No. 21

GROCKETT

County | BLOCK No.

.. 0/5 ...

FIELD NOTES of a survey of

653.2 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

#1. F1g: Mag. Declination East. 100 00 True North is 181

42

20

the Field notes of this survey. Said survey is situated in

U

21

on the drainage of

B

to the right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

about 14 miles N 12°E of Ozona, the County Site. Beginning at a concrete monument set in a high level prairie sparsely covered with mesquite trees for the SW corner of section #20, this Block, its brass plate in top having been stamped as is represented in Fig. #1 above, from which a mesquite 5 inches in diameter marked "X" and a mesquite 7 inches in diameter marked "F" bear respectively N 26°54' W 48.1 varas and N 15°46'E 38.0 varas; a windmill near a concrete tank bears S 3°28'W about 230 varas.

Thence North --- at 193 varas cross a 36-inch net wire fence having 3 barbed wires above the net running nearly NE and SW --- at 219 varas cross a dim road running parallel with the fence --- at 486.7 varas and at 872.1 varas pass 60d hub nails, each in a small rock mound --- at 1200 varas point in the center of a large dry lake --- at 1486.0 varas cross a pipe line coursing N 51°16'W-S 51°16'E --- at 1489.0 varas pass another 60d hub nail in a small rock mound --- at 1489.6 varas pass under a 3-wire telephone line running parallel with the pipe line --- at 1659.1 varas pass another 60d hub nail in a small rock mound --- at 1940.6 varas strike the SE corner of section No. 16 and the SW corner of section No. 17.

Thence West 1905.0 varas to the SE corner of section #15.

Thence South --- at 221 varas cross a drain running NW --- at 942 varas point in the bed of a wide shallow drain running NW --- at 1516.6 varas set a 60d hub nail in a small rock mound --- at 1919.3 varas pass over a stone mound (new), one large rock marked "NW 8 BLK AB" --- at 1930.6 varas set a concrete monument near the SW corner of a pasture on a high level plain sparsely covered with mesquite and catclaw brush, stamped its brass plate in top as is represented in Fig. #2 above, from which windmills bear S 83°32' E and N 6°52'W; a concrete monument 12 inches in diameter projecting 5 inches above N 6-52'W; a concrete monument 12 inches in diameter projecting 5 inches above the surface, there being anchored in its top a bronze plate stamped as is represented in Fig.#3 below, being Triangulation Station by the U.S.C.&G.S., Midway, erected in the year 1935, bears N 14-19'W 37.8 varas; a similar monument, projecting 10 inches above the surface, stamped as is represented in Fig. #4 below, being Witness No. 1, bears N 30°49'E 73.5 varas; a third monument, being Witness No. 2, projecting 8 inches above the surface, stamped as is represented in Fig. #5 below, bears S 78°38'E 28.0 varas.

Thence S 89°42' E --- at 1025.7 varas set a 60d hub nail in a small rock mound --- at 1695 varas cross a North-South road 7 varas North of a wire

rock mound --- at 1695 varas cross a North-South road 7 varas North of a wire gate --- at 1860.6 varas pass through at about right angles a 30-inch net wire fence having 3 barbed wires above the net 7 varas North of its junction with an East-West fence --- at 1861.6 varas set another 60d hub nail in a

small rock mound --- at 1905.0 varas the place of beginning.

IDWAY

December 8, 1933. Surveyed

IDWAY 1935 No]

AIDWA: 1935 No

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 225 day of March, 1937. This 19th

Orig. in Bk.UT, Vol.11,p 141,G.L.O.

vol. 12, G.L.O.; and in vol.G-2, The State of Texas U B 42 22 21

CROCKETT

1 1/8

County]

SECTION No. 22 BLOCK No.

FIELD NOTES of a survey of

649.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 501 East.

0° 18' 30" to the True North is

right

of the North point used in

the Field notes of this survey. Said survey is situated in

CROCKETT

on the drainage of Buckhorn Creek, a tributary about 14 miles N 9°E of Ozona, the County Site.

County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at the concrete monument set on a high level prairie Beginning at the concrete monument set on a high level prairie sparsely covered with mesquite and catclaw trees, near the SW corner of a pasture, for the SW corner of section No. 21, this Block, its brass plate in top having been stamped as is represented in figure No. 1 above, from which windmills bear S 83° 32' E and N 6° 52' W; a concrete monument 12 inches in diameter projecting inches above the surface, there being anchored in its center a bronze plate stamped as is represented in figure No. 2 below, being Triangulation Station by the U. S. C. & G. S., Midway, erected in the year 1935, bears N 14° 19' W 37.8 varas; a similar monument, projecting 10 inches above the surface, stamped as is represented in figure No. 3 below, being Witness No. 1, bears N 30° 49' E 73.5 varas; a third monument, being Witness No. 2, projecting 8 inches above the surface, stamped as is represented in figure No. 4 below, bears S 78° 38' E 28.0 varas.

Thence N 89° 42' W --- at 7.2 varas cross a 42-inch net wire fence having 1 barbed wire above the net, said crossing being 6 varas N 8° 37' W of the SW corner of the pasture, said fence being in the East right-of-way boundary of the Ozona-Barnhart paved highway

--- at 8.3 varas set a 60d hub nail in a small rock mound, from
which a concrete right-of-way marker bears S 8° 52' E 51.1 varas

--- at 24.7 varas center of the pavement of the Ozona-Barnhart paved
highway --- at 441.5 varas set another 60d hub nail on the South edge of Midway Lane --- at 1905.0 varas point for the SW corner of this section No. 22.

Thence North 1920.6 varas to the South common corner of sections Nos. 14 and 15.

Thence East 1905.0 varas to the SW corner of section No. 16.

Thence South --- at 221 varas cross a drain running NW --- at 942 varas point in the bed of a wide shallow drain running NW --- at 1516.6 varas pass a 60d hub nail in a small rock mound --- at 1919.3 varas pass over a stone mound (new), one large rock marked "NW 8 BLK AB" --- at 1930.6 varas the place of beginning.

VIDWA

Fig. #2.
Surveyed December 8, 1933.

Fig. #3.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 226

This day of March, 1937. 19th

Orig. in Bk.UT, Vol.11,p 142,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

SECTION No. 23

CROCKETT

County | BLOCK No.

1, 1 ds

FIELD NOTES of a survey of

646.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 561 East. True North is 00 191 the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn about 14 miles N 4° E of Ozona, the County Site.

U

24

23

42

B

to the right

of the North point used in

CROCKE TT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the SW corner of section No. 22, this Block, for the most easterly SE corner of this section No. 23.

Thence North 1920.6 varas to the SE corner of section No. 14 and the SW corner of section No. 15.

Thence West 1905.0 varas to the SE corner of section No. 13.

Thence South --- at 741.7 varas set a 60d hub nail in a small rock mound among mesquite and catclaw brush --- at 936 varas cross a road running NE and SW --- at 1872.5 varas cross at about right angles a 36-inch net wire fence having 1 barbed wire above the net, being the North boundary line of Midway Lene --- at 1903 varas center of graded road in Midway Lane --- at 1910.7 varas cross a 30-inch net wire fence having 4 barbed wires above the net, being the South boundary line of Midway Lane --- at 1912.9 varas set a concrete monument in a high level prairie densely covered with large mesquite trees for the SW corner of this section No. 23, stamped its brass plate in top as is represented in the figure above, from which a 4-inch mesquite marked "X" and another 4-inch mesquite marked "T" bear respectively \$ 55° 20' E 24.1 varas and \$ 10° 20' E 25.2 varas; the windmill near the intersection of the old Barnhart-Ozona graded road and Midway Lane bears N 87° 49' W about 2100 varas.

Thence S 89° 46' 20" E --- at 42.8 varas cross a gate in a North-South fence 2.5 varas South of its junction with the fence forming the South boundary line of Midway Lane --- at 1350 varas cross from the South side to the North side of the South boundary fence of Midway Lane --- at 1874.8 varas strike an old stone mound for a SE corner of this section No. 23, said mound being composed of about 1/2 bushal of small rocks, deeply sunk in soil, from which a 14-inch mesquite bears S 42° W 10 varas, identified by the writer in the year 1926, at which time he was County Surveyor of Crockett County, as the original SE corner of this section No. 23.

Thence S 89° 42' E 30.2 varas to the place of beginning.

NOTE: The description of the old mound mentioned in this fieldnote is as it existed in February, 1926. Since then the tree has been entirely destroyed by wood haulers, and the mound has been disturbed, whereby the marks of its age have been destroyed.

Surveyed December 8, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 227

19th day of March, 1937. Orig. in Bk.UT, Vol.11, p 143, G.L.O.

This

vol. 12, G.L.O.; and in Vol. C-2, The State of Texas nd in V County.

SECTION No. 24 County BLOCK No. 42

U B 42 24 23

FIELD NOTES of a survey of

ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 021 East. True North is 0° 19' 30" the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of Buckhorn about 14 miles NORTH of Ozona, the County Site.

CROCKETT

CROCKETT

: ...AC.

684.1

County, Texas, Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set on a level prairie densely covered with large mesquite trees for the SW corner of section No. 23, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch mesquite marked "X" and another 4-inch mesquite marked "T" bear respectively S 55° 20' E 24.1 varas and S 10° 20' E 25.2 varas; the windmill near the intersection of the old Barnhart-Ozona graded road and Midway Lane bears N 87° 49' W about 2100 varas.

Thence N 89° 46' 20" W --- at 1887.5 varas cross a 36-inch net wire Thence N 89° 46° 20° W --- at 1887.5 varias cross a 36-inch net wire fence having 3 barbed and 4 telephone lines above the net, said crossing being 4 varias South of the NW corner of a pasture --- at 1897.1 varias center of the old Ozona-Barnhart graded road --- at 1944.8 varias cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net, 3 varias South of the NE corner of a pasture --- at 2023.1 varias point for the SW corner of this section No. 24.

Thence North 1904.9 varas to the SW corner of section No. 13.

Thence West 2023.1 varas to the SW corner of section No. 14.

Thence South --- at 741.7 varas pass a 60d hub nail in a small rock mound among mesquite and catclaw brush --- at 936 varas cross a road running NE and SW --- at 1872.5 varas cross at about right angles a 36-inch net wire fence having 1 barbed wire above the net, being the North boundary line of Midway Lane --- at 1903 varas center of graded road in Midway Lane --- at 1910.7 varas cross a 30-inch net wire fence having 4 barbed wires above the net, being the South boundary line of Midway Lane --- at 1912.9 varas the place of beginning.

Surveyed December 8, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 1 page 228

19th day of March, 1937.

Orig. in Bk.UT, Vol.11, p 144, G.L.O.

For Plat see General Sketch in The State of Texas

Vol.12, G.L.O.; and in Vol. I-1,

The State of Texas

B 43 U

10° 40' Mag. Declination East. 0° 201 True North is the Field notes of this survey.

Said survey is situated in on the drainage of Tepee about 26 miles S 76°W of Mertzon, the County Site.

SECTION No. 1

County | BLOCK No. 43 IRION

FIELD NOTES of a survey of

719.3 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the

right

of the North point used in

IRION

County, Texas,

Creek, a tributary of Middle Concho River,

Beginning at a concrete monument set on the SE side of a low rocky hill for the NE corner of this section No. 1, being S 24° 14' W 12.5 varas from the NE corner of a pasture built of 40-inch net having varas from the NE corner of a pasture built of 40-inch net having 3 barbed wires and 1 telephone line above, stamped the brass plate in top of the monumet as is represented in the figure above, from which an old stone mound identified as the original common corner of surveys Nos. 46, 47, 48, and 49, Washington County Railroad Company Land, bears S 0° 29' 16" W 1900.9 varas and N 89° 53' 15" E 3826.3 varas; a large stone set in ground marked "SE 240", identified as the re-survey corner by H. M. Garden for the SE corner of survey No. 240, Block 1, T. & P. RR Co. Land, bears North 1634.9 varas and West 327.8 varas; a stone mound having 1 large rock marked "NE 1 B 43" bears N 31° 18' W 2.4 varas; a mesquite 3 inches in diameter marked "X" bears N 27° 14' E 9.3 varas; a steel windmill bears N 76° 16' 20" E about 1 1/2 miles; a windmill near a white ranch house bears S 1° 37' 40" E.

Thence S 89° 53' 15" W 1950.0 varas to a point for a corner of this section No. 1, from which an old rock mound, identified as the original SW corner of this section No. 1, bears South 1900.8 varas.

Thence N 89° 06' 23" W 194.4 varas to a point for the NW corner of this section No. 1.

Thence South 1900.8 varas to a point for the SW corner of this section

Thence S 89° 06' 23" E 194.4 varas to an old rock mound identified as the original SW corner of this section No. 1.

Thence N 89° 53' 15" E 1933.8 varas to a point for the SE corner of this section No. 1.

Thence N 0° 29' 16" E 1900.9 varas to the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page

This day of April, 1937. 28th

Orig. in Bk.UT, Vol.11, p 145, G.I.O.

The State of Texas For Plat see General Sketch in

3 B 43 U T

. ok

SECTION No. 2

County | BLOCK No. 43 IRION

FIELD NOTES of a survey of

667.7 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Clination 10° 52' East.
True North is 0° 20' 30" Mag. Declination

the Field notes of this survey.

Said survey is situated in on the drainage of about 27 miles S 77°W of Mertzon, the County Site.

to the right

of the North point used in

IRION County, Texas, Creek, a tributary of Middle Concho River,

Beginning at the NW corner of section No. 1, this Block.

Thence South 1900.8 varas to the SW corner of said section No. 1.

Thence N 89° 06' 23" W --- at 180 varas center of pavement of State Highway No. 10 --- at 1716.3 varas strike an old stone mound of seven rocks on the North bank of Tepee Creek, identified as the original SW corner of this section No. 2.

Thence West 266.2 varas to point for a SW corner of this section No. 2.

Thence North --- at 682 varas recross the center line of State Highway No. 10 --- at 1900.6 varas set a concrete monument for the NW corner No. 10 --- at 1900.6 varas set a concrete monument for the NW corner of this section No. 2, situated 0.4 vara South of an East-West 40-inch net wire fence having 3 barbed wires and a telephone line above the net, being on the West edge of a wide, flat mesquite covered drain running North, stamped its brass plate in top as is represented in the figure above, from which a mesquite 6 inches in diameter marked "X" bears N 45° 43' E 16.8 varas; another mesquite 3 inches in diameter marked "T" bears S 66° 46' E 18.8 varas; a windmill bears S 36° 54' E; a double mesquite 4 inches in diameter marked "F" bears N 10° 53' W 15.6 varas.

Thence N 89° 57' 58" E 266.2 varas to a point for a corner of this section No. 2.

Thence S 89° 06' 23" E 1716.3 varas to the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 25
This 28th day of April, 1937.

Orig. in Bk.UT, Vol. 11, p 146, G.L.O.

For Plat see General Sketch in Vol. 12, 161 Find Sketch in The State of Texas

3 B 43 B 43 U T

Fig. #1. Fig. #2. Mag. Declination 110 021 East. 00 211 True North is

the Field notes of this survey. Said survey is situated in

on the drainage of Tepee about 28 miles S 78°Wof Mertzon, the County Site.

IRION

County | BLOCK No. 43

FIELD NOTES of a survey of

667.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right of the North point used in

IRION County, Texas, Creek, a tributary of Middle Concho River,

Beginning at the concrete monument set for the NW corner of section No. 2, this Block, situated on the West edge of a wide flat mesquite covered drain running North, being 0.4 vara South of an East-West 40-inch net wire fence having 3 barbed wires and 1 telephone line above the net, its brass plate in top having been stamped as is represented in Fig. No. 1 above, from which a mesquite 6 inches in diameter marked "X" bears N 45° 43' E 16.8 varas; another mesquite 3 inches in diameter marked "T" bears S 66° 46' E 18.8 varas; a windmill bears S 36° 54' E; a double mesquite 4 inches in diameter marked "F" bears N 10° 53' W

Thence South --- at 1218.6 varas cross the center of the pavement of State Highway No. 10 --- at 1900.6 varas strike the SW corner of section No. 2.

Thence West 1982.3 varas to a point for the SW corner of this section No. 3.

Thence North --- at 1459 varas recross State Highway No. 10 --- at 1899.4 varas set another concrete monument in a very rocky prairie sloping North, stamped its brass plate in top as is represented in sloping North, stamped its brass plate in top as is represented in Fig. No. 2 above, from which a windmill in a drain bears N 69° 12'30"E about 4 miles; a letter "X" and a letter "T", cut on the faces of fixed rocks, bear respectively N 69° 45' E 14.6 varas and S 16° 11' E 9.6 varas; a 6-inch mesquite marked "T", an 8-inch mesquite marked "X", and a 4-inch mesquite marked "Y" bear respectively N 89° 11' E 32.9 varas, S 53° 16' E 41.1 varas, and S 53° 37' W 26.5 varas; the left hand, the center, and the right hand windmills of a group of three bear respectively N 14° 22' W, N 14° 14' 30" W, and N 14° 04' 30" W.

Thence N 89° 57' 58" E 1982.3 varas to the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Iroin County in Book UT Vol. I-1 page 26 This

day of April, 1937.

Orig. in Bk.UT, Vol.11, p 147, G.L.O.

28th

For Plat see General Sketch in 12, G.L.O.; in Vol. I-1, n Co; and in Vol. R-2, Reagan 43 B 43 U T

The State of Texas

1. " TE

IRION & REAGAN County | BLOCK No. 43

SECTION No. 4

FIELD NOTES of a survey of

666.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 13' East. Mag. Declination

0°-21' 30" to the True North is

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Tepee Creek, a tributary of Middle Concho River about 29 miles S 78°W of Mertzon, the County Site of Irion County; and IRION & REAGAN County, Texas, Creek, a tributary of Middle Concho River, about 11 miles S 70° E of Big Lake, the County Site of Reagan County.

Beginning at a concrete monument set in a very rocky prairie sloping Beginning at a concrete monument set in a very rocky prairie sloping North for the NW corner of section No. 3, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a windmill in a drain bears N 69° 12' 30" E about 4 miles; a letter "X" and a letter "T", cut on the faces of fixed rocks, bear respectively N 69° 45' E 14.6 varas and S 16° 11' E 9.6 varas; a 6-inch mesquite marked "T", an 8-inch mesquite marked "X", and a 4-inch mesquite marked "Y" bear respectively N 89° 11' E 32.9 varas, S 53°16'E 41.1 varas and S 53° 37' W 26.5 varas; the left hand, the center, and the right hand windmills of a group of three bear respectively N 14° 22' W, N 14° 14' 30" W, and N 14° 04' 30" W.

Thence South --- at 440.4 varas cross State Highway No. 10 --- at 1899.4 varas strike the SW corner of said section No. 3.

Thence West --- at 20.7 varas cross the Santa Fe and Panhandle Railroad running N 48° W - S 48° E --- at 831.9 varas cross the Irion-Reagan County Line --- at 1982.3 varas point for the SW corner of this section No. 4.

Thence North --- at 1227.5 varas recross the Santa Fe and Panhandle Railroad --- at 1898.3 varas point for the NW corner of this section No. 4.

Thence N 89° 57' 58" E --- at 1132.5 varas point from which a concrete monument 12 inches in diameter with bronze plate in center marked "Reagion Witness No. 2 1935" bears North 3.7 varas --- at 1175.4 varas another concrete monument 12 inches in diameter with a bronze disc in top marked "Reagion" bears South 6.4 varas --- at 1183.5 varas recross the Irion-Reagan County Line, from which point a stone set on end having other stones around it marked "R COL 34 MS" on the West side and "I COL" on the East side bears N 0° 59' 54" E 1284.9 varas -- at 1212 varas recross State Highway No. 10 -- at 1982.3 varas the place of beginning.

NOTE: Of this survey, there are 274.4 acres in Irion County; and 392.4 acres in Reagan County.

Surveyed December 11, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. 1 page 27

This 28th day of April, 1937.

Orig. in Bk.UT, Vol. 11, p 148, G.L.O.

Recorded in Bk.UT, Vol.R-2, p61, Big Lake, Texas, Reagan County.

Vol. 12, G.L.O.; and in Vol. R-2, The State of Texas Reagan County. SECTION No. 5 REAGAN County BLOCK No. 43 1 5 666.4

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 110 221 East. True North is 00 221 the Field notes of this survey. Said survey is situated in

B

T

43

48

U

to the right of the North point used in REAGAN

County, Texas, on the drainage of Creek, a tributary of Middle Concho River, Tepee about 10 miles S 69°E of Big Lake, the County Site.

Beginning at the NW corner of section No. 4, this Block, for the NE corner of this section No. 5,

Thence South --- at 670.8 varas cross the Santa Fe and Panhandle Railroad --- at 1898.3 varas strike the SW corner of said section No. 4.

Thence West 1982.3 varas to a point for the SW corner of this section No. 5.

Thence North 1897.1 varas set a concrete monument in a low flat grass covered drain running NE, being 87 varas North of an East-West fence and about 300 varas South of the Santa Fe Railroad, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "Y", another 6-inch mesquite marked "X", and a third 6-inch mesquite marked "F" bear respectively N 41° 57' E 48.5 varas, S 61° 39' E 31.8 varas, and S 29° 44' E 44.2 varas; a steel windmill bears N 43° 06' W about 400 varas.

Thence N 89° 57' 58" E --- at 612.6 varas recross the Santa Fe and Panhandle Railroad running N 63° 56' W - S 63° 56' E --- at 1982.3 varas the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.Re2 page 62

This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11,p 149,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. R-2, The State of Texas

SECTION No. 6

48 10 6 11 15

B

T

43

County | BLOCK No. 43

FIELD NOTES of a survey of

670.1 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 16' Mag. Declination East. True North is 00 221 the Field notes of this survey.

U

to the

right

REAGAN

of the North point used in

Said survey is situated in on the drainage of Tepee about 11 miles S 64°E of Big Lake, the County Site.

REAGAN County, Texas, Creek, a tributary of Middle Concho River,

Beginning at the SW corner of section No. 5, this Block, for the NW corner of this section No. 6.

Thence South --- at 485 varas enter the North edge of thick mesquites along the bed of Tepee Creek running East --- at 585 varas South edge of mesquites --- at 1036.7 varas set a 60d hub nail in a small rock mound --- at 1543 varas cross an East-West road --- at 1547.2 varas mound --- at 1543 varas cross an East-West road --- at 1547.2 varas cross a 36-inch net wire fence hadving 2 barbed wires above the net running N 85° 34' E about 400 varas where it joins a North-South fence --- at 1775 varas and at 1835 varas the NW and the SE edges respectively of a rocky drain running NE --- at 1908.4 varas set a concrete monument on the NW side of a rocky hill, stamped its brass plate in top as is represented in the figure above, from which a 7-inch mesquite marked "L", an 8-inch mesquite marked "X", a 6-inch mesquite marked "T", and a gnarled 11-inch mesquite marked "F" bear respectively S 69° 42' E 73.6 varas, S 59° 37' W 62.0 varas, N 59° 34' W 79.5 varas, and N 12° 38' W 56.0 varas; two steel windmills, only half of their wheels being visible, bear N 88° 24' W and N 5° 08' W.

Thence East 1982.3 varas to a point for the SE corner of this section No. 6.

Thence North 1908.4 varas to the South common corner of sections Nos. 4 and 5.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 11, 1933.

Robert A. Heidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2 page63
This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11,p 150,G.L.O.

For Plat see General Sketch in The State of Texas vol. 12, G.L.O.; in Vol. R-2, Reagan to Co.; and in Vol. I-1, Irion County. B 43 7 8 14 13 TI

SECTION No. 7 REAGAN & IRION County | BLOCK No. 43

FIELD NOTES of a survey of

· · de ··

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 110 071 East.

True North is -0° 21' 30"to the the Field notes of this survey.

T

right

670.1

of the North point used in

Said survey is situated in REAGAN & IRION Tepee County, Texas, on the drainage of Creek, a tributary of Middle Concho River, about 12 miles S 66°E of Big Lake, the County Site of Reagan County; and about 29 miles S 75° W of Mertzon, the County Site of Irion County.

Beginning at the common corner of sections Nos. 4, 5, and 6, this Block, for the NW corner of this section No. 7.

Thence South 1908.4 varas to the SE corner of said section No. 6.

Thence East --- at 1117.2 varas cross the Reagan-Irion County Line --- at 1982.3 varas set a concrete monument in an open prairie sloping North, stamped its brass plate in top as is represented in the figure above, from which a windmill bears N 14° 09' E; a 6-inch mesquite marked "F", an 8-inch mesquite marked "X", and a 4-prong mesquite marked "T" bear respectively N 26° 26' E 27.3 varas, N 41° 49' E 41.2 varas, and S 49° 30' E 46.7 varas; a windmill on the North side of the new highway bears N 55° 30' E.

Thence North --- at 22.0 varas pass through a 6-wire fence running N 89° 32' W - S 89° 32' E --- at 23.2 varas set a 60d hub nail in a small rock mound --- at 617 varas cross a road running NE-SW --- at 680 varas point on the SE side of a mesquite covered drain running NE --- at 995.7 varas set another 60d hub nail in a small rock mound on a rocky hill sloping East --- at 1337.0 varas set another 60d hub nail in a rock mound on the NE side of a rocky hill --- at 1889.7 varas the Santa Fe and Panhandle Railroad running S 48° E - N 48° W --- at 1908.4 varas strike the SW corner of section No. 3 and the SE corner of section No. 4.

Thence West --- at 20.7 varas recross the Santa Fe and Panhandle Rail-road running N 48° W-S 48° E --- at 831.9 varas recross the Irion-Reagan County Line --- at 1982.3 varas the place of beginning.

NOTE: Of this survey, there are 383.1 acres in Reagan County; and 287.0 acres in Irion County.

Surveyed December 11, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol. R-2 page 64.

This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11, p 151, G.L.O.

Recorded in Bk.UT, Vol. I-1,p 28, Mertzon, Texas, Irion County.

For Plat see General Sketch in The State of Texas

SECTION No. 8 County BLOCK No. 43

B 43 8 7 14 13 U T

FIELD NOTES of a survey of

671.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 03' East. Mag. Declination 00 211 True North is

to the

of the North point used in right

the Field notes of this survey. Said survey is situated in on the drainage of Tepee

IRION Creek, a tributary of Middle Concho River,

IRION

.: "张

about 28 miles S 74°W of Mertzon, the County Site.

Beginning at the SW corner of section No. 3, the SE corner of section No. 4, and the NE corner of section No. 7, this Block, for the NW corner of this section No. 8.

Thence East 1982.3 varas to the SW corner of section No. 2.

Thence South --- at 1732.1 varas cross the Santa Fe and Panhandle Rail-road in a curve --- at 1917.6 varas point for the SE corner of this section No. 8.

Thence N 89° 44' 10" W 1982.3 varas to the concrete monument set in an open prairie sloping North for the SE corner of section No. 7, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears N 14° 09' E; a 6-inch mesquite marked "F", an 8-inch mesquite marked "X", and a 4-prong mesquite marked "T" bear respectively N 26° 26' E 27.3 varas, N 41° 49' E 41.2 varas, and S 49° 30' E 46.7 varas; a windmill on the North side of the new highway bears N 55° 30' E.

Thence North --- at 22.0 varas pass through a 6-wire fence running N 89° 32' W - S 89° 32' E --- at 23.2 varas pass a 60d hub nail in a small rock mound --- at 617 varas cross a road running NE-SW --- at 680 varas point on the SE side of a mesquite covered drain running NE --- at 995.7 varas pass another 60d hub nail in a small rock mound on a rocky hill sloping East --- at 1337.0 varas pass another 60d hub nail in a rock mound on the NE side of a rocky hill --- at 1889.7 varas recross the Santa Fe and Panhandle Railroad running S 48° E - N 48° W --- at 1908.4 varas the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 29

day of April, 1937. This 29th

Orig. in Bk.UT, Vol.11, p 152, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. 1-1, The State of Texas SECTION No. 9

B 43 9 10 12 11 U T

IRION County | BLOCK No. 43

FIELD NOTES of a survey of

670.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

lination 10° 52! East.
True North is 0° 20! 30" to the Mag. Declination

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Tepee

IRION County, Texas, Creek, a tributary of Middle Concho River, about 27 miles S 74°W of Mertzon, the County Site.

Beginning at the common corner of sections Nos. 2, 3, and 8, this Block.

Thence South --- at 1732.1 varas cross the Santa Fe and Panhandle Railroad in a curve --- at 1917.6 varas strike the SE corner of section

Thence S 89° 44' 10" E --- at 1176.3 varas recross the Santa Fe and Panhandle Railroad running S 81° 59' E - N 81° 59' W --- at 1982.3 varas set a concrete menument in a valley thickly covered with mesquites, being 86 varas North of the center line of the old abandoned Barnhart-Big Lake Highway, stamped its brass plate in top as is represented in the figure above, from which a windmill bears S 74° 08' E; a 6-inch mesquite marked "K" and a 5-inch mesquite marked "T" bear respectively S 15° 43' W 50.4 varas and N 38° 21' W 28.1 varas; two other 6-inch mesquites, one marked "X" and the other marked "F", bear respectively N 16° 29' W 64.2 varas and N 21° 03' E 40.0 varas; a windmill near a white house bears N 67° 22' E.

Thence North --- at 1831.9 varas cross the center line of Texas High-way No. 10 --- at 1899.9 varas strike the SW corner of section No. 1 and the SE corner of section No. 2.

Thence N 89° 06' 23" W --- at 180 varas recross State Highway No. 10 --- at 1716.3 varas strike an old stone mound of seven stones on the North bank of Tepee Creek, identified as the original NW corner of this section No. 9.

Thence west 266.2 varas to the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 50 This day of April, 1937.

Orig. in Bk.UT, Vol.11, p 153, G.L.O.

29th

For Plat see General Sketch in vol. 12, G.L.O.; and in Vol. I-1, The State of Texas

43 CR R CO 9 10 58 10 12 11 11 1 B 40 U T U T

Fig. #1. Fig. #2. 10° 45' Mag. Declination East. True North is 00 201

the Field notes of this survey.

Said survey is situated in on the drainage of divide between about 26 miles S Tapes and Spring of Mertzon, the County Site.

Beginning at the common corner of sections Nos. 1, 2, and 9, this Block.

SECTION No. 10

County | BLOCK No. IRION

FIELD NOTES of a survey of

713.1 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the of the North point used in right

County, Texas.

Thence South --- at 68 waras cross State Highway No. 10 --- at 1899.9 Thence South --- at 60 varas cross State Highway No. 10 --- at 1899.9 varas strike the concrete monument set for the SE corner of section No. 9, situated in a thick mesquite covered valley 86 varas North of the center line of the old abandoned Barnhart-Big Lake Highway, its brass plate in top having been stamped as is represented in Fig. No. 1 above, from which a windmill bears S 74° 08' E; a 6-inch mesquite marked "K" and a 5-inch mesquite marked "T" bear respectively S 15° 43' W 50.4 varas and N 38° 21' W 28.1 varas; two other 6-inch mesquites, one marked "X" and the other marked "F", bear respectively N 16° 29' W 64.2 varas and N 21° 03' E h0.0 varas: a windmill near a white house bears N 67° 22' E. N 21° 03' E 40.0 varas; a windmill near a white house bears N 67° 22' E.

Thence East --- at 569.6 varas set a 60d hub nail in a small rock mound --- at 1117.3 varas cross a 36-inch net wire fence having 2 barbed wires above the net --- at 1230 varas cross a road running NE and SW --- at 1463.0 varas set another 60d hub nail in a small rock mound, from which a windmill on the South side of the railroad bears S 63° 24' W --- at a windmill on the South side of the railroad bears S 63° 24' W --- at 2112.0 varas strike the concrete monument set at the established original SW corner of survey No. 58, Washington County Railroad Company Land, for the NW corner of section No. 1, Block 40, University Land, being the SE corner of this section No. 10, situated in a mesquite covered drain running SW, under a North-South 36-inch net wire fence having 2 barbed wires above the net, its brass plate in top having been stamped as is represented in Fig. No. 2 above, from which a windmill near a white house bears N 7° 00' E; a 6-inch mesquite marked "T", another 6-inch mesquite marked "X", a triple mesquite marked "U", and a 5-inch mesquite marked "F" bear respectively N 43° 42' E 33.2 varas, N 66° 52' E 8.2 varas, S 51° 21' E 45.3 varas, S 45° 43' E 29.2 varas; an old stone mound being one large rock set on end, surrounded by numerous smaller rocks, deeply sunk in soil, from which old mound a 20-inch mesquite recently marked "x" bears N 9° 13' E 31.0 varas and a large mesquite stump with sprouts on it, hav-N 9° 13' E 31.0 varas and a large mesquite stump with sprouts on it, having a large rock marked "X" at its base, bears N 1° 50' E 38.0 varas, identified as the original common corner of surveys Nos. 46, 47, 48, and 49, Washington County Railroad Company Land, bears N 89° 53' 15" E 3836.1 varas and N 0° 11' 31" E 1900.8 varas.

Thence N 0° 29' 16" E, with the West line of said survey No. 58, 1900.8 varas to the SE corner of section No. 1, this Block.

Thence S 89° 53' 15" W 1933.8 varas to an old rock mound identified as the original NW corner of this section No. 10.

Thence N 89° 06' 23" W 194.4 varas to the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 31
This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11,p 154,G.L.O.

For Plat see General Sketch in 12, G.I.O.; and in Vol. I-T, he State of Texas irion County.

SECTION No. 11 County | BLOCK No.

43 WCR 43 CO R 10 11 1 12 11 40 B U T U

FIELD NOTES of a survey of

715.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Fig. #1 Fig. #2. 10° 50' East. Mag. Declination

True North is 0° 201 the Field notes of this survey.

to the right

IRION

of the North point used in

Said survey is situated in IRION on the drainage of about 26 miles S 72°W of Mertzon, the County Site.

Creek, a tributary of Middle Concho River, County, Texas,

Beginning at a concrete monument established at the original SW corner of survey No. 58, Washington County Railroad Company Land, being the NW corner of section No. 1, Block 40, University Land, and the SE corner of section No. 10, this Block, the NE corner of this section No. 11, situated section No. 10, this Block, the NE corner of this section No. 11, situated in a mesquite covered drain running SW, under a North-South 36-inch net wire fence having 2 barbed wires above the net, its brass plate in top being stamped as is represented in Fig. #1 above, from which a windmill near a white house bears N 7° 00' E; a 6-inch mesquite marked "T", another 6-inch mesquite marked "X", a triple mesquite marked "U", and a 5-inch mesquite marked "F" bear respectively N 43° 42' E 33.2 varas, N 66°52'E 8.2 varas, S 51° 21' E 45.3 varas, S 45° 43' E 29.2 varas; an old stone mound being one large rock set on end, surrounded by numerous smaller rocks, deeply sunk in soil, from which mound a 20-inch mesquite recently marked "X" bears N 9° 13' E 31.0 varas and a large mesquite stump with sprouts on it, having a large rock marked "X" at its base, bears N 1°50'E 38.0 varas, identified as the original common corner of Surveys Nos. 46, 47, 48, and 49, Washington County Railroad Company Land, bears N 89° 53' 15" E 3836.1 varas and N 0° 11' 31" E 1900.8 varas.

Thence S 0° 29' 16" W --- at 407.7 varas cross the Santa Fe and Panhandle Railroad running S 81° 57' 30" E - N 81° 57' 30" W --- at 1919.7 varas strike the West common corner of sections Nos. 1 and 12, Block 40, University Land.

Thence West 2095.7 varas to a point for the Sw corner of this section #11.

Thence North --- at 1809.8 varas recross the Santa Fe and Panhandle Rail-road running N 81° 59' W - S 81° 59' E --- at 1919.6 varas strike the concrete monument set for the SE corner of section No. 9, being the SW corner of section No. 10, this Block, situated in a valley thickly covered with mesquites, being 86 varas North of the center line of the old abandoned Barnhart-Big Lake Highway, stamped its brass plate in top as is represented in Fig. #2 above, from which a windmill bears S 74° 08' E; a 6-inch mesquite marked "K" and a 5-inch mesquite marked "T" bear respectively S 15° 43' W 50.4 varas and N 38° 21' W 28.1 varas; two other mesquites, one marked "X" and the other marked "F", bear respectively N 16°29'W 64.2 varas and N 21° 03' E 40.0 varas; a windmill near a white house bears N 67° 22' E N 67° 22' E.

Thence East --- at 569.6 varas pass a 60d hub nail in a small rock mound --- at 1117.3 varas cross a 36-inch net wire fence having 2 barbed wires above the net --- at 1230 varas cross a road running NE and SW --- at 1463.0 varas pass another 60d hub nail in a small rock mound, from which a windmill on the South side of the railroad bears \$ 63° 24' W --- at 2112.0 varas the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

1

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 32

This day of April, 1937.

Orig. in Bk.UT, Vol.11, p 155, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. I-1, Irion County.

43 9 10 12 11 U Ψ

The State of Texas

SECTION No. 12

IRION

County | BLOCK No.

FIELD NOTES of a survey of

674.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

10° 55' Mag. Declination East.

True North is 0° 20 1 30" to the the Field notes of this survey.

right

of the North point used in

Said survey is situated in IRION on the drainage of divide between Creeks a tributary of about 27 miles S 73 W of Mertzon, the County Site.

Creeks a tributary of Middle Concho River, County, Texas,

Beginning at a concrete monument set for the SE corner of section No. 9, being the SW corner of section No. 10, and the NW corner of section No. 11, this Block, situated in a valley thickly covered with mesquite trees, being 86 varas North of the center line of the old abandoned Barnhart-Big Lake Highway, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears S 74° 08' E; a 6-inch mesquite marked "K" and a 5-inch mesquite marked "T" bear respectively S 15° 43' W 50.4 varas and N 38° 21' W 28.1 varas; two other 6-inch mesquites, one marked "X" and the other marked "F", bear respectively N 16° 29' W 64.2 varas and N 21° 03' E 40.0 varas; a windmill near a white house bears N 67° 22' E.

Thence South --- at 109.8 varas cross the Santa Fe and Panhandle Rail-road running N 81° 59' W - S 81° 59' E --- at 1919.6 varas strike the SW corner of section No. 11.

Thence N 89° 44' 10" W 1982.3 varas to a point for the SW corner of this section No. 12.

Thence North 1919.6 varas to the South common corner of sections Nos. 8 and 9.

Thence S 89° 44' 10" E --- at 1176.3 varas recross the Santa Fe and Panhandle Railroad running S 81° 59' E - N 81° 59' W --- at 1982.3 varas the place of beginning.

Surveyed December 11, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1page 33 This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11, p 156, G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in Vol. I-1 The State of Texas | SECTION No. 13 Vol. 12, 43 8 7 14 13 U T

County | BLOCK No. IRION

FIELD NOTES of a survey of

674.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

10° 58+ Mag. Declination East. 21' True North is the Field notes of this survey.

to the

right

, i of

of the North point used in

Said survey is situated in IRION on the drainage of about 28 miles S 74°W of Mertzon, the County Site.

County, Texas,

Beginning at the common corner of sections Nos. 8, 9, and 12, this Block, for the NE corner of this section No. 13.

Thence South 1919.6 varas to the SW corner of said section No. 12.

Thence N 89° 44: 10" W 1982.3 varas to a point in the center of a mesquite covered drain running NE for the SW corner of this section No. 13.

Thence North --- at 100 varas point on the NW edge of a mesquite covered drain --- at 289.1 varas set a 60d hub nail in a small rock mound on the South side of a brushy flat drain --- at 500 varas point in the center of a mesquite covered shallow drain running SE --- at 1300.5 varas and at 1576.0 varas set 60d hub nails in small rock mounds --- at 1919.6 varas strike the concrete monument set for the mounds --- at 1919.0 varas strike the concrete monument set for the SE corner of section No. 7, being the SW corner of section No. 8, situated in an open prairie sloping North, its brass plate in top having been stamped as is represented in the figure above, from which a wind-mill bears N 14° 09' E; a 6-inch mesquite marked "F", an 8-inch mesquite marked "X" and a 4-prong mesquite marked "T" bear respectively N 26° 26! E 27.3 varas, N 41° 49' E 41.2 varas, and S 49° 30' E 46.7 varas; a windmill on the north side of the new highway bears N 55°30'E.

Thence S 89° 44' 10" E 1982.3 varas to the place of beginning.

Surveyed December 12, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King Transitman. Norris B. Creath

1

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 34

This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11,p 157,G.L.O.

For Plat see General Sketch in The State of Texas 12, G.L.O.; and in Vol. I-1 The State of Texas 2 Co..; and in Vol. R-2. Reagan Co. B 43 8 7 14 13 U T

SECTION No. 14 IRION & REAGAN County] BLOCK No.

FIELD NOTES of a survey of

674.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

110 071 Mag. Declination East.

True North is 0° 21' 30" to the the Field notes of this survey.

right of the North point used in

Said survey is situated in IRION & REAGAN on the drainage of Tepee Creek, a tributary of Middle Concho River, about 29 miles S 74°W of Mertzon, the County Site of Irion County; and about 12 miles S 62° E of Big Lake, the County Site of Reagan County.

... ... pk.

Beginning at a concrete monument set in an open prairie sloping North for the SE corner of section No. 7, this Block, being the SW corner of section No. 8 and the NW corner of section No. 13, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears N 14° 09' E; a 6-inch mesquite marked "F", another mesquite, 8 inches in diameter, marked "X", and a 4-prong mesquite marked "T" bear respectively N 26° 26' E 27.3 varas, N 41° 49' E 41.2 varas, and S 49° 30' E 46.7 varas; a windmill on the North side of the new highway bears N 55° 30' E.

Thence West --- at 865.1 varas cross the Irion-Reagan County Line --- at 1982.3 varas strike the SE corner of section No. 6.

Thence South 1919.6 varas to a point for the SW corner of this section No. 14.

Thence East --- at 1083.7 varas recross the Irion-Reagan County Line --- at 1982.3 varas point in the center of a mesquite covered drain running NE, the SW corner of section No. 13.

Thence North --- at 100 varas point on the NW edge of a mesquite covered drain --- at 289.1 varas pass a 60d hub nail in a small rock mound on the South side of a brushy flat drain --- at 500 varas point in the center of a mesquite covered shallow drain running SE --- at 1300.5 varas and at 1576.0 varas pass 60d hub nails in small rock mounds --- at 1919.6 varas the place of beginning.

NOTE: Of this survey, there are 299.9 acres in Irion County; and 374.3 acres in Reagan County.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

1

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 35

29th day of April, 1937. This

Orig. in Bk.UT, Vol.11,p 158,G.L.O. Recorded in Bk.UT, Vol.R-2, Recorded in Bk.UT, Vol

Licensed Land Surveyor of Texas, and page 65, Big Lake, Texas, Reagan Co. Special Surveyor of University Lands

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. R-2, The State of Texas Reagan County.

SECTION No. 15

B 48 10 6 11 15 B 43 U T

BLOCK No. 43 REAGAN County |

FIELD NOTES of a survey of

674.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 12' Mag. Declination East. True North is the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of

REAGAN on the drainage of Tepee Creek, a tributary of Middle Concho River, about 11 miles S 60°E of Big Lake, the County Site of Reagan County. County, Texas,

Beginning at the SE, the SW, and the NW corner respectively of sections Nos. 6, 7, and 14, this Block, for the NE corner of this section No.

Thence West 1982.3 varas to the concrete monument set for the SW corner of section No. 6, situated on the NW side of a rocky hill, its brass plate in top having been stamped as is represented in the figure above, from which a 7-inch mesquite marked "L", an 8-inch mesquite marked "X", a 6-inch mesquite marked "T", and a gnarled 11-inch mesquite marked "F" bear respectively S 69° 42' E 73.6 varas, S 59° 37' W 62.0 varas, N 59° 34' W 79.5 varas, and N 12° 38' W 56.0 varas; two steel windmills, only half of their wheels being visible, bear N 88° 24' W and N 5° 08' W.

Thence South --- at 77 varas point in middle of a drain running NW --- at 861.3 varas set a 60d hub nail in a small rock mound --- at 1048 varas cross a road running NW and SE --- at 1919.6 varas point for the SW corner of this section No. 15.

Thence East 1982.3 varas to the SW corner of section No. 14.

Thence North 1919.6 varas to the place of beginning.

Surveyed December 12, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

1

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2 page 66
This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11, p 159, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. R-2, The State of Texas

SECTION No. 16

REAGAN

County | BLOCK No. 43

674.4

FIELD NOTES of a survey of

674.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 10' East.

48

20

21

U

True North is 0° 221 the Field notes of this survey.

16

25

B

43

T

to the right

of the North point used in

Said survey is situated in on the drainage of Tepee Creek, a tributary of about 12 miles S 55°E of Big Lake, the County Site.

Creek, a tributary of Middle Concho River,

Beginning at the SW corner of section No. 15, this Block.

Thence South --- at 108 varas cross a rocky drain 50 varas wide running NE --- at 471.5 varas set a 60d hub nail in a small rock mound --- at 560 varas and at 860 varas points on the NE edge and the SW edge respectively of a mesquite covered drain running NW --- at 1246.6 varas cross at about right angles a 36-inch net wire fence having barbed wires above the net, its juction with a North-South fence being East about 100 varas --- at 1452.7 varas set another 60d hub nail in a small rock mound, from which a windmill at Ferguson's Ranch bears N 44° 28' W --- at 1920.0 varas set a concrete monument on a high, undulating mesquite prairie for the SW corner of this section No. 16, stamped its brass plate in top as is represented in the figure above, from which a 10-inch mesquite marked "U", a 6-inch mesquite marked "X", and another 10-inch mesquite marked "F" bear respectively S 63° 27' E 50.4 varas, S 29° 19' W 27.6 varas, and N 39° 31' W 29.5 varas.

Thence East --- at 84.7 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 491.1 varas set a 60d hub nail in a small rock mound --- at 1350 varas center of a drain running SE thickly covered by mesquite trees --- at 1982.3 varas point for the SE corner of this section No. 16.

Thence North 1920.0 varas to the SW corner of section No. 14 and the SE corner of section No. 15.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King N orris B. Creath

Chainmen.
Transitman.

; H

4

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. Response 67

This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11,p 160,G.L.O.

For Plat see General Sketch in vol. 12 G.L.O.; in Vol. R-2, II.).; and in Vol.I-1, IrionCo. B 43 18 17 24 23 U T

The State of Texas

SECTION No. 17 REAGAN & IRION County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE 674.4

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 07' East. Mag. Declination

True North is 0°-21' 30" to the the Field notes of this survey.

right

of the North point used in

Said survey is situated in REAGAN & IRION on the drainage of Tepee Creek, a tributary of Middle Concho River, about 13 miles S 58°E of Big Lake, the County Site of Reagan County; and about 29 miles S 72° W of Mertzon, the County Site of Irion County. County, Texas,

Beginning at the common corner of sections Nos. 14, 15, and 16, this Block.

Thence South 1920.0 varas to the SE corner of said section No. 16.

Thence East --- at 195 varas cross a drain running NE --- at 637 varas cross a road running NE and SW --- at 833.2 varas set a 60d hub nail in a small rock mound, from which a windmill at Blackstone's Ranch bears N 30° 14' 30" E --- at 1050.3 varas cross the Irion-Reagan County Line --- at 1370 varas cross a drain running NW --- at 1982.3 varas set a concrete monument in an open prairie 45 varas North of the Owens Ranch-Barnhart Graded Road, stamped its brass plate in top as is represented in the figure above, from which an earth mound containing broken sented in the figure above, from which an earth mound containing broken glass bears N 39° 27' E 43.1 varas; a 6-inch mesquite marked "X" and an 8-inch mesquite marked "T" bear respectively S 2° 31' E 92.0 varas and S 6° 07' W 95.0 varas; a windmill at the Blackstone Ranch House bears N 51° 51' W.

Thence North --- at 665.5 varas set a 60d hub nail in a small rock mound --- at 720 varas cross a road running East and West --- at 845.0 varas cross a 36-inch net wire fence having 2 barbed wires above the net running N 89° 07' W - S 89° 07' E --- at 1788 varas cross a road running NE and SW --- at 1870, varas point on the SE edge of a mesquite covered drain running NE --- at 1920.0 varas point near the center of said drain, the South common corner of sections Nos. 13 and 14.

Thence West --- at 898.6 varas recross the Irion-Reagan County Line --- at 1982.3 varas the place of beginning.

NOTE: Of this survey, there are 342.8 acres in Reagan County; and 331.6 acres in Irion County.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2 page 68.
This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11,p 161,G.L.O. Recorded in Bk.UT, Vol.1-1,p 36,

Mertzon, Texas, Irion County.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol.I-1, The State of Texas 43 18 17 24 23 U T

SECTION No. 18 BLOCK No. County IRION

FIELD NOTES of a survey of

ACRES of land made for THE 674.4

UNIVERSITY OF TEXAS by virtue of an

Mag. Declination 11° 021 East. True North is 00 211

to the right

* ... MX

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Tepee about 28 miles S 71°W of Mertzon, the County Site.

IRION County, Texas, Creek, a tributary of Middle Concho River,

ACT approved March 29, 1929.

Beginning at a concrete monument set in an open prairie 45 varas North of the Owens-Ranch-Barnhart Graded Road for the SE corner of section No. 17, this Block, its brass plate in top having been stemped as is represented in the figure above, from which an earth mound containing broken glass bears N 39° 27' E 43.1 varas; a 6-inch mesquite marked "X" and an 8-inch mesquite marked "T" bear respectively S 2° 31' E 92.0 varas and S 6° 07' W 95.0 varas; a windmill at the Blackstone Ranch House bears N 51° 51' W.

Thence North --- at 665.5 varas pass a 60d hub nail in a small rock mound --- at 720 varas cross a road running East and West --- at 845.0 varas cross a 36-inch net wire fence having 2 barbed wires above the net running N 89° 07' W - S 89° 07' E --- at 1788 varas cross a road running NE and SW --- at 1870 varas point on the SE edge of a mesquite covered drain running NE --- at 1920.0 varas point in center of said drain, the South common corner of sections Nos. 13 and 14.

Thence S 89° 44' 10" E 1982.3 varas to the SW corner of section No. 12.

Thence South 1920.0 varas to a point for the SE corner of this section No. 18.

Thence N 89° 44' 10" W 1982.3 varas to the place of beginning.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

d

d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 37 day of April, 1937.

29th

Orig. in Bk.UT, Vol.11, p 16.2,6.L.O.

Licensed Land Surveyor of Texas, and

Special Surveyor of University Lands

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. I-1, The State of Texas Irion County. B 19 20 22 21

SECTION No. 19

IRION County BLOCK No. 43

FIELD NOTES of a survey of

674.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

10° 58' East.
h is 0° 20' 30" to the True North is

T

right

of the North point used in

the Field notes of this survey. Said survey is situated in

U

IRION County, Texas,

on the drainage of Spring Creek, a tributary of Middle Concho River, about 27 miles S 70 W of Mertzon, the County Site.

Beginning at the common corner of sections Nos. 12, 13, and 18, this Block, for the NW corner of this section No. 19.

Thence South 1920.0 varas to the SE corner of said section No. 18.

Thence S 89° 44' 10" E 1982.3 varas set a concrete monument in a prairie sloping South sparsely covered with mesquite trees, stamped its brass plate in top as is represented in the figure above, from which a windmill on the horizon bears \$ 76° 31' E about 7 miles; a 6-inch mesquite marked "X" bears \$ 51° 35' E 72.9 varas; a wooden windmill near a steel tank bears \$ 23° 38' W; an 8-inch mesquite marked "T" bears N 20° 06' W 130.7 varas; a 3-inch mesquite marked "F" bears N 63° 37' E 16.6 varas.

Thence North 1920.0 varas to the SW corner of section No. 11 and the SE corner of section No. 12.

Thence N 89° 44' 10" W 1982.3 varas to the place of beginning.

Surveyed December 12, 1933.

Robert A. Leideker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded

; d

d

in the Surveyor's Records in Mertzon, Texas, Irion, County in Book UT Vol. I-1 page 38 This 29th day of April, 1937.

Orig. in Bk.UT, Vol.11,p 163, G.L.O.

For Plat see General Sketch in Vol. 12, G. L.O.; and in Vol. 1-1, The State of Texas B 43 19 20 22 21

T

SECTION No. 20 County | BLOCK No. 43 IRION

FIELD NOTES of a survey of

ACRES of land made for THE 710.0

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 10° 57' East. 00-201 True North is the Field notes of this survey.

U

to the right

OK

of the North point used in

Said survey is situated in on the drainage of Spring about 27 miles S 69°W of Mertzon, the County Site.

IRION County, Texas, Creek, a tributary of Middle Concho River,

Beginning at a concrete monument set in an open prairie sloping South sparsely covered with mesquite trees, for the SE corner of section No. sparsely covered with mesquite trees, for the SE corner of section No.

19, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a windmill on the horizon bears S 76° 31' E about 7 miles; a 6-inch mesquite marked "X" bears S 51° 35' E 72.9 varas; a wooden windmill near a steel tank bears S 23° 38' W; an 8-inch mesquite marked "T" bears N 20° 06' W 130.7 varas; a 3-inch mesquite marked "F" bears N 63° 37' E 16.6 varas.

Thence East --- at 172 varas cross a road running NE and SW --- at 308.1 varas cross at about right angles a 36-inch net wire fence having 2 smooth wires above the net --- at 832.6 varas set a 60d hub nail in a small rock mound --- at 1189 varas cross a road running NW and SE --- at 2079.4 varas strike the West common corner of sections Nos. 12 and 13, Block 40, University Land.

Thence N 0° 29' 16" E, following the West line of said section No. 12, Block 40 --- at 1836.0 varas strike an old stone mound of about 18 stones partially buried in soil and undisturbed, identified as the original NW corner of section No. 12, Block 40, and the original NE corner of this section No. 20, University Land --- at 1920.1 varas strike the SW corner of section No. 1, Block 40, and the SE corner of section No. 11, this Block.

Thence West 2095.7 varas to the place of beginning.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

d

d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 39 day of April, 1937. 29 th

Orig. in Bk.UT, Vol.11, p 164, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; in Vol. I-1, Irion The State of Texas SECTION No. 21

B 43 IRION & CROCKETT County BLOCK No. 43

19 20 FIELD NOTES of a survey of 675.8 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

Mag. Declination 11° 02! East.
True North is 0° 20!
the Field notes of this survey.

to the right

of the North point used in

ACT approved March 29, 1929.

Said survey is situated in IRION & CROCKETT County, Texas, on the drainage of Spring Creek, a tributary of Middle Concho River, about 27 miles S 68°W of Mertzon, the County Site of Irion County; and about 25 miles N 2°W of Ozona, the County Site of Crockett County.

Beginning at the SE corner of section No. 20, this Block, being the SW corner of section No. 12 and the NW corner of section No. 13, Block 40, University Land.

Thence S 0° 29' 16" W --- at 145.2 varas an old stone mound, identified as the original NE corner of this section No. 21, bears East 6.4 varas --- at 1135.8 varas cross the Irion-Crockett County Line --- at 1841.8 varas strike the SW corner of section No. 13 and the NW corner of section No. 24, Block 40.

Thence West 2063.7 varas to a point for the SW corner of this section No. 21.

Thence North --- at 691.4 varas recross the Irion-Crockett County
Line --- at 1841.7 varas strike the concrete monument set for the SE
corner of section No. 19, being the SW corner of section No. 20, situated in an open prairie sloping South sparsely covered with mesquite
trees, its brass plate in top having been stamped as is represented in
the figure above, from which a windmill on the horizon bears S 76°31'E
about 7 miles; a 6-inch mesquite marked "X" bears S 51° 35' E 72.9
varas; a wooden windmill near a steel tank bears S 23° 38' W; an 8-inch
mesquite marked "T" bears N 20° 06' W 130.7 varas; a 3-inch mesquite
marked "F" bears N 63° 37' E 16.6 varas.

Thence East --- at 172 varas cross a road running NE and SW --- at 308.1 varas cross at about right angles a 36-inch net wire fence having 2 smooth wires above the net --- at 832.6 varas pass a 60d hub nail in a small rock mound --- at 1189 varas cross a road running NW and SE --- at 2079.4 varas the place of beginning.

NOTE: Of this survey, there are 420.0 acres in Irion County; and 255.8 acres in Crockett County.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I, 1 page 10

This 29th day of April, 1937. Orig. in Bk.UT, Vol.11, p 165, G.L.O. Recorded in Bk.UT, Vol.C-1, p 229, Ozona,

Texas, Crockett County.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands ;dd9

. 10.

For Plat see General Sketch in The State of Texas 12, G. L. O.; in Vol. I-1, Irion The State of Texas and in Vol. C-2, Crockett Co. Vol. B 43 19 20 22 21

SECTION No. 22 IRION & CROCKETT County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 02' East. Mag. Declination

T

U

True North is 0°-20! 30" to the

right

. K

648.3

of the North point used in

the Field notes of this survey. Said survey is situated in IRION & CROCKETT County, Texas, Creek, a tributary of Middle Concho River, on the drainage of Spring Creek, a tributary of Middle Concho River about 28 miles S 69°W of Mertzon, the County Site of Irion County; and about 25 miles N 4° W of Ozona, the County Site of Crockett County.

Beginning at a concrete monument set in an open prairie sloping South sparsely covered with mesquite trees for the SE corner of section No. 19, being the SW corner of section No. 20 and the NW corner of section No. 21, its brass plate in top having been stamped as is represented in the figure above, from which a windmill on the horizon bears S 76° 31' E about 7 miles; a 6-inch mesquite marked "X" bears S 51° 35' E 72.9 varas; a wooden windmill near a steel tank bears S 23° 38' W; an 8-inch mesquite marked "T" bears N 20° 06' W 130.7 varas; a 3-inch mesquite marked "F" bears N 63° 37' E 16.6 varas.

Thence South --- at 1150.3 varas cross the Irion-Crockett County Line --- at 1841.7 varas strike the SW corner of said section No. 21.

Thence West 1982.3 varas to a point for the SW corner of this section No. 22.

Thence North --- at 677.0 varas recross the Irion-Crockett County Line --- at 1850.8 varas strike the South common corner of sections Nos. 18 and 19.

Thence S 89° 44' 10" E 1982.3 veras to the place of beginning.

NOTE: Of this survey, there are 408.1 acres in Irion County; and 240.2 acres in Crockett County.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

1

P

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol. I-1 page 41 29th day of April, 1937. This

Orig. in Bk.UT, Vol.11, p 166, G.L.O. Recorded in Bk.UT, Vol.C-1,p 230, Ozona, Texas, Crockett County.

For Plat see General Sketch in 12, G.L.O.; and in Vol. I-1, Co.; and inVol.C-2.Crocket The State of Texas Vol. SECTION No. 23 IRION & CROCKETTCounty | BLOCK No. 43 FIELD NOTES of a survey of 18 17 24 23 651.5 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an U T ACT approved March 29, 1929.

11° 05' Mag. Declination East. -0° 21' True North is the Field notes of this survey.

to the right of the North point used in Said survey is situated in IRION & CROCKETT on the drainage of Tepee Creek, a tributary of Middle Concho River, about 29 miles S 69°W of Mertzon, the County Site of Irion County; and about 25 miles N 7°W of Ozona, the County Site of Crockett County. County, Texas,

Beginning at the SE corner of section No. 18 and the NW corner of section No. 22, this Block, for the NE corner of this section No. 23.

Thence South --- at 1173.8 varas cross the Irion-Crockett County Line --- at 1850.8 varas strike the SW corner of section No. 22.

Thence West 1982.3 varas to a point for the SW corner of this section No. 23.

Thence North --- at 662.8 varas recross the Irion-Crockett County Line, from which point the SW corner of Irion County bears S 89 35! 26' W 953.0 varas, said corner being a stone 18 inches long, seton end, marked on the West side "SE COR R CO" and on the East side "SW COR I CO", from which stone a 14-inch mesquite stump bears S 49° 44' E 152.3 varas; an 18-inch mesquite marked "X" bears N 29° 03' W 130.7 varas; a 10-inch charred mesquite stump bears N 50° 05' E 81.8 varas --- at 1860.0 varas strike the concrete monument set for the SE correr of section No. 17 height in the section of section No. 17 height in the section of section No. 18 height in the section of section of section No. 18 height in the section of section of section in the section of section of section of section in the section in the section of section in the section ment set for the SE corner of section No. 17, being in an open prairie 45 varas North of the Owens Ranch-Barnhart graded road, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing broken glass bears N 39° 27' E 43.1 varas; a 6-inch mesquite marked "X" and an 8-inch mesquite marked "T" bear respectively S 2° 31' E 92.0 varas and S 6° 07' W 95.0 varas; a windmill at the Blackstone Ranch House bears N 51° 51' W.

Thence S 89° 44' 10" E 1982.3 varas to the place of beginning.

NOTE: Of this survey, there are 416.3 acres in Irion County; and 235.2 acres in Crockett County.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT, Vol, I-1 page 42

This 29th day of April, 1937.
Orig. in Bk.UT, Vol.11, p 167, G.L.O.
Recorded in Bk.UT, Vol.C-1, p 231, Ozona,

Texas, Crockett County.

For Plat see General Sketch in The State of Texas in Vol. G-2, Grockett: & Vol. R-2, Reagan. SECTION No. 24 IRION, REAGAN, B County | BLOCK No. & CROCKETT FIELD NOTES of a survey of 1. , th. 17 18 24 23 653.1 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an U T ACT approved March 29, 1929.

Mag. Declination 110 071 East.

True North is 0° 21' 30" to the the Field notes of this survey.

of the North point used in right

Said survey is situated in IRION, REAGAN, & CROCKETT on the drainage of Tepee Creek, a tributary of Middle Concho River, about 30 miles S 70°W of Mertzon, the County Site of Irion County; and about 13 miles S 54° E of Big Lake, the County Site of Reagan County; and about 26 miles N 9°W of Ozona, the County Site of Crockett County.

Beginning at a concrete monument set in an open prairie 45 varas North of the Owens Ranch-Barnhart graded road for the SE corner of section No. 17, this Block, being the SW corner of section No. 18 and the NW corner of section No. 23, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing broken glass bears N 39° 27' E 43.1 varas; a 6-inch mesquite marked "X" and an 8-inch mesquite marked "T" bear respectively S 2° 31' E 92.0 varas and S 6° 07' W 95.0 varas; a windmill at the Blackstone Ranch House bears N 51° 51' W.

Thence South --- at 1197.2 varas cross the Irion-Crockett County line, from which point the SW corner of Irion County bears S 89° 35' 26" W 953.0 varas, said corner being a stone 18 inches long, set on end, marked on the West side "SE COR R CO" and on the East side "SW COR I CO", from which stone a 14-inch mesquite stump bears S 49° 44' E 152.3 varas; an 18-inch mesquite marked "X" bears N 20° 03' W 130.7 varas; a 10-inch charred mesquite stump bears N 50° 05' E 81.8 varas --- at 1860 varas strike the SW corner of section No. 23. strike the SW corner of section No. 23.

Thence West 1982.3 varas to a point for the SW corner of this section No. 24.

Thence North --- at 664.8 varas cross the Crockett-Reagan County line, from which point the SW corner of Reagan County bears S 89° 30' 45" E 102 .3 varas --- at 1860.0 varas strike the South common corner of sections Nos. 16 and 17.

Thence East --- at 195 varas cross a drain running NE --- at 637 varas cross a road running NE and SW --- at 833.2 varas pass a 60d hub nail in a small rock mound, from which a windmill at Blackstone's Ranch bears N 30° 14: 30" E --- at 1050.3 varas cross the Trion-Reagan County line --- at 1370 varas cross a drain running NW --- at 1982.3 varas the place of beginning.

NOTE: Of this survey, there are 2004 acres in Irion County; 220.9 acres in Reagan County; and 231.8 acres in Crockett County.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. I ransitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Mertzon, Texas, Irion County in Book UT Vol.I-1 page 43

This 29th day of April, 1937.

Orig.in Bk.UT, Vol.11, p 168, G.L.O.

Rec'd in Bk.UT, Vol.C-1, p 232, Crockett Co.

Rec'd in Bk.UT, Vol.C-1, p 232, Crockett Co.

Rec'd in Bk.UT, Vol. Reagran Co. I in the survey of Toyas and

in Bk.UT, Vol. R-2, p 69, Reagan Co. Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

For Plat see General Sketch in The State of Texas Vol.12, G.L.O.; in Vol.R-2, Reagan The State of Texas Go.; & in Vol.G-2, Grockett County. B 48 REAGAN & CROCKETT County | BLOCK No. FIELD NOTES of a survey of 20 16 21 25 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an B 43

11° 10' Mag. Declination East. 0° 221 True North is

T

U

to the

right

ACT approved March 29, 1929.

of the North point used in

the Field notes of this survey. Said survey is situated in REAGAN & CROCKETT on the drainage of County, Texas, on the drainage of Tepèe Creek, a tributary of Middle Concho River, about 12 miles S 51°E of Big Lake, the County Site of Reagan County; and about 26 miles N 12° W of Ozona, the County Site of Crockett County.

Beginning at the common corner of sections Nos. 16, 17, and 24, this Block.

Thence South --- at 1195.2 varas cross the Reagan-Crockett County line, from which point the SE corner of Reagan County bears S 89° 30' 45" E 1029.3 varas --- at 1860.0 varas strike the SW corner of section No. 24.

Thence West 1982.3 varas to a point for the SW corner of this section No. 25.

Thence North --- at 681.6 varas recross the Crockett-Reagan County line --- at 1860.0 varas strike the concrete monument set for the SW corner of section No. 16, situated on a high undulating mesquite covered prairie, its brass plate in top having been stamped as is represented in the figure above, from which a 10-inch mesquite marked "U", a 6-inc mesquite marked "X", and another 10-inch mesquite marked "F" bear respectively S 63° 27' E 50.4 varas, S 29° 19' W 27.6 varas, and N 39° 31' W 29.5 varas.

Thence East --- at 84.7 varas pass through at about right angles a 36-inch met wire fence having 3 barbed wires above the net --- at 491.1 varas pass a 60d hub nail in a small rock mound --- at 1350 varas center of a drain running SE thickly covered by mesquite trees --- at 1982.3 varas the place of beginning.

NOTE: Of this survey, there are 416.7 scres in Reagan County; and 236.4 acres in Crockett County.

Surveyed December 12, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2page 70 29 th day of April, 1937,

Orig. in Bk.UT, Vol.11,p 169,G.L.O.

Recorded in Bk.UT, Vol.C-1,p 233, Ozona, Licensed Land Surveyor of Texas, and

Texas, Crockett County.

Special Surveyor of University Lands

For Plat see General Sketch in 12,G.L.O. and in Vol.C-2, Crockett Co. State of Texas

CROCKETT

SECTION No. 1

B B 5 10 47 44

County | BLOCK No. 44

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 10! Mag. Declination East. True North is the Field notes of this survey. Said survey is situated in on the drainage of

Tepee

to the right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Middle Concho, about 25 miles N 12° W of Ozona, the County Site.

Beginning at the SW corner of section No. 25, Block 43, University Land, for the NW corner of this section No. 1.

Thence East 1982.3 varas to the SW corner of section No. 24, Block 43, for the NE corner of this section No. 1.

Thence South 1958.3 varas to a point for the SE corner of this section No. 1.

Thence West --- at 186 varas cross a dim road running NW and SE --- at 342.3 varas pass through a 36-inch net wire fence having 3 barbed wires above the net, running N 65° 52' W - S 65° 52' E --- at 344.8 varas set a 60d hub nail in a small rock mound --- at 444 varas cross the deep bed of an old NW-SE road --- at 476 varas cross another road running NW and SE --- at 800 varas cross a deep cut North-South road --- at 807 varas cross another North-South road --- at 887.7 varas pass about 200 varas South of a windmill near a house --- at 888.5 varas pass through a 36-inch net wire fence having 3 barbed wires above the net, running NW and SE --- at 892.7 varas cross another 36-inch net wire fence having 2 barbed wires above the net, being the SE side of a small corral --- at 911.6 varas cross the South end of a small water trough --- at 920.7 varas cross another 36-inch net wire fence, being the west side of a small corral --- at 926.2 varas cross another 36-inch net wire fence having 3 barbed wires above the net, running NE and SW --- at 943 varas point on the SE edge of a dry lake --- at 1111 varas point on the SW edge of the dry lake --- at 1199 varas cross a road running NE and SW --- at 1259.3 varas cross another 36-inch net wire fence having 3 barbed wires above the net, running \$ 59° 17' W - N 59° 17' E --- at 1261.6 varas set another 60d hub nail in a small rock mound --- at 1982.3 varas set a concrete monument for the SW corner of this section No. 1, situated on a high prairie sparsely covered with mesquites, stamped its brass plate in top as is represented in the figure above, from which a mesquite 15 inches in diameter marked "T" bears N 67° 04' E 69.9 varas; a windmill near a ranch house bears N 81° 34' E; a mesquite 5 inches in diameter marked "X"bears S 36° 25' E 39.1 varas; another 12 inche mesquite marked "F" bears S 52° 40' W 34.5 varas.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 234

day of May, 1937. This 26th

> Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol.11, G.L.O., p 170.

For Plat see General Sketch in vol.12, G.L.O.; & in Vol.C-2, Crockette State of Texas

SECTION No. 2

TT T 44

CROCKETT County BLOCK No. 44

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 12' Mag. Declination East. True North is 0° 21' 30" to the

of the North point used in

the Field notes of this survey. Said survey is situated in

CROCKETT

right

County, Texas,

on the drainage of Tepee about 25 miles N 9°W of Ozona, the County Site.

Creek, a tributary of Middle Concho River,

Beginning at the common corner of sections Nos. 24 and 25, Block 43, University Land, and section No. 1, this Block, for the NW corner of this section No. 2.

Thence East 1982.3 varas to the SW corner of section No. 23, Block 43.

Thence South 1958.3 varas set a concrete monument among thick mesquites for the SE corner of this section No. 2, stamped its brass plate in top as is represented, in the figure above, from which a 10-inch mesquite marked "T", a 7-inch mesquite marked "F", and a 12-inch mestuite marked "X" bear respectively S 25° 10! W 26.0 varas, S 46° 25' W 11.5 varas, and N 59° 00' W 42.0 varas.

Thence West --- at 1009.2 varas and at 1850.0 varas set 60d hub nails in small rock mounds --- at 1982.3 varas strike the SE corner of section No. 1.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 235 This 26th day of May, 1937.

Orig. in Bk.UT, Vol.11,p 171,G.L.O.

For Plat see General Sketch in & in Vol.C-2,

U 2 3 9 8 B 44

11° 09' East. Mag. Declination 00 211 True North is the Field notes of this survey. Said survey is situated in on the drainage of Tepee

The State of Texas

SECTION No. 3

CROCKETT

County | BLOCK No. 44

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the

right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Middle Concho River, about 24 miles N 7° W of Ozona, the County Site.

Beginning at the SW and the SE corner respectively of sections Nos. 23 and 24, Block 43, University Land, being the NE corner of section No. 2, this Block.

Thence South 1958.3 varas to the concrete monument set among thick mesquite trees for the SE corner of said section No. 2, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 10-inch mesquite marked "T", a 7-inch mesquite marked "F", and a 12-inch mesquite marked "X" bear respectively S 25° 10' W 26.0 varas, S 46° 25' W 11.5 varas, and N 59° 00' W 42.0 varas.

Thence East --- at 755.2 varas set a 60d hub nail in a small rock mound --- at 773 varas cross a dim road running NE and SW --- at 1619.4 varas cross a 24-inch net wire fence having 4 barbed wires above the net, running N 3° 15' E - S 3° 15' W --- at 1620.7 varas and at 1858.2 varas set 60d hub nails in small rock mounds --- at 1982.3 varas point for the SE corner of this section No. 3.

Thence North 1958.3 varas to the South common corner of sections Nos. 22 and 23, Block 43.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 236

This day of May, 1937. 28th

Orig. in Bk.UT, Vol.11,p 172,G.L.O.

For Plat see General Sketch in 12, G.L.O.; & in Vol. C-2, The State of Texas Crockett County. Vol.

CROCKETT

SECTION No.4

FIELD NOTES of a survey of

County | BLOCK No. 44

1. 1. .. W 687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 10! East.

5 6

0° 201 30" to the True North is

44

right

of the North point used in

the Field notes of this survey.

B

U

Said survey is situated in on the drainage of about 24 miles N 5° W of Ozona, the County Site. on the drainage of

CROCKETT Creek, a tributary of

County, Texas, Middle Concho River,

Beginning at the South common corner of sections Nos. 22 and 23, Block 43, University Land, being also the NE of section No. 3, this Block, for the NW corner of this section No. 4.

Thence South 1958.3 varas to the SE corner of said section No. 3.

Thence East --- at 111.0 varas set a 60d hub nail in a small rock mound at the intersection of two brush-cut-out lines, from which another hub nail in a small rock mound bears N 0° 05' 50" E 548.1 varas --- at 1218 varas cross a drain running SE --- at 1474 varas cross a dim North-South road --- at 1483.3 varas cross a 36-inch net wire fence having two smooth wires above the net coursing S 12° 03' E N 12° 03' W --- at 1484.7 varas set another 60d hub nail in a small rock mound --- at 1741 varas cross another dim road running North and South --- at 1982.3 varas set a concrete monument in a soft grass covered prairie about 50 varas East of a low narrow North-South ridge for the SE corner of this section No. 4, stamped its brass plate in top as is represented in the figure above, from which an 8-inch mesquite marked "T", a 12-inch mesquite marked "F", and another 8-inch mesquite marked "X" bear respectively N 81° 56' W 13.3 varas, N 15° 05' E 85.7 varas, and N 58° 59' E 42.8 varas; the left hand and the right hand of twin windmills near a ranch house bear respectively S 37° 27' E and S 36° 21' E about 1/2 mile.

Thence North 1958.3 varas to the SW corner of section No. 21 and the SE corner of section No. 22, Block 43.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 237

28th day of May, 1937. This

Orig. in Bk.UT, Vol.11,p 173,G.L.O.

Vol. 12, G.L.O.; & in Vol.G-2,

Crockett County.

U T

45
76

B 44

Mag. Declination 11° 10° East.

True North is 0° 20° the Field notes of this survey.

Said survey is situated in CROCKETT on the drainage of Spring Creek, a tributary about 24 miles N 2° W of Ozona, the County Site.

The State of Texas

CROCKETT

713.0

SECTION No. 5
County | BLOCK No. 44

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the right of the North point used in

CROCKE TT County, Texas,
Creek, a tributary of Middle Concho River,

Beginning at the SW corner of section No. 21, being the SE corner of section No. 22, Block 43, University Land, and the NE corner of section No. 4, this Block, for the NW corner of this section No. 5.

Thence South 1958.3 varas to the concrete monument set for the SE corner of said section No. 4, situated in a soft grass covered prairie about 50 varas East of a small narrow North-South ridge, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 12-inch mesquite marked "F", and another 8-inch mesquite marked "X" bear respectively N 81° 56' w 13.3 varas, N 15° 05' E 85.7 varas, and N 58° 59' E 42.8 varas; the left hand and the right hand of twin windmills near a ranch house bear respectively S 37° 27' E and S 36° 21' E about 1/2 mile.

Thence East --- at 347 varas point in the bed of a drain running SE --- at 635.4 varas set a 60d hub nail in a small rock mound --- at 1276 varas center of a drain running NE --- at 2047.0 varas strike the West common corner of sections Nos. 24 and 25, Block 40, University Land.

Thence N 0° 29' 16" E 1958.4 veras to the West common corner of sections Nos. 13 and 24, Block 40, University Land, and the SE corner of section No. 21, Block 43, University Land, being the NE corner of this section No. 5.

Thence West 2063.7 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker

Jim Howard King
Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Zona, Texas, Grockett County in Book UT Vol. C-1 page 238

This 28th day of May, 1937.

Orig. in Bk.UT, Vol.11, p 174, G.L.O.

Vol. 12, G.L.O.; & in Vol.G-2, Crockett County.

U T

4 5
7 6

Mag. Declination 11° 12¹ East.

True North is 0° 20¹

the Field notes of this survey.

Said survey is situated in

Said survey is situated in CROCKETT

on the drainage of Spring Creek, a tributary of about 23 miles N 2° W of Ozona, the County Site.

The State of Texas

CROCKETT

SECTION No. 6

County BLOCK No. 44

FIELD NOTES of a survey of

707.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right of the N

of the North point used in

CROCKETT County, Texas,
Creek, a tributary of Middle Concho River,

Beginning at the West common corner of sections Nos. 24 and 25, Block 40, University Land, and the SE corner of section No. 5, this Block, for the NE corner of this section No. 6.

Thence S 0° 29' 16" W 1958.4 varas to the SW corner of said section No. 25, Block 40, and the NW corner of section No. 6, Block 41, University Land.

Thence West 2030.3 varas to a point for the SW corner of this section No. 6.

Thence North 1958.3 varas to the concrete monument set for the SE corner of section No. 4, being the SW corner of section No. 5, situated in a soft grass covered prairie about 50 varas East of a small narrow North-South ridge, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 12-inch mesquite marked "F", and another 8-inch mesquite marked "X", bear respectively N 81° 56! W 13.3 varas, N 15° 05' E 85.7 varas, and N 58° 59' E 42.8 varas; the left hand and the right hand of twin windmills near a ranch house bear respectively S 37° 27' E and S 36° 21' E about 1/2 mile.

Thence East --- at 347 varas point in the bed of a drain running SE --- at 635.4 varas pass a 60d hub nail in a small rock mound --- at 1276 varas center of a drain running NE --- at 2047.0 varas the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King
Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 239

This 28th day of May, 1937.

Orig. in Bk.UT, Vol.11,p 175,G.L.O.

For Plat see General Sketch in For Plat see General Sketch in Vol. 12, G.L.O.; & in Vol. C-2, The State of Texas SECTION No. 7

U T B 44

11° 12' Mag. Declination East. True North is 0° 201 30" to the

the Field notes of this survey. Said survey is situated in on the drainage of about 23 miles N 5° W of Ozona, the County Site.

County | BLOCK No. 44 CROCKETT

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Middle Concho River,

Beginning at a concrete monument set in a soft grass covered prairie Beginning at a concrete monument set in a soft grass covered prairie about 50 varas East of a small narrow North-South ridge for the SE corner of section No. 4, this Block, being the SW corner of section No. 5 and the NW corner of section No. 6, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 12-inch mesquite marked "F", and another 8-inch mesquite marked "X" bear respectively N 81° 56' W 13.3 varas, N 15° 05' E 85.7 varas, and N 58° 59' E 42.8 varas; the left hand and the right hand of twin windmills near a ranch house bear respectively S 37° 27' E and S 36° 21' E about 1/2 mile.

Thence South 1958.3 varas to the SW corner of said section No. 6.

Thence West 1982.3 varas to a point for the SW corner of this section

Thence North 1958.3 varas to the SE corner of section No. 3 and the SW corner of section No. 4.

Thence East --- at 111.0 varas pass a 60d hub nail in a small rock mound at the intersection of two brush-cut-out lines, from which another hub nail in a small rock mound bears N 0° 05' 50" E 548.1 varas --- at 1218 varas cross a drain running SE --- at 1474 varas cross a dim North-South road --- at 1483.3 varas cross a 36-inch net wire fence having 2 smooth wires above the net, coursing S 12° 03' E - N 12° 03' W --- at 1484.7 varas pass another 60d hub nail in a small rock mound --- at 1741 varas cross another dim road running North and South --- at 1982.3 varas the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 200

This day of May, 1937. 28th

Orig. in Bk.UT, Vol.11, p176, G.L.O.

Vol. 12. G.L.O.; and in Vol.G-2, The State of Texas

U 2 B 44

11° 12' Mag. Declination East. True North is the Field notes of this survey.

Said survey is situated in on the drainage of Spring about 23 miles N 8° W of Ozona, the County Site.

CROCKETT

SECTION No. 8 County | BLOCK No. 44

FIELD NOTES of a survey of 687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the

right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Middle Concho River,

Beginning at the common corner of sections Nos. 3, 4, and 7, this

Thence South 1958.3 varas to the SW corner of said section No. 7.

Thence West 1982.3 varas to a point on high divide, the SW corner of this section No. 8.

Thence North --- at 767 varas point on the SE edge of a large dry lake --- at 1117 varas point on the NE edge of the same lake --- at 1344 varas cross an East-West road --- at 1507.2 varas set a 60d hub nail in a small rock mound --- at 1958.3 varas strike the concrete monument set among thick mesquite trees for the SE corner of section No. 2, this Block, being the SW corner of section No. 3 and the NW corner of this section No. 8, its brass plate in top having been stamped as is represented in the figure above, from which a 10-inch mesquite marked "T", a 7-inch mesquite marked "F", and a 12-inch mesquite marked "X" bear respectively S 25° 10! W 26.0 varas, S 46° 25' W 11.5 varas, and N 59° 00' W 42.0 varas.

Thence East --- at 755.2 varas pass a 60d hub nail in a small rock mound --- at 773 varas cross a dim road running NE and SW --- at 1619.4 varas cross a 24-inch net wire fence having 4 barbed wires above the net, running N 3° 15' E - S 3° 15' W --- at 1620.7 varas and at 1858.2 varas pass 60d hub nails in small rock mounds --- at 1982.3 varas the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 0-1 page 241 28th day of May, 1937.

Orig. in Bk.UT, Vol.11, p 177, G.L.O.

For Plat see General Sketch in Vol. 12,G.L.O.; & in Vol. G-2, Grockett County.

U 2 9 8 B 44

11° 10' Mag. Declination 10' East. True North is the Field notes of this survey. Said survey is situated in

The State of Texas

SECTION No. 9

County | BLOCK No. 44 CROCKETT

FIELD NOTES of a survey of

ACRES of land made for THE 687.6

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right

. . . . OK.

of the North point used in

CROCKETT on the drainage of Tepee Creek, a tributary of Middle Concho River, about 24 miles N 10°W of Ozona, the County Site. County, Texas,

Beginning at a concrete monument set among thick mesquite trees for the SE corner of section No. 2, this Block, being the SW corner of section No. 3 and the NW corner of section No. 8, its brass plate in top having been stamped as is represented in the figure above, from which a 10-inch mesquite marked "T", a 7-inch mesquite marked "F", and a 12-inch mesquite marked. "X" bear respectively S 25° 10' W 26.0 varas, S 46° 25' W 11.5 varas, and N 59° 00' W 42.0 varas.

Thence West --- at 1009.2 varas and at 1850.0 varas pass 60d hub nails in small rock mounds --- at 1982.3 varas strike the SE corner of section No. 1.

Thence South 1958.3 varas to a point for the SW corner of this section No. 9.

Thence West 1982.3 varas to a point on the high divide, the SW corner of section No. 8.

Thence North --- at 767 varas point on the SE edge of a large dry lake --- at 1117 varas point on the NE edge of the same lake --- at 1344 varas cross an East-West road --- at 1507.2 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 2/2

28th day of May, 1937.

Orig. in Bk.UT, Vol.11,p 178,G.L.O.

Vol. 12, G.L.O.; & in Vol. 0-2, Crockett County.

U T B B B 10 47 44

Mag. Declination 11° 10° East.
True North is 0° 22° the Field notes of this survey.
Said survey is situated in on the drainage of Tepee

The State of Texas

CROCKETT

. . . . ok.

SECTION No. 10

County BLOCK No. 44

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT

County, Texas,

about 24 miles N 13°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 1, 2, and 9, this Block, for the NE corner of this section No. 10.

Thence West --- at 186 cross a dim road running NW and SE --- at 342.7 varas pass through a 36-inch net wire fence having 3 barbed wires above the net running N 65° 52' W - S 65° 52' E --- at 344.8 varas pass a 600 hub nail in a small rock mound --- at 144 varas cross the deep bed of an old NW-SE road --- at 476 varas cross another road running NW and SE --- at 800 varas cross a deeply cut North-South road --- at 807 varas cross another North-South road --- at 887.7 varas pass about 200 varas South of a windmill near a house --- at 888.5 varas pass through a 36-inch net wire fence having 3 barbed wires above the net, running NW and SE --- at 892.7 varas cross another 36-inch net wire fence having 2 barbed wires above the net, being the SE side of a small corral --- at 911.6 varas cross the South end of a small water trough --- at 920.7 varas cross another 36-inch net wire fence, being the West side of a small corral --- at 926.2 varas cross another 36-inch net wire fence having 3 barbed wires above the net, running NE and SW --- at 913 varas point on the SE edge of a dry lake--- at 1111 varas point on the SW edge of the dry lake --- at 1199 varas cross a road running NE and SW --- at 1259.3 varas cross another 36-inch net wire fence having 3 barbed wires above the net, running S 59° 17' W - N 59° 17' E --- at 1261.6 varas pass another 60d hub nail in a small rock mound --- at 1962.3 varas strike the concrete monument set for the SW corner of said section No. 1, situated on high prairie sparsely covered with mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite 15 inches in diameter marked "T" bears N 67° 04' E 69.9 varas; a windmill near a ranch house bears -- N 61° 34' E; a mesquite 5 inches in diameter marked "T" bears S 56° 25' E 39.1 varas; another 12-inch mesquite marked "F" bears S 52° 40' W 34.5 varas

Thence South 1958.3 varas to a point for the SW corner of this section No. 10.

Thence East 1982.3 varas to a point for the SE corner of this section No. 10, being the SW corner of section No. 9.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King

Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 243

This 28th day of May, 1937.

Orig. in Bk.UT, Vol.11,p 179,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

afor

For Plat see General Sketch in Vol. 12, G.L.O.; & in Vol.C-2, County.

U T B 15 11 16 20 47 44

11° 10' Mag. Declination East. 00 221 True North is the Field notes of this survey. Said survey is situated in

on the drainage of Howard about 23 miles N 13°W of Ozona, the County Site.

The State of Texas

· · · · · · · · · · · · ·

SECTION No. 11

CROCKE TT County | BLOCK No.

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

right to the of the North point used in

> CROCKETT County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 10, this Block, for the NW corner of this section No. 11.

Thence South 1958.3 varas set a concrete monument on the SW side of a low round hill among scattered mesquite trees for the SW corner of this section No. 11, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "X",a 14-inch mesquite marked "F", and a 7-inch mesquite marked "T" bear respectively N 9 34 W42.7 varas, N 18 14 E 41.3 varas, and N 55 00 E 24.1

Thence East 1982.3 varas to a point for the SE corner of this section No. 11.

Thence North 1958.3 varas to the South common corner of sections Nos. 9 and 10.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 13, 1933.

Roabert A. Liedecker | Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 0-1 page 2014

This 28th day of May, 1937.

Orig. in Bk.UT, Vol.11,p 180,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; & in Vol. C-2, Crockett County.

U T 12 13 18 B 44

Mag. Declination 11° 11' East.
True North is 0°21'30"

the Field notes of this survey.

Said survey is situated in

on the drainage of

about 23 miles N 11°W of Ozona, the County Site.

The State of Texas

SECTION No. 12

GROCKETT County BLOCK No.

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT County, Texas,

Creek, a tributary of Pecos River,

Beginning at the common corner of sections Nos. 9, 10, and 11, this Block, for the NW corner of this section No. 12.

Thence South 1958.3 varas to the SE corner of said section No. 11.

Thence East 1982.3 varas set a concrete monument on a high prairie sparsely covered by mesquite trees for the SE corner of this section No. 12, stamped its brass plate in top as is represented in the figure above, from which an 8-inch mesquite marked "T", a 10-inch mesquite marked "F", and a 4-inch mesquite marked "X" bear respectively N 21° 05' E 101.0 varas, N 66° 50' E 131.0 varas, and S 18° 43' E 44.6 varas.

Thence North --- at 900 varas set a 60d hub nail in a small rock mound --- at 1276.2 varas pass over a buried pipe line running N 72° 30' W - S 72° 30' E --- at 1280.9 varas pass under a two-wire telephone-line parallel to the pipe line, being near the South edge of thick mesquite brush --- at 1763.3 varas cross a 36-inch net wire fence having 3 barbed wires above the net coursing N 44° 45' E - S 44° 45' W --- at 1764.8 varas set another 60d hub nail in a small rock mound --- at 1958.3 varas point on high divide, the SW corner of section No. 8 and the SE corner of section No. 9.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker
Jim Howard King
Norris B. Creath
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 6-1 page 245

This 28th day of May, 1937.

Orig. in Bk.UT, Vol.11, p 181, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; & in Vol.C-2, Crockett County. ckett

U 12 13 19 18 B 44

11° 14' Mag. Declination East. True North is the Field notes of this survey. Said survey is situated in

on the drainage of Buckhorn Creek, a tribut about 22 miles N 8° W of Ozona, the County Sit

The State of Texas

SECTION No. 13

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

· · · · · · · · · · · · · · · · 687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the

right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at a point on a high divide at the SW corner of section No. 8, the SE corner of section No. 9, and the NE corner of section No. 12, this Block.

Thence East 1982.3 varas to the SW corner of section No. 7.

Thence South 1958.3 varas to a point for the SE corner of this section No. 13.

Thence West 1982.3 varas to the concrete monument set on a high prairie sparsely covered with mesquite trees for the SE corner of section No. 12, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 10-inch mesquite marked "F", and a 4-inch mesquite marked "X" bear respectively N 21° 05' E 101.0 varas, N 66° 50' E 131.0 varas, and S 18° 43' E 44.6 varas.

Thence North --- at 900 varas pass a 60d hub nail in a small rock mound --- at 1276.2 varas pass over a buried pipe line running N 72° 30' W - S 72° 30' E --- at 1280.9 varas pass under a 2-wire telephone line parallel to the pipe line, being near the South edge of thick mesquite brush --- at 1763.3 varas cross a 36-inch net wire fence having 3 barbed wires above the net coursing N 44° 45 E -S 44° 45' W --- at 1764.8 varas pass another 60d hub nail in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 246 This day of May, 1937.

Orig. in Bk.UT, Vol.11,p 182,G.L.O.

28th

Low

SECTION No. 14

County | BLOCK No. 44

The State of Texas U 14 15 17 16 B 44

For Plat see General Sketch in

. . . ok FIELD NOTES of a survey of 687.6 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

CROCKETT

Mag. Declination 11° 16 East. True North is 0° 201 30" to the the Field notes of this survey.

Said survey is situated in on the drainage of Spring Creek, a tributar about 22 miles N 6°W of Ozona, the County Site.

right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Middle Concho River,

Beginning at the common corner of sections Nos. 7, 8, and 13, this Block.

Thence South 1958.3 varas to the SE corner of said section No. 13.

Thence East 1982.3 varas set a concrete monument on a high prairie for the SE corner of this section No. 14, stamped its brass plate in top as is represented in the figure above, from which the center of a large dry lake bears N 70° 40' W about 350 varas; an 8-inch mesquite marked "T" and a 6-inch mesquite marked "F" bear respectively N 1° 30' W 124.7 varas and N 67° 38' E 131.0 varas; the left hand of two windmills bears N 15° 00' E about 1 1/2 miles.

Thence North, crossing pipe line, 1958.3 varas to the South common corner of sections Nos. 6 and 7.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 247

day of May, 1937. This 28th

Orig. in Bk.UT, Vol.11,p 183,G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in Vol.C-2, The State of Texas Vol. 12, U T 14 15 16 17 B 44

11° 17' Mag. Declination True North is the Field notes of this survey.

Said survey is situated in on the drainage of Spring Creek, a tributary about 22 miles N 3°W of Ozona, the County Site.

County | BLOCK No. 44 CROCKETT · in FIELD NOTES of a survey of

701.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

right to the of the North point used in

CROCKETT County, Texas, Creek, a tributary of Middle Concho River,

Beginning at the SW corner of section No. 6, the SE corner of section No. 7, and the NE corner of section No. 14, this Block.

Thence East 2030.3 varas to the SE corner of said section No.6, being the SW corner of section No. 25, Block 40, and the NW corner of section No. 6, Block 41, University Land.

Thence S 0° 29' 16" W 1958.4 varas to the NW corner of section No. 7, Block 41.

Thence West --- at 408.6 varas and at 1350.0 varas set 60d hub nails in small rock mounds --- at 1650 varas and at 1775 varas points respectively on the East and West sides of a dry lake --- at 1935.5 varas pass under a 2-wire telephone line --- at 1950 varas cross a buried pipe line --- at 2013.6 varas strike the concrete monument set on a high prairie for the SE corner of section No. 14, its brass plate in top having been stamped as is represented in the figure above, from which the center of a large dry lake bears N 70° 40' W about 350 varas; an 8-inch mesquite marked "T" and a 6-inch mesquite marked "F" bear respectively N 1° 30' W 124.7 varas and N 67° 38' E 131.0 varas; the left hand of two windmills bears N 15° 00' E about 1 1/2 miles.

Thence North, recrossing pipe line, 1958.3 varas to the place of beginning.

SurveyedDecember 13, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 248

day of May, 1937. This 20th

Orig. in Bk.UT, Vol.11,p 184, -G.L.O.

Lui

Vol. 12. G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 16 TT T 15 17 16 B

CROCKETT County | BLOCK No.

. Ok FIELD NOTES of a survey of

695.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 20' Mag. Declination East. 00 201 True North is the Field notes of this survey. Said survey is situated in

to the right

of the North point used in

CROCKETT

County, Texas, Middle Concho River,

on the drainage of Spring Creek, a tributary about 21 miles N 3°W of Ozona, the County Site. Creek, a tributary of

Beginning at the SE corner of section No. 15, this Block, being the West common corner of sections Nos. 6 and 7, Block 41, University

Thence West --- at 408.6 varas and at 1350.0 varas pass 60d hub nails in small rock mounds --- at 1650 varas and at 1775 varas points respectively on the East and West sides of a dry lake --- at 1935.5 varas pass under a 2-wire telephone line --- at 1950 varas cross a buried pipe line --- at 2013.6 varas strike the concrete monument set on a high prairie for the SE corner of section No. 14, its brass plate in top having been stamped as is represented in the figure above, from which the center of a large dry lake bears N 70° 40' W about 350 waras; an 8-inch mesquite marked "T" and a 6-inch mesquite marked "F" bear respectively N 1° 30' W 124.7 varas and N 67° 38' E 131.0 varas; the left hand of two windmills bears N 15° 00' E about 1 1/2 miles.

Thence South 1958.3 varas to a point for the SW corner of this section No. 16.

Thence East 1996.9 varas to the West common corner of sections Nos. 7 and 18, Block 41, University Land, the SE corner of this section

Thence N 0° 29' 16" E 1958.4 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 249

day of May, 1937. 28th

> Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol.11,p 185,G.L.O.

186

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas Crockett County.

SECTION No. 17

CROCKETT

County | BLOCK No. 44

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 20'

14

17

15

16

East. True North is 0° 20 1 30" to the

44

right

of the North point used in

the Field notes of this survey.

B

U

Said survey is situated in Buckhorn on the drainage of

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

about 21 miles N 7° W of Ozona, the County Site.

Beginning at the concrete monumentset on a high prairie for the SE corner of section No. 14, this Block, being the SW corner of section No. 15 and the NW corner of section No. 16, the NE corner of this section No. 17, this Block, its brass plate in top having been stamped as is represented in the figure above, from which the center of a large dry lake bears N 70° 40' W about 350 varas; an 8-inch mesquite marked "T" and a 6-inch mesquite marked "F" bear respectively N 1° 30' W 124.7 varas and N 67° 38' E 131.0 varas; the left hand of two windmills bears N 15° 00' E about 1 1/2 miles.

Thence South 1958.3 varas to the SW corner of said section No. 16.

Thence West 1982.3 varas to a point for the SW corner of this section No. 17.

Thence North 1958.3 varas to the South common corner of sections Nos. 13 and 14.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 13, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 250

day of May, 1937. 28 th

Orig. in Bk.UT, Vol.11,p 186,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

12 13 19 18 B 44

11° 15' Mag. Declination East. True North is the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn Creek, a tributary about 21 miles N 8° W of Ozona, the County Site. on the drainage of

· . OK ...

SECTION No. 18

County | BLOCK No. 44 CROCKETT

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the

right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the common corner of sections Nos. 13, 14, and 17, this Block, for the NE corner of this section No. 18.

Thence South 1958.3 varas to the SW corner of said section No. 17.

Thence West 1982.3 varas to a point for the SW corner of this section No. 18.

Thence North --- at 286 varas and at 537 varas cross roads, the first running NE and SW, the second running NW and SE --- at 972.3 varas set a 60d hub nail in a small rock mound --- at 1958.3 varas strike the SE corner of section No.12 and the SW corner of section No. 13, being a concrete monument set on a high prairie among scattered mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 10-inch mesquite marked "F", and a 4-inch mesquite marked "X" bear respectively N 21° 05' E 101.0 varas, N 66° 50' E 131.0 varas, and S 18° 43' E 44.6 varas.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 14, 1933.

Robert A. Leidecker Chainmen. Jim Howard Ling Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 251

day of May, 1937. This 29th

Orig. in Bk.UT, Vol.11,p 187,G.L.O.

vol. 12, G.I.O.; and in Vol.C-2, The State of Texas Crockett County.

SECTION No. 19

U 12 13 19 18 B 44

CROCKETT County | BLOCK No.

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 12' Mag. Declination East. True North is 0° 21' 30"

to the right

of the North point used in

the Field notes of this survey. Said survey is situated in miles N 12° Wof Ozona, the County Site on the drainage of about 22

CROCKETT Creek, a tributary of

· 05 ...

County, Texas, Pecos River,

Beginning at a concrete monument set on a high prairie among scattered mesquite trees for the SE corner of section No. 12, being the SW corner of section No. 13 and the NW corner of section No. 18, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 10-inch mesquite marked "F", and a 4-inch mesquite marked "X" bear respectively N 21° 05' E 101.0 varas, N 66° 50' E 131.0 varas, and S 18° 43' E 44.6 varas.

Thence West 1982.3 varas to the SE corner of section No. 11.

Thence South 1958.3 varas to a point for the SW corner of this section No. 19.

Thence East 1982.3 varas to the SW corner of section No. 18.

Thence North --- at 286 varas and at 537 varas cross roads, the first running NE and SW, the second running NW and SE --- at 972.3 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed December 14, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 252 day of May, 1937. 29th

Orig. in Bk.UT, Vol.11,p 188,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas U T B B

16 20 47 44

11° 10' Mag. Declination East. True North is

0° 22' the Field notes of this survey. Said survey is situated in

on the drainage of Howard Creek, a tributary about 22 miles N 14°W of Ozona, the County Site.

SECTION No. 20 CROCKETT County BLOCK No. OK. FIELD NOTES of a survey of 687.6 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SE corner of section No. 11, the SW corner of section No. 12, and the NW corner of section No. 19, this Block.

Thence South 1958.3 varas to the SW corner of said section No. 19.

Thence West 1982.3 varas to a point for the SW corner of this section

Thence North --- at 209 varas point in bed of a mesquite covered drain running SW --- at 432.3 varas cross at about right angles a 36-inch net wire fence having 2 barbed wires above the net, being about 75 varas East of where it turns North --- at 1050.1 varas set a 60d hub nail in a small rock mound --- at 1605 varas cross a drain running East --- at 1908.5 varas cross a buried pipe line --- at drain running East --- at 1908.5 varas cross a buried pipe line --- at 1912.5 varas cross under a 3-wire telephone line running parallel to the pipe line --- at 1958.3 varas strike the concrete monument set on the SW side of a low round hill among scattered mesquites for the SW corner of section No. 11, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "X", a 14-inch mesquite marked "F", and a 7-inch mesquite marked "T" bear respectively N 9° 34' W 42.7 varas, N 18° 14' E 41.3 varas, and N 55° 00' E 24.1 varas.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 14, 1933.

Robert A. Leidecker Jim Howard King Chainmen. Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Zona, Texas, Crockett County in Book UT Vol. C-1 page 253

This 29th day of May, 1937.

Orig. in Bk.UT, Vol.11,p 189,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

SH

SECTION No. 21

Vol. 12 G.L.O.; and in Vol.C-2, The State of Texas

B 47 BLU 25 21 1 5 B 46 B 45

County BLOCK No. CROCKETT · · · · · · · · · · · · · · · · · · FIELD NOTES of a survey of 687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 12' Mag. Declination East. 00 221 True North is the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in CROCKETT on the drainage of Howard about 21 miles N 15°W of Ozona, the County Site.

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 20, this Block, for the NW corner of this section No. 21.

Thence East 1982.3 varas to the SW corner of section No. 19.

Thence South 1958.3 varas to a point for the SE corner of this section No. 21.

Thence West 1982.3 varas set a concrete monument in the North edge of an abandoned field for the SW corner of this section No. 21, stamped its brass plate in top as is represented in the figure above, from which an earth mound containing broken glass and tin cans bears N 82° 17' W 12 varas; a windmill over a well drilled by Parker and Coates in the year 1890 bears N 58° 17' E 238.6 varas.

Thence North --- at 30.5 varas pass through at about right angles a Thence worth at 30.5 varas pass through at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 516.8 varas set a 60d hub nail in a small rock mound on top of a ridge extending West --- at 1123.1 varas pass under a telephone line running NE and SW -W- at 1566.5 varas set a 60d hub nail in an East-West brush-cut-out line, from which a 60d hub nail in said brush line bears N 89° 33' 40" W 222.1 varas --- at 1958.3 varas strike the SW corner of section No. 20, the place of beginning.

Surveyed December 14, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 254

day of May, 1937. This 29th

Orig. in Bk.UT, Vol.11,p 190,G.L.O.

For Plat see General Sketch in 12, G.L.O.; & in Vol. C-2, The State of Texas U B 44 23 22 3

CROCKETT

SECTION No.22 County BLOCK No. 44

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 110 141 East. 0° 21' 30" to the True North is the Field notes of this survey.

45

B

right

of the North point used in

Said survey is situated in on the drainage of Buckhorn Creek, a tributary about 21 miles N 11°W of Ozona, the County Site.

CHOCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the common corner of sections Nos. 19, 20, and 21, this Block.

Thence South 1958.3 varas to the SE corner of said section No. 21.

Thence East 1982.3 varas set a concrete monument among thick mesquite trees for the SE corner of this section No. 22, stamped its brass plate in top as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked "X", and another 6-inch mesquite marked "T" bear respectively S 48° 00! E 48.6 varas, S 78° 15' W 37.8 varas, and S 85° 30' W 26.5 varas; a windmill bears N 79° 14' W about 3/4 mile. 14' W about 3/4 mile.

Thence North --- at 540.1 varas pass a 36-inch net wire fence having 3 barbed wires above the net, coursing N 72° 27' W - S 72° 27' E --- at 541.4 varas set a 60d hub nail in a small rock mound --- at 690.8 varas cross a buried pipe line running N 51° 15' W - S 51° 15' E --- at 693.1 varas set a 60d hub nail in a small rock mound --- at 694.3 varas pass under a 3-wire telephone line running parallel with the pipe line --- at 1184.1 varas set another 60d hub nail in a small rock mound --- at 1958.3 varas strike the South common corner of sections Nos. 18 and 19.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 14, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 255

This day of May, 1937. 29th

Orig. in Bk.UT, Vol.11, p 191, G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in Vol. 0-2, The State of Texas Vol. 12, G.L.O.; and in Crockett County.

SECTION No. 23

CROCKETT

.

County | BLOCK No. FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 17' Mag. Declination East. True North is 00-511 the Field notes of this survey.

22 23

4

45

U

B

Said survey is situated in on the drainage of Buckhorn to the right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

about 20 miles N 9°W of Ozona, the County Site.

Beginning at a concrete monument set among thick mesquite trees for the SE corner of section No. 22, this Block, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked " which an 6-inch mesquite marked "F", a 6-inch mesquite marked "X", and another 6-inch mesquite marked "T" bear respectively S 48°00! E 48.6 varas, S 78° 15' W 37.8 varas, and S 85° 30' W 26.5 varas; a windmill bears N 79° 14' W about 3/4 mile:

Thence North --- at 540.1 varas pass a 36-inch net wire fence having 3 barbed wires above the net, coursing N 72° 27' W - S 72° 27' E --- at 541.4 varas pass a 60d hub nail in a small rock mound --- at 690.8 varas cross a buried pipe line running N 51° 15' W - S 51° 15' E --- at 693.1 varas pass a 60d hub nail in a small rock mound --- at 694.3 varas pass under a 3-wire telephone line running parallel with the pipe line --- at 1184.1 varas pass another 60d hub nail in a small rock mound --- at 1958.3 varas atrike the common corner of sections rock mound --- at 1958.3 varas strike the common corner of sections Nos. 18, 19, and 22.

Thence East 1982.3 varas to the SW corner of section No. 17.

Thence South 1958.3 varas to a point for the SE corner of this section No. 23.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 14, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 256

day of May, 1937. This 31st

Orig. in Bk.UT, Vol.11,p 192,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas For Plat see General Sketch in

SECTION No. 24

CROCKETT

County | BLOCK No.

. . . . OK-

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 20' Mag. Declination East. True North is 0° 201 30"

U

B

B

m

25 1

44

45

to the right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn about 20 miles N 6° W of Ozona, the County Site.

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the common corner of sections Nos. 17, 18, and 23, this

Thence South 1958.3 varas to the SE corner of section No. 23.

Thence East 1982.3 varas set a concrete monument on the East side of a hill about 100 varas SW of the bed of Buckhorn Creek and 127 varas North of an East-West fence for the SE corner of this section No. 24, stamped its brass plate in top as is represented in the figure above, from which a 6-inch double mesquite marked "X", a 7-inch mesquite marked "F", and another 6-inch double mesquite marked "T" bear respectively S 76° 40' W 68.5 varas, N 70° 21' W 87.4 varas, and S 16° 41' E 107.8 varas; a windmill in Buckhorn Creek bears

Thence North, crossing Buckhorn Creek, 1958.3 varas to the South common corner of sections Nos. 16 and 17.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 14, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 0-1 page 257
This 31st day of May, 1937.

Orig. in Bk.UT, Vol.11,p 193,G.L.O.

Vol. 12, G.L.O.; and in Vol. 0-2, The State of Texas For Plat see General Sketch in

SECTION No. 25

CROCKETT

County | BLOCK No. 44

FIELD NOTES of a survey of

689.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 201 East. True North is 00 201

B

U

24

T

44

45

25 1

the Field notes of this survey.

to the right of the North point used in

Said survey is situated in

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

on the drainage of Buckhorn Creek, a tributary about 20 miles N 3° W of Ozona, the County Site.

Beginning at a concrete monument set on the East side of a hill about 100 varas SW of Buckhorn Creek and 127 varas North of an East-West fence for the SE corner of section No. 24, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch double mesquite marked "X", a 7-inch mesquite marked "F", and another 6-inch double mesquite marked "T" bear respectively S 76° 40' W 68.5 varas, N 70° 21' W 87.4 varas, and S 16° 41' E 107.8 varas; a windmill in Buckhorn Creek bears S 47° 50' E.

Thence North, crossing Buckhorn Creek, 1958.3 varas to the common corner of sections Nos. 16, 17, and 24.

Thence East 1996.9 varas to the West common corner of sections Nos. 7 and 18, Block 41, University Land, being also the SE corner of section No. 16, this Block.

Thence S 0° 29' 16" W 1958.4 varas to the SW corner of said section No. 18 and the NW corner of section No. 19, Block 41.

Thence West --- at 256 varas cross a drain running SE --- at 831.1 varas cross at about right angles a 36-inch net wire fence having 2 smooth wires above the net --- at 1197 varas cross a dim road running North and South --- at 1813 varas point in the bed of Buckhorn Creek running SE --- at 1980.2 varas the place of beginning.

Surveyed December 14, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Cro ckett County in Book UT Vol.G-1 page 258

This day of May, 1937. 31st

Orig. in Bk.UT, Vol.11, p 194, G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 1

CROCKETT

County | BLOCK No. 45

FIELD NOTES of a survey of

684.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 20' East. True North is 00 201

24

U

B

B

the Field notes of this survey.

44

45

25 1

Said survey is situated in on the drainage of about 19 miles N 3° W of Ozona, the County Site.

to the right of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the common corner of sections No. 25, Block 44, and Nos. 18 and 19, Block 41, University Land, for the NE corner of this section No. 1, Block 45.

Thence West --- at 256 varas cross a drain running SE --- at 831.1 varas cross at about right angles a 36-inch net wire fence having 2 smooth wires above the net --- at 1197 varas cross a dim road running North and South --- at 1813 varas point in the bed of Buckhorn Creek running and South --- at 1813 varas point in the bed of Buckhorn Creek running SE --- at 1980.2 varas strike the concrete monument set for the SE corner of section No. 24, Block 44, situated on the East side of a hill about 100 varas SW of Buckhorn Creek, being 127 varas North of an East-West fence, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch double mesquite marked "X", a 7-inch mesquite marked "F", and another 6-inch double mesquite marked "T" bear respectively S 76° 40' W 68.5 varas, N 70° 21' W 87.4 varas, and S 16° 41' E 107.8 varas; a windmill in Buckhorn Creek bears S 47° 50' E.

Thence South 1958.3 varas to a point for the SW corner of this section

Thence East 1963.5 varas to the West common corner of sections Nos. 19 and 30, Block 41, University Land.

Thence N 0° 29' 16" E 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 259

This day of June, 1937. lst

Orig. In Bk.UT, Vol.11,p 195,G.L.O.

For Plat see General Sketch in C-2, The State of Texas

SECTION No.2

TI B 44 2 1

45

County BLOCK No. 45

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 20' East.
is 0° 20' 30" to the Mag. Declination True North is

B

right

CROCKETT

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn

CROCKETT

County, Texas, Creek, a tributary of Dry Devil's River, about 19 miles N 6° W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 24 and 25, Block 44, University Land, and the NW corner of section No. 1, this Block, being a concrete monument set on the East side of a hill about 100 varas SW of Buckhorn Creek, and 127 varas North of an East-West fence, its breast plate in top begins been stayped as its represented in the its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch double mesquite marked "X", a 7-inch mesquite marked "F", and another 6-inch double mesquite marked "T" bear respectively S 76° 40' W 68.5 varas, N 70° 21' W 87.4 varas, and S 16° 41' E 107.8 varas; a windmill in Buckhorn Creek bears and S 16° 41 S 47° 50' E.

Thence West 1982.3 varas to the SE corner of section No. 23, Block 44.

Thence South 1958.3 varas to a point for the SW corner of this section

There East 1982.3 varas to the SW corner of section No. 1.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

Ser

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 260
This 1st day of June, 1937.

Orig. in Bk.UT, Vol.11,p 196,G.L.O.

For Plat see General Sketch in C-2, The State of Texas Crocket

SECTION No. 3 CROCKETT County BLOCK No. 45

T B 44 3 B 45

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 201 East. True North is 00 211 the Field notes of this survey. Said survey is situated in

to the right

of the North point used in

CROCKETT

· · · · · · · · · · · · · · · ·

County, Texas, Dry Devil's River,

on the drainage of about 19 miles N 19° Wof Ozona, the County site. Creek, a tributary of

Beginning at the SE and the SW corner respectively of sections Nos. 23 and 24, Block 44, University Land, and the NW corner of section No. 2, this Block, for the NE corner of this section No. 3.

Thence South 1958.3 varas to the SW corner of said section No. 2.

Thence West 1982.3 varas to a point for the SW corner of this section No. 3.

Thence North --- at 1699.2 varas set a 60d hub nail in a small rock mound --- at 1748 varas cross an East-West road --- at 1958.3 varas strike the concrete monument set among thick mesquite trees for the SE corner of section No. 22, Block Lui, being the SW corner of section No. 23, same Block, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked "X", and another 6-inch mesquite marked "T" bear respectively S 48° 00' E 48.6 varas, S 78° 15' W 37.8 varas, and S 85° 30' W 26.5 varas; a windmill bears N 79° 14' W about 3/4 mile.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Grockett County in Book UT Vol. C-1 page 261 This day of June, 1937. lst

Orig. in Bk.UT, Vol.11,p 197,G.L.O.

198

For Plat see General Sketch in Plat see General Sketch in G.L.O.; and in Vol. G-2, The State of Texas Vol. 12, U m B 44 3 4 B

CROCKETT

SECTION No. 4

County | BLOCK No. 45

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination True North is

11° 191 East.

45

0° 21' 30" to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

CROCKETT

County, Texas.

Creek, a tributary of Dry Devil's River,

on the drainage of Buckhorn Creek, a tributary about 20 miles N 13°W of Ozona, the County Site.

Beginning at a concrete monument set among thick mesquite trees for the SE corner of section No. 22, being the SW corner of section No. 23, Block 44, University Land, and the NW corner of section No. 3, this Block, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked "X", and another 6-inch mesquite marked "T" bear respectively S 48° 00' E 48.6 varas, S 78° 15' W 37.8 varas, and S 85° 30' W 26.5 varas; a windmill bears N 79° 14' W about 3/4 mile.

Thence West 1982.3 varas to the SE corner of section No. 21, Block 44.

Thence South 1958.3 varas to a point for the SW corner of this section No. 4.

Thence East 1982.3 varas to the SW corner of section No. 3.

Thence North --- at 1699.2 varas pass a 60d hub nail in a small rock mound --- at 1748 varas cross an East-West road --- at 1958.3 varas the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

{Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 0-1 page 262 This day of June, 1937.

Orig. in Bk.UT, Vol.11,p 198,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas B 47 B 44 5 B 46 B 45

CROCKETT

SECTION No. 5

County | BLOCK No. 45

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 110 141 East. True North is 00 221 the Field notes of this survey. Said survey is situated in

to the right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of

Pecos River,

on the drainage of Howard Creek, a tributary about 20 miles N 16°W of Ozona, the County Site.

Beginning at the NW corner of section No. 4, this Block, being also the SE corner of section No. 21 and the SW corner of section No. 22, Block 44, University Land.

Thence South 1958.3 varas to the SW corner of said section No. 4.

Thence West 1982.3 varas to a point for the SW corner of this section No. 5.

Thence North --- at 214 varas cross the head of a drain running NW --- at 724.1 varas set a mesquite peg in a small rock mound --- at 950 varas enter the South edge of a mesquite covered drain running West --- at 1050 varas point in center of said drain --- at 1150 varas North edge of same drain --- at 1325.8 varas set a 60d hub nail in a small rock mound --- at 1467 varas cross road running NE and SW --- at 1604 varas cross a very old road (abandoned) running East and West --- at 1958.3 varas strike the concrete monument set for the SW corner of section No. 21, Block 44, situated in the North edge of an abandoned field, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing broken glass and tin cans bears N 82° 17' W 12 varas; a windmill over a well drilled by Parker and Coates in the year 1890 bears N 58°17'E 238.6 varas.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 263
This 1st day of June, 1937.

Orig. in Bk.UT, Vol.11,p 199,G.L.O.

For Plat see General Sketch in The State of Texas SECTION No. 6

U T CROCKETT County BLOCK No. 45

B B B FIELD NOTES of a survey of 687.6 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929. Mag. Declination 11° 15 East. True North is -0° 221 to the right of the North point used in the Field notes of this survey. Said survey is situated in CROCKETT County, Texas, on the drainage of Howard Creek, a tributary of Pecos River, about 19 miles N 17°W of Ozona, the County Site.

Beginning at the SW corner of section No. 5, this Block, for the NW corner of this section No. 6.

Thence East 1982.3 varas to the SW corner of section No. 4.

Thence South 1958.3 varas to a point for the SE corner of this section No. 6.

Thence West 1982.3 varas set a concrete monument in a grass covered prairie sloping South, about 150 varas NW of a mesquite covered drain running SW for the SW corner of this section No. 6, stamped its brass plate in top as is represented in the figure above, from which a mesquite on the horizon bears \$ 50° 44' W; a 6-inch mesquite marked "T", an 8-inch mesquite marked "X", and a 9-inch mesquite marked "F" bear respectively N 65° 53' E 24.6 varas, N 78° 09' E 51.9 varas, and \$ 35° 17' E 37.9 varas.

Thence North --- at 884 varas, at 1181 varas, and at 1234 varas points in the South edge, middle, and North edge respectively of a drain running West --- at 1365.5 varas cross an East-West wire fence --- at 1777.4 varas set a 60d hub nail in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker
Jim Howard King
Norris B. Creath
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. G-lpage 264

This 1st day of June, 1937.

Orig. in Bk.UT, Vol.11,p 200,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 7

U T

CROCKETT County BLOCK No. 45

FIELD NOTES of a survey of

687.6 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 20! East.

True North is 0° 21' 30" to the the Field notes of this survey.

Said survey is situated in

14

13

45

Said survey is situated in CROCKETT on the drainage of Buckhorn about 19 miles N 13 W of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River, County Site.

Beginning at the common corner of sections Nos. 4, 5, and 6, this Block.

Thence South 1958.3 varas to the SE corner of said section No. 6.

Thence East 1982.3 varas set a concrete monument in low ground among thick mesquite trees for the SE corner of this section No. 7, stamped its brass plate in top as is represented in the figure above, from which an 8-inch mesquite marked "X", another 8-inch mesquite marked "T", and a 6-inch mesquite marked "F" bear respectively S 47° 55' W 52.0 varas, N 84° 25' W 55.3 varas, and N 74° 40' W 21.0 varas.

Thence North --- at 639.7 varas pass under a telephone line running NW and SE --- at 921.4 varas and at 1880.6 varas set 60d hub nails in small rock mounds --- at 1958.3 varas strike the South common corner of sections Nos. 3 and 4.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker

Jim Howard King
Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 265

This 1st day of June, 1937.

Orig. in Bk.UT, Vol.11,p 201, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol.C-2, U 8

14 13 B 45

11° 20' Mag. Declination East. True North is 00 21 the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn about 18 miles N 10°W of Ozona, the County Site.

The State of Texas

SECTION No. 8

CROCKETT

County | BLOCK No. 45

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at a concrete monument set in low ground among thick mesquite trees for the SE corner of section No. 7, this Block, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "X", another 8-inch mesquite marked "T", and a 6-inch mesquite marked "F" bear respectively S 47° 55' W 52.0 varas, N 84° 25' W 55.3 varas, and N 74° 40' W 21.0 varas.

Thence North --- at 639.7 varas pass under a telephone line running NW and SE 600 at 921.4 varas and at 1880.6 varas pass 60d hub nails in small rock mounds --- at 1958.3 varas strike the common corner of sections Nos. 3, 4, and 7.

Thence East 1982.3 varas to the SE corner of section No. 3.

Thence South 1958.3 varas to a point for the SE corner of this section No. 8.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 266

day of June, 1937. This lst

Orig. in Bk. UT, Vol. 11, p 202, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

2

d

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 9 B 9 10 12 11 U T

11° 20' Mag. Declination East. 0° 20! 30" to the True North is the Field notes of this survey.

Said survey is situated in on the drainage of Buckhorn about 18 miles N 7° W of Ozona, the County Site.

County | BLOCK No. 45 CROCKETT

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the common corner of sections Nos. 2, 3, and 8, this Block, for the NW corner of this section No. 9.

Thence East 1982.3 varas to the SW corner of section No. 1.

Thence South 1958.3 varas set a concrete monument among thick mesquite trees about 100 varas NE of the bed of a rocky dry lake for the SE corner of this section No. 9, stamped its brass plate in top as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked "T", and another 8-inch mesquite marked "X" bear respectively S 61° 51' W 77.1 varas, S 87° 06' W 25.5 varas, and N 57° 13' E 50.9 varas.

Thence West 1982.3 varas to the SE corner of section No. 8.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

d

d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vold-1 page 267

day of June, 1937. This lst

Orig. in Bk.UT, Vol.11, p 203, G.L.O.

For Plat see General Sketch in vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 10 B 45 CROCKETT County | BLOCK No. 45 FIELD NOTES of a survey of 9 IO 12 11 678.2 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an U T ACT approved March 29, 1929.

Mag. Declination 11° 17' East.

True North is 0° 20' to the right the Field notes of this survey.

Said survey is situated in CROCKETT on the drainage of Buckhorn Creek, a tributary about 18 miles N 3° W of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas,
Creek, a tributary of Dry Devil's River,

Beginning at the SW corner, the SE corner, and the NE corner respectively of sections Nos. 1, 2, and 9, this Block.

Thence East 1963.5 varas to the SW corner of section No. 19 and the NW corner of section No. 30, Block 41, University Land.

Thence S 0° 29! 16" W --- at 74.8 varas strike an old stone mound of about 14 rocks, having on its top a large rock 10 inches by 20 inches by 6 inches, identified as the original NE corner of this section No. 10 --- at 1958.3 varas strike the SW corner of said section No. 30, Block 41, and the NW corner of section No. 1, Block 42.

Thence West --- at 214.7 varas pass under a 3-wire telephone line running NW and SE --- at 219.1 varas cross a buried pipe line parallel with the telephone line --- at 1361.6 varas cross at about right angles a 24-inch net wire fence having 4 barbed wires above the net --- at 1649 varas and at 1739 varas points on the NE and the NW edges respectively of a shallow dry lake --- at 1946.8 varas strike the concrete monument set among thick mesquite trees about 100 varas NE of the bed of a rocky dry lake for the SE corner of section No. 9, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked "T", and another 8-inch mesquite marked "X" bear respectively 8 61° 51' W 77.1 varas, S 87° 06' W 25.5 varas, and N 57° 13' E 50.9 varas.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker

Jim Howard King

Norris B. Creath

Chainmen.
Transitman.

ty

ed

ed

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 268

This 1st day of June, 1957.

Orig. in Bk.UT, Vol.11,p 204, G.L.O.

For Plat see General Sketch in The State of Texas SECTION No. 11 45 10 12 11

11° 15' Mag. Declination East. True North is

T

U

the Field notes of this survey. Said survey is situated in drainage of Buckhorn Creek, a tributary 17 miles N 3° W of Ozona, the County Site. on the drainage of

· · · · · · · · ·

CROCKETT

County | BLOCK No. 45

FIELD NOTES of a survey of

675.3 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the

right

of the North point used in

CROCKETT County, Texas,

Creek, a tributary of Dry Devil's River,

Beginning at the SE corner of section No. 10, this B lock, being the SW corner of section No. 30, Block 41, and the NW corner of section No. 1, Block 42, University Land.

Thence West --- at 214.7 varas pass under a 3-wire telephone line running NW and SE --- at 219.1 varas cross a buried pipe line parallel with the telephone line --- at 1361.6 varas cross at about right angles a 24-inch net wire fence having 4 barbed wires above the net --- at 1649 varas and at 1739 varas points on the NE and the NW edges respectively of a shallow dry lake --- at 1946.8 varas strike the concrete monument set among thick mesquite trees about 100 varas NE of the bed of a rocky dry lake for the SE corner of section No. 9, being the SW corner of section No. 10, its brass plate in top having been stamped as is represented in the figure above, from which an been stamped as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked "T", and another 8-inch mesquite marked "X" bear respectively S 61° 51! W 77.1 varas, S 87° 06! W 25.5 varas, and N 57° 13! E 50.9 varas.

Thence South 1958.3 varas to a point for the SW corner of this section No. 11.

Thence East 1946.8 varas to the West common corner of sections Nos. 1 and 12, Block 42, University Land.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

y

ed

ed

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Orockett County in Book UT Vol. G-1page 269

day of June, 1937.

Orig. in Bk.UT, Vol.11, p 205, G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas | SECTION No. 12

B 45 9 10 12 11 U T

County | BLOCK No. 45 CROCKETT · · · · · · · · · · · · ·

FIELD NOTES of a survey of

687.6 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 17' Mag. Declination East. True North is 002013011 the Field notes of this survey. Said survey is situated in

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Dry Devil's River,

on the drainage of Buckhorn about 17 miles N 7°W of Ozona, the County Site.

Beginning at a concrete monument set among thick mesquite trees about 100 varas NE of the bed of a rocky dry lake for the SE corner of section No. 9, being the SW corner of section No. 10 and the NW corner of section No. 11, this Block, the brass plate in which monument having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked "T", and another 8-inch mesquite marked "X" bear respectively S 61° 51! W 77.1 varas, S 87° 06! W 25.5 varas, and N 57° 13! E 50.9 varas.

Thence West 1982.3 varas to the SE corner of section No. 8.

Thence South 1958.3 varas to a point for the SW corner of this section No. 12.

Thence East 1982.3 varas to the SW corner of section No. 11.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

1.

ty

ed

ed

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 270 day of June, 1937. lst

Orig. in Bk.UT, Vol.11,p 206,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 13 County | BLOCK No. 45 CROCKETT U , · · · · · · · · · · · · · FIELD NOTES of a survey of 7 8 687.6 ACRES of land made for THE 14 13 UNIVERSITY OF TEXAS by virtue of an B 45 ACT approved March 29, 1929. 11° 20' Mag. Declination East. True North is to the

00 211 the Field notes of this survey. Said survey is situated in on the drainage of Buckhorn Creek, a tributary of about 17 miles N 10° W of Ozona, the County Site.

right

of the North point used in

CROCKETT Creek, a tributary of Dry Devil's River,

County, Texas,

Beginning at the common corner of sections Nos. 8, 9, and 12, this Block.

Thence South 1958.3 varas to the SW corner of said section No. 12.

Thence West 1982.3 varas to a point for the SW corner of this section No. 13.

Thence North --- at 41.7 varas set a 60d hub nail in a small rock Thence North --- at 41.7 varas set a 60d hub nail in a small rock mound --- at 1650.7 varas pass through a 42-inch net wire fence coursing S 87° 29' W - N 87° 29' E --- at 1651.8 varas set another 60d hub nail ina small rock mound --- at 1958.3 varas strike the concrete monument set in low ground among thick mesquite trees for the SE corner of section No. 7, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "X", another 8-inch mesquite marked "T", and a 6-inch mesquite marked "F" bear respectively S 47° 55' W 52.0 varas, N 84° 25' W 55.3 varas, and N 74° 40' W 21.0 varas.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 271 day of June, 1937. This lst

Orig. in Bk.UT, Vol.11, p 207, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty

ed

ed

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas | SECTION No. 14. County BLOCK No. 45. CROCKETT

7 8 14 13 B 45

FIELD NOTES of a survey of ACRES of land made for THE 687.6 UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 201 East.

True North is 0° 21' 30" to the the Field notes of this survey.

right of the North point used in

Said survey is situated in on the drainage of Howard about 18 miles N 14°W of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Pecos River,

Beginning at a concrete monument set in low ground among thick mesquite trees for the SE corner of section No. 7, being the SW corner of section No. 8 and the NW corner of section No. 13, this Block, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "X", another 8-inch mesquite marked "T", and a 6-inch mesquite marked "F" bear respectively S 47° 55' W 52.0 varas, N 84° 25' W 55.3 varas, and N 74° 40' W 21.0 varas.

Thence West 1982.3 varas to the SE corner of section No. 6.

Thence South 1958.3 varas to a point for the SW corner of this section

Thence East 1982.3 varas to the SW corner of section No. 13.

Thence North --- at 417 varas pass a 60d hub nail in a small rock mound --- at 1650.7 varas pass through a 42-inch net wire fence coursing S 87° 29' W - N 87° 29' E --- at 1651.8 varas pass another 60d hub nail in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King Transitman. · Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 272

day of June, 1937. This lst

> Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

1.

ty

V:

ed ed Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas SECTION No. 15 U T CROCKETT County | BLOCK No. 45 B FIELD NOTES of a survey of 6

> 687.6 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 17' East. True North is 00 221 the Field notes of this survey. Said survey is situated in on the drainage of

11

46

15

45

to the right

of the North point used in

CROCKETT Creek, a tributary of

County, Texas,

Howard about 18 miles N 17°W of Ozona, the County Site.

Pecos River,

Beginning at the SW corner of section No. 14, this Block, for the SE corner of this section No. 15.

Thence West 1982.3 varas to a point for the SW corner of this section No. 15.

Thence North --- at 108 varas, at 127 varas, and at 198 varas cross roads running NW and SE, the second being used, the other two abandoned --- at 874 varas cross a drain running SW --- at 1391.7 varas set a 60d hub nail in a small rock mound --- at 1958.3 varas strike the concrete monument set on a grass covered prairie sloping South about 150 varas NW of a mesquite covered drain running SW for the SW corner of section No. 6, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite on the horizon bears \$ 50° 144' W; a 6-inch mesquite marked "I", an 8-inch mesquite marked "X", and a 9-inch mesquite marked "F" bear respectively N 65° 53' E 24.6 varas, N 78° 09' E 51.9 varas, and \$ 35° 17' E 37.9 varas.

Thence East 1982.3 varas to the SW corner of section No. 7, being the NW corner of section No. 14.

Thence South 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. N orris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law: that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 273
This 2nd day of June, 1937.

Orig. in Bk.UT, Vol.11,p 209,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty V; ed ed

210

Vol. 12, G.L.O.; and in Vol. 0-2, The State of Texas SECTION No. 16 B 20 16 21 25 46 45

11° 17' Mag. Declination East. 00 221 True North is the Field notes of this survey.

Said survey is situated in on the drainage of H oward about 17 miles N 18°W of Ozona, the County Site.

CRC KETT

BLOCK No. 45

County

FIELD NOTES of a survey of

687.6

... AL ...

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the

right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 15, this Block, for the NW corner of this section No. 16.

Thence East 1982.3 varas to the SW corner of section No. 14.

Thence South 1958.3 varas to a point for the SE corner of this section

Thence West 1982.3 varas set a concrete monument among thick mesquites for the SW corner of this section No. 16, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "F", a 4-prong mesquite marked "T", and a 10-inch mesquite marked "X" bear respectively S 8° 20' W 17.5 varas, S 74° 10' W 20.4 varas, and S 48° 55' E 16.0 varas.

Thence North --- at 12.3 varas set a 60d hub nail in a small rock mound --- at 747.1 varas cross at about right angles a 36-inch net wire fence --- at 942.4 varas and at 1400.0 varas set 60d hub nails in small rock mounds --- at 1958.3 varas; the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 274 day of June, 1937.

Orig. in Bk.UT, Vol.11,p 210, G.L.O.

2nd

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty v; ed ed

For Plat see General Sketch in Vol.12, G.I.O.; and in Vol.C-2,

	U					
The same		υ			T	
			17	18		
1000			24	23		
		В			45	

The State of Texas

SECTION No. 17

CROCKETT

County | BLOCK No. 45

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 18' East. True North is 0° 21' 30" to the the Field notes of this survey.

Said survey is situated in on the drainage of Johnson about 17 miles N 15°W of Ozona, the County Site.

right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Devil's River,

Beginning at the common corner of sections Nos. 14, 15, and 16, this Block.

Thence South 1958.3 varas to the SE corner of said section No. 16.

Thence East 1982.3 varas set a concrete monument on the SE side of a wide shallow drain running SW for the SE corner of this section No. 17, stamped the brass plate in top of the monument as is represented in the figure above, from which a windmill bears S 2° 41' W about 500 varas; a double mesquite marked "X", an 8-inch mesquite marked "F", and a 5-inch mesquite marked "T" bear respectively S 41° 43' W 81.7 varas, N 85° 34' W 110.7 varas, and N 7° 20' E 17.5 varas.

Thence North --- at 275 varas and at 875 varas cross and recross a wide shallow drain, in the first instance running SW, in the latter instance running SE --- at 1958.3 varas strike the common corner of sections Nos. 13 and 14.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Jim Howard King

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 275

This 2nd

day of June, 1937.

Orig. in Bk.UT, Vol.11,p 211,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty ed ed

n.

212

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

U T CROCKETT County

FIELD N

T T 18 24 23 B 45

Mag. Declination 11° 17' East.
True North is 0° 21'

Said survey is situated in CROCKETT on the drainage of Johnson Creek, a tributary about 16 miles N 11°W of Ozona, the County Site.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT County, Texas, Creek, a tributary of Devil's River,

Beginning at a concrete monument set for the SE corner of section No. 17, this Block, situated on the SE side of a wide shallow drain running SW, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears S 2° 41' W about 500 varas; a double mesquite marked "X", an 8-inch mesquite marked "F", and a 5-inch mesquite marked "T" bear respectively S 41° 43' W 81.7 varas, N 85° 34' W 110.7 varas, and N 7° 20' E 17.5 varas.

Thence North --- at 275 varas and at 875 varas cross and recross a wide shallow drain, in the first instance running SW, in the latter instance running SE --- at 1958.3 varas strike the South common corner of sections Nos. 13 and 14.

Thence East 1982.3 varas to the SW corner of section No. 12.

Thence South 1958.3 varas to a point for the SE corner of this section No. 18.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker
Jim Howard-King
Norris B. Creath
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 276

This 2nd day of June, 1937.

Orig. in Bk.UT, Vol.11,p 212,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Na

n.

ty

ed

ed

7

For Plat see General Sketch in The State of Texas T 20 19 21 22 45

SECTION No. 19 CROCKETT

County BLOCK No. . . 195

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Clination 11° 15' East.
True North is 0° 20' 30" to the Mag. Declination

right

687.6

of the North point used in

the Field notes of this survey. Said survey is situated in CROCKETT on the drainage of Johnson

County, Texas, Creek, a tributary of Devil's River,

about 16 miles N 8°W of Ozona, the County Site.

Beginning at the SW corner of section No. 12, the SE corner of section No. 13, and the NE corner of section No. 18, this Block.

Thence East 1982.3 varas to the SW corner of section No. 11.

Thence South 1958.3 varas set a concrete monument in prairie for the SE corner of this section No. 19, stamped its brass plate in top as is represented in the figure above, from which twin windmills near an old ranch house bear S 66° 41' W and S 68° 28' W about 600 varas; a 5-inch mesquite marked "X" and a 4-inch double mesquite marked "F" bear respectively S 29° 32' E 38.0 varas and S 3° 55' E 80.1 varas.

Thence West 1982.3 varas to the SE corner of section No. 18.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 277 day of June, 1937. This

Orig. in Bk.UT, Vol.11,p 213,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty ed ed 7

1.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

TT 20 21 B 45

Mag. Declination 11° 13 East. True North is -0° 201 the Field notes of this survey.

Said survey is situated in on the drainage of on the drainage of about 16 miles N 4°W of Ozona, the County Site.

· ·· A

SECTION No. 20

CROCKETT

County BLOCK No. 45

FIELD NOTES of a survey of

ACRES of land made for THE 675.3

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Devil's River,

Beginning at a concrete monument set in a prairie for the SE corner of section No. 19, this Block, for the SW corner of this section No. 20, its brass plate in top having been stamped as is represented in the figure above, from which twin windmills near an old ranch house bear \$ 66° 41' W and \$ 68° 28' W about 600 varas; a 5-inch mesquite marked "X" and a 4-inch double mesquite marked "F" bear respectively \$ 29° 32' E 38.0 varas and \$ 3° 55' E 80.1 varas.

Thence North 1958.3 varas to the common corner of this section and sections Nos. 11, 12, and 19.

Thence East 1946.8 varas to the SW corner of section No. 1 and the NW corner of section No. 12, Block 42, University Land.

Thence South 1958.3 varas to the SW corner of said section No. 12 and the NW corner of section No. 13, Block 42.

Thence West 1946.8 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 278
This 2nd day of June, 1937.

Orig. in Bk.UT, Vol.11, p 214, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty v; ed ed 7

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 21 CROCKETT County | BLOCK No.

19 20 22 21 B 45

FIELD NOTES of a survey of ACRES of land made for THE 675.3 UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 10' East. Mag. Declination True North is 00-201 the Field notes of this survey. Said survey is situated in on the drainage of about 15 miles N 4 W of Ozona, the County Site.

to the right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Devil's River,

Beginning at the SE corner of section No. 20, this Block, being the SW corner of section No. 12 and the NW corner of section No. 13, Block 42, University Land.

Thence West 1946.8 varas to the concrete monument set in a prairie for the SE corner of section No. 19, this Block, its brass plate in top having been stamped as is represented in the figure above, from which twin windmills near an old ranch house bear S 66° 41' W and S 68° 28' W about 600 varas; a 5-inch mesquite marked "X" and a 4-inch double mesquite marked "F" bear respectively S 29° 32' E 38.0 varas and S 3° 55' E 80.1 varas.

Thence South --- at 20.8 varas set a 60d hub nail in a small rock mound --- at 94 varas cross an East-West road --- at 116.5 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires and a single telephone line above the net --- at 278 varas cross an East-West abandoned road --- at 600 varas pass about 100 varas East of the East edge of a large dry lake --- at 664 varas cross a road running NW and SE --- at 1185.1 varas cross a 36-inch net wire fence having 3 barbed wires above the net, coursing NW and SE --- at 1400.0 varas set another 60d hub nail in a small rock mound --- at 1958.3 varas point for the SW corner of this section No. 21.

Thence East 1946.8 varas to the West common corner of sections Nos. 13 and 24, Block 42, University Land.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 15, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 279 day of June, 1937. This

2nd

Orig. in Bk.UT, Vol.11,p 215,G.L.O.

Special Surveyor of University Lands

Licensed Land Surveyor of Texas, and

ed ed

n.

ty

N;

For Plat see General Sketch in The State of Texas SECTION No. 22

U T CROCKETT County BLOCK No. 45

19 20 FIELD NOTES of a survey of 687.6 ACRES of land made for THE

ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an
ACT approved March 29, 1929.

Mag. Declination 11° 12! East.

B

True North is 0° 201 30" to the the Field notes of this survey.

45

right

of the North point used in

Said survey is situated in on the drainage of Johnson

CROCKETT

County, Texas,

Creek, a tributary of Devil's River,

about 15 miles N 8°W of Ozona, the County Site.

Beginning at a concrete monument set in a prairie for the SE corner of section No. 19, being the NW corner of section No. 21, its brass plate in top having been stamped as is represented in the figure above, from which twin windmills near an old ranch house bear S 66° 41' W and S 68° 28' W about 600 varas; a 5-inch mesquite marked "X" and a 4-inch double mesquite marked "F" bear respectively S 29° 32' E 38.0 varas and S 3° 55' E 80.1 varas.

Thence South --- at 20.8 varas pass a 60d hub nail in a small rock mound --- at 94 varas cross an East-West road --- at 116.5 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net and a single telephone line also above the net --- at 278 varas cross an East-West abandoned road --- at 600 varas pass about 100 varas East of the East edge of a large dry lake --- at 664 varas cross a road running NW and SE --- at 1185.1 varas cross a 36-inch net wire fence having 3 barbed wires above the net, coursing NW and SE --- at 1400.0 varas pass another 60d hub nail in a small rock mound --- at 1958.3 varas strike the SW cormer of said section No. 21.

Thence West 1982.3 varas to a point for the SW corner of this section No. 22.

Thence North 1958.3 varas to the SE corner of section No. 18 and the SW corner of section No. 19.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker Chainmen.

Jim Howard King
Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 280

This 2nd day of June, 1937.

Orig. in Bk.UT, Vol.11,p 216,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Jes

n.

ity

w;

ed ed

17

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas U 18 17 24 23 B 45

CROCKETT

County

SECTION No. 23

BLOCK No.

in Tike

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East. True North is 0°-21

the Field notes of this survey.

Said survey is situated in on the drainage of Johnson about 15 miles N 12°W of Ozona, the County Site.

to the right of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Devil's River,

Beginning at the common corner of sections Nos. 18, 19, and 22, this Block, for the NE corner of this section No. 23.

Thence West 1982.3 varas to the concrete monument set for the SE corner of section No. 17, situated on the SE side of a wide shallow drain running SW, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears S 2° 41' W about 500 varas; a double mesquite marked "X", an 8-inch mesquite marked "X", an 8-inch mesquite marked "X", an 8-inch mesquite marked "F", and a 5-inch mesquite marked "T" bear respectively S 41° 43' W 81.7 varas, N 85° 34' W 110.7 varas, and N 7° 20' E 17.5 varas.

Thence South --- at 4.2 varas set a 60d hub nail in a small rock mound --- at 581.2 varas pass through a 36-inch net wire fence running NW and SE --- at 618 varas point 29.1 varas East of a windmill and 35 varas West of a dirt reservoir --- at 1200.0 varas set another 60d hub nail in a small rock mound --- at 1246 varas cross a road running NE and SW --- at 1762 varas cross the same road running NW and SE --- at 1958.3 varas point for the SW corner of this section No. 23.

Thence East 1982.3 varas to the SW corner of section No. 22.

Thence North 1958.3 varas to the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 281

day of June, 1937. This

Orig. in Bk.UT.Vol. 11,p 217,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ity w; ed 17

n.

218

Vol. 12, G.L.O.; and in Vol.G-2, The State of Texas U 18 17 24 23 B 45

CROCKETT

County

SECTION No. 24

BLOCK No. 45 FIELD NOTES of a survey of

· · · · hhar 687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Clination 11° 16' East.
True North is 0° 21' 30" Mag. Declination the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of Johnson about 16 miles N 16°W of Ozona, the County Site.

CROCKETT

County, Texas,

Creek, a tributary of Devil's River,

Beginning at a concrete monument set on the SE side of a wide shallow drain running SW for the SE corner of section No. 17, being the NW corner of section No. 23, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a wind-mill bears S 2° 41' W about 500 varas; a double mesquite marked "X", an 8-inch mesquite marked "F", and a 5-inch mesquite marked "T" bear respectively S 41° 43' W 81.7 varas, N 85° 34' W 110.7 varas, and N 7° 20' E 17.5 varas.

Thence South --- at 4.2 varas pass a 60d hub nail in a small rock mound --- at 581.2 varas pass through a 36-inch net wire fence running NW and SE --- at 618 varas point 29.1 varas East of a windmill and 35 varas West of a dirt reservoir --- at 1200.0 varas pass another 60d hub nail in a small rock mound --- at 1246 varas cross a road running NE and SW --- at 1762 varas cross the same road running NW and SE --- at 1958.3 varas strike the SW corner of said section No. 23.

Thence West 1982.3 varas to a point for the SW corner of this section No. 24.

Thence North 1958.3 varas to the SE corner of section No. 16 and the SW corner of section No. 17.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 282
This 2nd day of June, 1937.

Orig. in Bk.UT, Vol.11,p 218,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

ity

w;

ed

led

37

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

	•			
	U		T	
	В	0 16	В	
		20 16		
	2	21 25		
	46		45	

11° 16' Mag. Declination East. True North is 00 221 the Field notes of this survey.

Said survey is situated in on the drainage of Howard about 16 miles N 19°W of Ozona, the County Site.

CROCKETT County | BLOCK No. 45

FIELD NOTES of a survey of

ACRES of land made for THE 687.6

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the

right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 24, this Block, for the SE corner of this section No. 25.

Thence North 1958.3 varas to the common corner of sections Nos. 16, 17, 24, and this section No. 25.

Thence West 1982.3 varas to the concrete monument set among thick mesquite trees for the SW corner of said section No. 16, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", a 4-prong mesquite marked "T", and a 10-inch mesquite marked "X" bear respectively S 8° 20! W 17.5 varas, S 74° 10' W 20.4 varas, and S 48° 55' E 16.0 varas.

Thence South --- at 949.3 varas set a 60d hub nail among thick mesquite and other brush --- at 1500 varas cut through very heavy mesquite and black brush --- at 1948.0 varas set another 60d hub nail in a small rock mound --- at 1958.3 varas point for the SW corner of this section No. 25.

Thence East 1982.3 varas to the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 283 day of June, 1937.

Orig. in Bk.UT, Vol.11,p 219,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

ity

w;

ped

led

37

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas Grockett County. U B 46 B 45 26 30

CROCKETT County | BLOCK No.

SECTION No. 26

FIELD NOTES of a survey of

656.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 12' East. Mag. Declination 00 221 True North is the Field notes of this survey. Said survey is situated in on the drainage of

Howard

to the

of the North point used in

right County, Texas,

Creek, a tributary of Pecos River, about 15 miles N 20°W of Ozona, the County Site.

Beginning at the SW corner of section No. 25, this Block, for the NW corner of this section No. 26.

Thence South --- at 387 varas cross a road running NE and SW --- at 792 varas pass about 250 varas East of a windmill and concrete tank --- at 1080 varas cross a road running NW and SE --- at 1191.7 varas set a 60d hub nail in a small rock mound --- at 1836.8 varas cross at about right angles a 36-inch net wire fence having 2 smooth wires above the net, being the North right-of-way fence of Midway Lane --- at 1865.5 varas set a concrete monument among thick mesquites, 14.3 varas North of the road leading East and West in Midway Lane, for the SW corner of this section No. 26, stamped its brass plate in top as is represented in the figure above, from which a 3-inch mesquite marked "X" and a 4-inch mesquite marked "T" bear respectively N 62° 00' E 37.2 varas and N 39° 55' W 24.1 varas.

Thence S 89° 46' 20" E, in Midway Lane, 1982.3 varas to a point for the SE corner of this section No. 26.

Thence North 1873.4 varas to the SW corner of section No. 24 and the SE corner of section No. 25.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker (Chainmen. Jim Howard-King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 284 day of June, 1937.

Orig. in Bk.UT, Vol.11,p 220,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

in.

ity

w;

ped

led

For Plat see General Sketch in U B 28

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 27

County

BLOCK No.

f

E

n

n

FIELD NOTES of a survey of

659.2

, · · · · · · · · · ·

CROCKETT

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

110 101 Mag. Declination East.

True North is 00 211 3011

to the

right of the North point used in

the Field notes of this survey. Said survey is situated in

CROCKETT

County, Texas,

on the drainage of Johnson Creek, a tributary about 15 miles N 17°W of Ozona, the County Site. Creek, a tributary of Devil's River,

Beginning at a point in Midway Lane at the SE corner of section No. 26, this Block, for the SW corner of this section No. 27.

Thence S 89° 46' 20" E in Midway Lane --- at 17.7 varas set a 60d hub nail in a small rock mound --- at 192 varas cross a road running SE and NW --- at 817.7 varas set another 60d hub nail in a small rock mound --- at 1982.5 varas set a concrete monument 7.5 varas North of the graded road down Midway Lane among small mesquites and other brush, stamped its brass plate in top as is represented in the figure above, from which an earth mound containing broken glass bears N 62° 00' E 50.0 varas, a mesquite 15 inches in diameter bears S 9° 58' W 57 varas; a group of catclaws 8 feet high bears N 2° 28' W 82 varas.

Thence North --- at 55.8 varas pass through at about right angles a 36-inch net wire fence having 2 smooth wires above the net, being the North right-of-way fence of Midway Lane --- at 1689.6 varas set a 60d hub nail in a small rock mound --- at 1881.3 varas strike the South common corner of sections Nos. 23 and 24.

Thence West 1982.3 varas to the SE orner of section No. 25 and the NE corner of section No. 26.

Thence South 1873.4 varas to the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 0-1 page 285

day of June, 1937. This 2nd

Orig. in Bk.UT, Vol.11, p 221, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ity w; ced led 57

n.

Vol. 12, G.L.O. and in Vol. C-2, The State of Texas U 45 27 28

SECTION No. 28

County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 10' Mag. Declination East. 00 21 True North is

to the

right

662.0

of the North point used in

the Field notes of this survey. Said survey is situated in

CROCKETT

County, Texas,

Creek, a tributary of Devil's River,

on the drainage of Johnson Creek, a tributary about 14 miles N 13°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 23, 24, and 27, this Block, for the NW corner of this section No. 28.

Thence South --- at 191.7 varas pass a 60d hub nail in a small rock mound --- at 1825.5 varas pass through a 36-inch net wire fence having 2 smooth wires above the net, being the North right-of-way fence of Midway Lane --- at 1881.3 varas strike the concrete monument set in Midway Lane 7.5 varas North of the graded road in same, being placed among small mesquite and other brush, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing broken glass bears N 62° 00' E 50.0 varas; a mesquite 15 inches in diameter bears S 9° 58' W 57 varas; a group of catclaws 8 feet high bears N 2° 28' W 82 varas.

Thence S 89° 46' 20" E --- at 900.0 varas and at 1900.0 varas set 60d hub nails, the second being on the North shoulder of the graded road along Midway Lane --- at 1982.3 varas point in Midway Lane for the SE corner of this section No. 28.

Thence North 1889.2 varas to the SW corner of section No. 22 and the SE corner of section No. 23.

Thence West 1982.3 varas to the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker Jim Howard-King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 286 day of June, 1937.

Orig. in Bk.UT, Vol.11,p 222,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ın.

sity

w:

bed

ded

37

Plat see General Sketch in G.L.O.; and in Vol. G-2, The State of Texas For Plat see General Sketch in 29 30

BLOCK No. 45 CROCKETT County

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 101 True North is 0° 20 7 30" the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of Johnson Creek, a tributary about 14 miles N 8° W of Ozona, the County Site.

CROCKETT

1. 1 ... K

664.8

County, Texas,

Creek, a tributary of Devil's River,

Beginning at a point in Midway Lane, the SE corner of section No. 28, this Block, for the SW corner of this section No. 29.

Thence North 1889.2 varas to the NE corner of said section No. 28, being the SW corner of section No. 22.

Thence East 1982.3 varas to the SW corner of section No. 21.

Thence South --- at 442 varas point in the bed of a wide shallow drain running SE --- at 941.7 varas set a 60d hub nail in a small rock mound --- at 1392 varas point in the bed of a wide shallow drain running SW --- at 1851.2 varas pass through a 36-inch net wire fence having 3 barbed wires above the net, being the North right-of-way fence of Midway Lane --- at 1866 varas center of the East-West graded road in Midway Lane --- at 1897.1 varas set a concrete monument in Midway Lane for the SE corner of this section No. 29, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "T", an 8-inch mesquite marked "T", and another 8-inch mesquite marked "F" bear respectively S 60° 50' E 58.3 varas, S 39° 00' E 41.5 varas, and S 6° 25' E 71.8 varas.

Thence N 89° 46' 20" W, following Midway Lane --- at 385.3 varas cross a wide shallow drain coursing SE --- at 1140.3 varas set a 60d hub nail in a small rock mound on the North edge of a road --- at 1464.3 varas center of graded road --- at 1982.3 varas the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker | Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.0-1 page 287

This 2nd day of June, 1937.

Orig. in Bk.UT, Vol.11,p 223, G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas U T B 29 30

11° 061 Mag. Declination East. .0° 201 True North is the Field notes of this survey.

Said survey is situated in on the drainage of Johnson about 14 miles N 4°W of Czona, the County Site.

CROCKETT County | BLOCK No. 45

FIELD NOTES of a survey of

655.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

to the of the North point used in right

CROCKETT County, Texas, Creek, a tributary of Devil's River,

Beginning at the common corner of sections Nos. 21, 22, and 29.

Thence South --- at 442 varas point in the bed of a wide shallow drain running SE --- at 941.7 varas mass a 60d hub nail in a small rock mound --- at 1392 varas point in the bed of a wide shallow drain running SW at 1392 varas point in the bed of a wide shallow drain running SW --- at 1851.2 varas pass through a 36-inch net wire fence having 3 barbed wires above the net, being the North right-of-way fence of Midway Lane --- at 1866 varas center of the East-West graded road in Midway Lane --- at 1897.1 varas strike the concrete monument set in Midway Lane for the SE corner of section No. 29, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "T", an 8-inch mesquite marked "T", and another 8-inch mesquite marked "F" bear respectively S 60° 50° E 58.3 varas, S 39° 00° E 41.5 varas, and S 6° 25° E 71.8 varas.

Thence S 89° 46' 20" E following Midway Lane --- at 245.8 varas set a 60d hub nail in a small rock mound --- at 1765.0 varas cross from the North side to the South side of a 36-inch net wire fence having 4 barbed wires above the net, being the South right-fo-way fence of Midway Lane --- at 1900.0 varas set a 60d hub nail in a small rock mound, from which a windmill near a concrete tank bears N 21° 01' W 77.0 varas --- at 1946.8 varas point on the South side of Midway Lane, the SE corner of this section No. 30 and the SW corner of section No. 24, Block 42, University Land.

There e North 1904.9 varas to the NW corner of said section No. 24, and the SW corner of section No. 13, Block 42, and the SE corner of section No. 21, this Block.

T hence West 1946.8 varas to the place of beginning.

Surveyed December 18, 1933.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 288

day of June, 1937. This 2nd

Orig. in Bk.UT, Vol.11, p 224, G.L.O.

Vol. 12, G.L.O. i County. The State of Texas

т В 47 В 44 25 21 1 5 В 46 В 45

Mag. Declination 11° 101 East.
True North is 0° 201 30"
the Field notes of this survey.
Said survey is situated in

Said survey is situated in CROCKETT

on the drainage of Howard Creek, a tributary
about 20 miles N 18°W of Ozona, the County Site.

CROCKETT

687.6

County BLOCK No. 46

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

to the right of the North point used in

ACT approved March 29, 1929.

CROCKETT County, Texas,

Creek, a tributary of Pecos River,

Beginning at a concrete monument set in the North edge of an abandoned field for the SW corner of section No. 21, Block 44, being the NW corner of section No. 5, Block 45, University Land, for the NE corner of this section No. 1, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing broken glass and tin cans bears N 82° 17' W 12 varas; a windmill over a well drilled by Parker and Coates in the year 1890 bears N 58° 17' E 238.6 varas.

Thence West 1982.3 varas to a point for the NW corner of this section No. 1.

Thence South 1958.3 varas to a point for the SW corner of this section No. 1.

Thence East 1982.3 varas to the SW corner of section No. 5 and the NW corner of section No. 6, Block 45.

Thence North --- at 214 varas cross the head of a drain running NW --- at 724.1 varas set a mesquite peg in a small rock mound --- at 950 varas enter the South edge of a mesquite covered drain running West --- at 1050 varas point in center of said drain --- at 1150 varas North edge of same drain --- at 1325.8 varas pass a 60d hub nail in a small rock mound --- at 1467 varas cross road running NE and SW --- at 1604 varas cross a very old road (abandoned) running East and West --- at 1958.3 varas the place of beginning.

Surveyed January 17, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 289

This 3rd day of June, 1937.

Orig. in Bk.UT, Vol.11,p 225, G.L.O.

For Plat see General Sketch in The State of Texas U T B 47 3 2 46

SECTION No. 2 County | BLOCK No. 46 CROCKETT

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 07' East.

True North is 0° 231 30" to the right

· .. of.

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 21 miles N 21°W of Ozona, the County Site.

Beginning at the NW corner of section No. 1, this Block.

Thence West 1982.3 varas set a concrete monument about 30 varas SW of the SW side of a mesquite covered drain running SE for the NW corner of this section No. 2, stamped its brass plate in top as is represented in the figure above, from which a 5-inch mesquite marked "X", a catclaw marked "T", and a 6-inch double mesquite marked "F" bear respectively N 40° 22' W 42.6 varas, S 57° 17' E 10.7 varas, and S 7° 15' E 57.2 varas; the center post of a red bumper gate in center of graded road bears S 78° 44' W about 230 varas.

Thence South --- at 65.7 varas pass through at about rightangles a 36-inch net wire fence having 2 barbed wires above the net --- at 84 varas cross an East-West road --- at 1958.3 varas point for the SW corner of this section No. 2.

Thence East 1982.3 varas to the SW corner of section No. 1.

Thence North 1958.3 varas to the place of beginning.

Surveyed January 17, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing survey was made by me in the field and according to law; in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Grockett County in Book UT Vol. C-1page 290

day of June, 1937. 3rd

Orig. in Bk.UT.Vol. 11,p 226,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

U T B 23 24 2

46

11° 05' Mag. Declination East. True North is the Field notes of this survey. Said survey is situated in on the drainage of about 21 miles N 24 W of Ozona, the County Site.

SECTION No. 3

CROCKETT County | BLOCK No. 46

ACRES of land made for THE

FIELD NOTES of a survey of 727.9

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at a concrete monument set about 30 varas SW of the SW side of a mesquite covered drain running SE for the NW corner of section No. 2, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "X", a catclaw marked "T", and a 6-inch double mesquite marked "F", bear respectively N 40° 22' W 42.6 varas, S 57° 17' E 10.7 varas, and S 7° 15' E 57.2 varas; the center post of a red bumper gate in center of graded road bears S 78° 44' W about 230 varas.

Thence South --- at 65.7 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 84 varas cross an East-West road --- at 1958.3 varas strike the SW corner of said section No. 2.

Thence S 84° 31' 14" W 2133.5 varas to a point for the SW corner of this section No. 3.

Thence N 0° 59' 33" E 1946.1 varas to a point for the NW corner of this section No. 3.

Thence N 84° 05' 38" E 2101.3 varas to the place of beginning.

Surveyed January 17, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 291
This 3rd day of June, 1937.

Orig. in Bk.UT, Vol, 11, p 227, G.L.O.

For Plat see General Sketch in The State of Texas

U B 47 21 22 54 B 46

SECTION No. 4

CROCKETT

County | BLOCK No. 46

FIELD NOTES of a survey of

686.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 06' Mag. Declination East.

True North is 0° 241 30" to the

the Field notes of this survey. Said survey is situated in on the drainage of Howard

right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 21 miles N 26°W of Ozona, the County Site.

Beginning at the NW corner of section No. 3, this Block, for the NE corner of this section No. 4.

Thence S 84° 05' 38" W 2014.3 varas set a concrete monument in the edge of thickly mesquite covered drain for the NW corner of this section No. 4, stamped its brass plate in top as is represented in the figure above, from which a mesquite 6 inches in diameter marked "T", an 8-inch mesquite marked "U", and a 7-inch mesquite marked "X" bear respectively \$ 39° 15' W 46.7 varas, \$ 57° 28' W 11.4 varas, and N 41° 14' W 12.6 varas.

Thence S 0° 59' 33" W --- at 100 varas leave mesquite brush, enter scrub cedar --- at 600.0 varas and at 1004.4 varas set 60d hub nails in small rock mounds, the first being on a low cedar covered hill, the latter being among thick scrub cedar --- at 1470 varas cross a drain running SE at the North foot of a low rocky hill --- at 1527.0 varas cross at about right angles a 42-inch net wire fence having 2 barbed wires above the net --- at 1778.0 varas set another 60d hub nail in cedar on a hill --- at 1931.0 varas point for the SW corner of this section No. 4.

Thence N 84° 31' 14" E 2012.5 varas to the SW corner of section No. 3. Thence N 0° 59' 33" E 1946.1 varas to the place of beginning.

Surveyed January 17, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 292

This 3rd

day of June, 1937.

Orig. in Bk.UT, Vol.11,p 228,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

cales

vol. 12, G.L. o.; and in Vol. C-2, The State of Texas

Crockett County. B 47 22 21 54 B 46

SECTION No. 5

CROCKETT

County | BLOCK No. 46

FIELD NOTES of a survey of

650.2

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 10' True North is 0° 25

the Field notes of this survey.

to the right of the North point used in

Said survey is situated in on the drainage of Howard about 22 miles N 29°W of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Pecos River,

Beginning at the NW corner of section No. 4, this Block, being a concrete monument set in the edge of a thickly mesquite covered drain, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite 6 inches in diameter marked "T", an 8-inch mesquite marked "U", and a 7-inch mesquite marked "X" bear respectively S 39° 15' W 46.7 varas, S 57° 28' W 11.4 varas, and N 41° 14' W 12.6 varas.

Thence S 0° 59' 33" W --- at 100 varas leave mesquite brush, enter scrub cedar --- at 600.0 varas and at 1004.4 varas pass 60d hub nails in small rock mounds, the first being on a low cedar covered hill, the latter being among thick scrub cedar --- at 1470 varas cross a drain running SE at the North foot of a low rocky hill --- at 1527.0 varas cross at about right angles a 42-inch net wire fence having 2 barbed wires above the net --- at 1778.0 varas pass another 60d hub nail in cedar on a hill --- at 1931.0 varas strike the SW corner of said section No. 4.

Thence N 89° 00' 27" W 1900.8 varas to a point forthe SW corner of this section No. 5.

Thence N 0° 59' 33" E 1931.0 varas to a point for the NW corner of this section No. 5.

Thence S 89° 00' 27" E --- at 454.2 varas set a 60d hub nail in a small rock mound --- at 690 varas point in the West edge of a large drain running South --- at 1060.9 varas cross at about right angles a 36-inch net wire fence having 2 barbed wires above the net, about 50 varas South of the head of a drain running East --- at 1290.2 varas set another 60d hub nail in a small rock mound about 50 varas South of the same drain running East --- at 1690 varas enter thick mesquites in the same drain --- at 1900.8 varas the place of beginning.

Surveyed January 17, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 293

day of June, 1937. This 3rd

Orig. in Bk.UT, Vol.11,p 229, G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

SECTION No. 6 County | BLOCK No. 46 CROCKETT

U 6 15 14 B 46

FIELD NOTES of a survey of

650.1 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 07' Mag. Declination East. 00 251 True North is

to the right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Howard Creek, a tributary o about 21 miles N 30°W of Ozona, the County Site.

CROCKETT Creek, a tributary of Pecos River,

. . . O.S.

County, Texas,

Beginning at the SW corner of section No. 5, this Block, for the NW corner of this section No. 6.

Thence S 89° 00' 27" E, following the South line of section No. 5, 1900.8 varas to the SW corner of section No. 4.

Thence S0° 59' 33" W --- at 194 varas leave cedar, enter thick Thence S0° 59' 33" W --- at 194 varas leave cedar, enter thick mesquites --- at 919.0 varas set a 60d hub nail in a small rock mound --- at 1318 varas cross a road running NE and SW --- at 1360 varas point in the center of a large wide drain running SW --- at 1807.5 varas set another 60d hub nail in a small rock mound --- at 1930.9 varas set a concrete monument in the gravel bottom of a drain running South, 20 varas North of its junction with a ravine from the NE, being 3.4 varas West of a large walnut clump, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "X", a 6-inch double mesquite marked "F", and another 6-inch mesquite marked "T" bear respectively S 40° 36' W 47.6 varas, N 81° 55' W 37.3 varas, and N 57° 17' E 43.7 varas. varas.

Thence N 89° 00' 27" W --- at 323.8 varas cross a North-South abandoned road --- at 612.8 varas leave thick mesquites --- at 628.8 varas cross a road running NE and SW --- at 1214.6 varas set a 60d hub nail in a small rock mound among thick cedar brush --- at 1900.8 varas point for the SW corner of this section No. 6.

Thence N 0° 59' 33" E 1930.9 varas to the place of beginning.

NOTE: From the SW corner of this section No. 6 an old rock mound with a large triangular stone standing on end in center, identified as the original SW corner of this section No. 6, bears South 106.7 varas and East 101.8 varas.

Surveyed January 17, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 294.

This Lth

day of June, 1937.

Orig. in Bk.UT, Vol.11,p 230,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas County | BLOCK No. 46

6 15 14 B 46

CROCKETT

685.7

right

SECTION No. 7

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 02' Mag. Declination East. 0° 241 30" True North is

to the

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Howard

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 20 miles N 27°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 4, 5, and 6, this Block, for the NW corner of this section No. 7.

Thence S 0° 59' 33" W --- at 194 varas leave cedar, enter thick mesquites --- at 919.0 varas pass a 60d hub nail in a small rock mound --- at 1318 varas cross a road running NE-SW --- at 1360 varas point in the center of a large wide drain running SW --- at 1807.5 varas pass another 60d hub nail in a small rock mound --- at 1930.9 varas strike the concrete monument set for the SE corner of section No. 6, situated in gravel in the bottom of a drain running Senth 20 more. North of the first the contret of the section of a drain running section of the section of a drain running section of the section of the section of a drain running section of the section o South, 20 varas North of its junction with another ravine from the NE, and 3.4 varas West of a large walnut clump, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "X", a 6-inch double mesquite marked "F", and a 6-inch mesquite marked "T" bear respectively S 40° 36' W 47.6 varas, N 81° 55' W 37.3 varas, and N 57° 17' E 43.7 varas.

Thence N 84° 56' 34" E 2010.9 varas to a point for the SE corner of this section No. 7.

Thence N 0° 59' 33" E 1945.7 varas to the SW corner of section No. 3, and the SE corner of section No. 4.

Thence S 84° 31' 14" W 2012.5 varas to the place of beginning.

Surveyed January 17, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT VolC-1 page 295

day of June, 1937. This 4th

Orig. in Bk.UT, Vol.11,p 231,G.L.O.

For Plat see General Sketch in Vol. C-2, The State of Texas

CROCKETT

SECTION No. 8

County | BLOCK No. 46

1. 1. " K"

FIELD NOTES of a survey of

739.5

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 02' Mag. Declination East. 00 24 True North is

13

U

the Field notes of this survey.

Said survey is situated in on the drainage of Howard about 20 miles N 25°W of Ozona, the County Site.

12

46

right to the

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 3, the SE corner of section No. 4, and the NE corner of section No. 7, this Block.

Thence S 0° 59' 33" W 1945.7 varas to the SE corner of said section

Thence N 84° 56' 34" E 2165.9 varas set a concrete monument on the East side of a hill about 125 varas SW of the head of a drain running East for the SE corner of this section No. 8, stamped its brass plate in top as is represented in the figure above, from which a 4-inch mesquite marked "T", a catclaw marked "F", and another catclaw marked "X" bear respectively S 12° 07' E 55.0 varas, N 78° 20' E 57.0 varas, and N 86° 53' E 71.3 varas; a windmill over a well drilled by Coates and Parker in 1890 bears N 45° 56' E about 2 miles; another windmill over a well drilled by J. W. Friend in 1890 bears N 65° 49' E about 1 1/4 miles.

Thence North 1958.3 varas to the South common corner of sections Nos. 2 and 3.

Thence S 84° 31' 14" W 2133.5 varas to the place of beginning.

Surveyed January 17, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 296

day of June, 1937. This 4th

Orig. in Bk.UT, Vol.11,p 232,G.L.O.

For Plat see General Sketch im The State of Texas SECTION No. 9 8 12 13 4.6

County | BLOCK No. 46

CROCKETT

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 041 Mag. Declination East.

0° 231 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 19 miles N 21°W of Ozona, the County Site.

Beginning at a concrete monument set on the East side of a hill about 125 varas SW of the head of a drain running East for the SE corner of section No. 8, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch mesquite marked "T", a catclaw marked "F", and another catclaw marked "X" bear respectively S 12° 07' E 55.0 varas, N 78° 20' E 57.0 varas, and N 86° 53' E 71.3 varas; a windmill over a well drilled by Coates and Parker in 1890 bears N 45° 56' E about 2 miles; another windmill over a well drilled by J. W. Friend in 1890 bears N 65° 49' E about 1 1/4 miles.

Thence East 1982.3 varas to a point for the SE corner of this section No. 9.

Thence North 1958.3 varas to the SW corner of section No. 1 and the SE corner of section No. 2.

Thence West 1982.3 varas to the SE corner of section No. 3 and the NE corner of section No. 8.

Thence South 1958.3 varas to the place of beginning.

Surveyed January 22, 1934.

Robert A. Leidecker Chainmen.
Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Zona, Texas, Crockett County in Book UT Vol. 0-1 page 297

day of June, 1937. This 4th

Orig. in Bk.UT, Vol.11, p 233, G.L.O.

Vol. For Plat see General Sketch in The State of Texas

SECTION No. 10 County | BLOCK No.

U B B 10 11 15 46 45

CROCKETT FIELD NOTES of a survey of 687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

110 111 East. Mag. Declination

True North is 0° 221 30 "to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in

CROCKETT

County, Texas,

on the drainage of Creek, a tributary of Pecos River, Howard about 19 miles N 19°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 1, 2, and 9, this Block, for the NW corner of this section No. 10.

Thence South 1958.3 varas to the SE corner of said section No. 9.

Thence East 1982.3 varas to the concrete monument set in a grass covered prairie sloping South about 150 varas NW of a mesquite covered drain running SW for the SW corner of section No. 6, being the NW corner of section No. 15, Block 45, University and, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite on the horizon bears \$ 50° 44' W; a 6-inch mesquite marked "T", an 8-inch mesquite marked "X", and a 9-inch mesquite marked "F" bear respectively N 65° 53' E 24.6 varas, N 78° 09' E 51.9 varas, and \$ 35° 17' E 37.9 varas.

Thence North --- at 884 varas, at 1181 varas, and at 1234 varas points in the South edge, middle, and North edge respectively of a drain running West --- at 1365.5 varas cross an East-West wire fence --- at 1777.4 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas the SW corner of section No. 5, Block 45, and the SE corner of section No. 1, this Block.

Thence West 1982.3 varas to the place of beginning.

Surveyed January 22, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C=1 page 298

This 4th day of June, 1937.

Orig. in Bk. UT, Vol.11, p 234, G.L.O.

235

SECTION No. 11

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas CROCKETT County | BLOCK No. B B i ok 10 687.6 15 11

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

110 111 Mag. Declination East. True North is 0° 221 30" to the

45

46

varas.

of the North point used in

the Field notes of this survey. Said survey is situated in Howard on the drainage of about 18 miles N 20°W of Ozona, the County Site.

CROCKETT Creek, a tributary of Pecos River,

right

County, Texas,

Beginning at a concrete monument set in a grass covered prairie sloping South about 150 varas NW of a mesquite covered drain running SW for the SW corner of section No. 6, being the NW corner of section No. 15, Block 45, University Land, and the SE corner of section No. 10, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite on the horizon bears S 50° 44' W; a 6-inch mesquite marked "T", an 8-inch mesquite marked "X", and a 9-inch mesquite marked "F" bear respectively N 65° 53! E 24.6 varas, N 78° 09' E 51.9 varas, and S 35° 17' E 37.9

Thence West 1982.3 varas to the SE corner of section No. 9.

Thence South 1958.3 varas to a point for the SW comer of this section No. 11.

Thence East 1982.3 varas to the West common corner of sections Nos. 15 and 16, Block 45.

Thence North --- at 108 varas, at 127 varas, and at 198 varas cross roads running NW and SE, the second being used, the other two abandoned --- at 874 varas cross a drain running SW --- at 1391.7 varas pass a 60d hub nail in a small rock mound --- at 1958.3 varas the place of beginning.

Surveyed January 22, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. G-1page 299 day of June, 1937.

Orig. inBk.UT, Vol.11,p 235, G.L.O.

Lith

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Je

236

Vol. 12. G.L.O.; and in Vol.C-2, The State of Texas 8

13 12

46

SECTION No.12 County | BLOCK No. 16 CROCKETT

FIELD NOTES of a survey of

687.6

. MK

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

East. 11° 07! Mag. Declination True North is

to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

on the drainage of Howard Creek, a tributary about 19 miles N 23°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 9, 10, and 11, this Block.

Thence South 1958.3 varas to the SW corner of said section No. 11.

Thence West 1982.3 varas to a point for the SW corner of this section No. 12.

Thence North --- at 108 varas cross an old abandoned road running NE and SW --- at 379 varas cross a ravine running SW --- at 473 varas cross a road running NE and SW --- at 1958.3 varas strike the concrete monument set on the East side of a hill about 125 varas SW of the head monument set on the East side of a hill about 125 varas SW of the head of a drain running East for the SE corner of section No. 8, being the SW corner of section No. 9, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch mesquite marked "T", a catclaw marked "F", and another catclaw marked "X" bear respectively S 12° 07' E 55.0 varas, N 78° 20' E 57.0 varas, and N 86° 53' E 71.3 varas; a windmill over a well drilled by Coates and Parker in 1890 bears N 45° 56' E about 2 miles; another windmill over a well drilled by J. W. Friend in 1890 bears N 65° 49' E about 1 1/4 miles.

Thence East 1982.3 varas to the place of beginning.

Surveyed January 22, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 300

This Lth

day of June, 1937.

Orig. in Bk.UT, Vol.11,p 236,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas T 8 9 12 13 46

GROCKETT

SECTION No. 13

County | BLOCK No.

FIELD NOTES of a survey of

1. " " R" 751.2

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 00' Mag. Declination East.

True North is 00 241 to the right of the North point used in

the Field notes of this survey. Said survey is situated in Howard on the drainage of

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 19 miles N 26°W of Ozona, the County Site.

Beginning at a concrete monument set on the East side of a hill about leginning at a concrete monument set on the East side of a hill about 125 varas SW of the head of a drain running East for the SE corner of section No. 8, being the SW corner of section No. 9, and the NW corner of section No. 12, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch mesquite marked "T", a catclaw marked "F", and another catclaw marked "X" bear respectively S 12° 07' E 55.0 varas, N 78° 20' E 57.0 varas, and N 86° 53' E 71.3 varas; a windmill over a well drilled by Coates and Parker in 1890 bears N 45° 56' E about 2 miles; another windmill over a well drilled by J. W. Friend in 1890 bears N 65° 49' E about 1 1/4 miles.

Thence S 84° 56' 34" W 2165.9 varas to the SE corner of section No. 7.

Thence S 0° 59' 33" W 1945.6 varas to a point for the SW comer of this section No. 13.

Thence N 85° 21' 31" E 2198.4 varas to the SW corner of section No. 12.

Thence North --- at 108 varas cross an old abandoned road running NE and SW --- at 379 varas cross a ravine running SW --- at 473 varas cross a road running NE and SW --- at 1958.3 varas the place of beginning.

Surveyed January 22, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Grockett County in Book UT Vol. G=1 page 301

day of June, 1937 This Lith

Orig. in Bk.UT, Vol.11,p 237, G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

SECTION No.14 County | BLOCK No. 16

U 6 14 15 B 46

FIELD NOTES of a survey of

686.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

110 021 Mag. Declination East.

0° 24' 30" to the True North is

right

CROCKETT

of the North point used in

the Field notes of this survey. Said survey is situated in

CROCKETT

County, Texas,

on the drainage of Creek, a tributary of Pecos River,

Howard about 20 miles N 29°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 7, 8, and 13, this Block, for the NE corner of this section No. 14.

Thence S 0° 59' 33" W 1945.6 varas to the SW corner of said section No. 13.

Thence S 85° 21' 31" W 2009.4 varas to a point for the SW corner of this section No. 14.

Thence N 0° 59' 33" E --- at 69 varas point in center of a mesquite covered valley running West --- at 436.4 varas set a 60d hub nail in cedar on ridge --- at 969 varas leave cedar brush, enter mesquite and other brush --- at 1067 varas cross a gulley running West, 4 feet deep and 20 feet wide --- at 1440 varas cross a road running NE and SW --- at 1820.7 varas set another 60d hub nail in a small rock mound on a rocky bluff --- at 1859 varas point in the bed of a drain running SW --- at 1919 varas point in the mouth of a drain from the East --- at 1930.9 varas strike the concrete monument set in gravel in the bottom of a drain running South, 20 varas North of its junction with a creek from the NE, and 3.4 varas West of a large walnut clump, said monument being set for the SE corner of section No. 6, this Block, being the SW corner of section No. 7 and the NW corner of this section No. 14, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "X", a 6-inch double mesquite marked "F", and another 6-inch mesquite marked "T" bear respectively S 40° 36! W 47.6 varas, N 81° 55! W 37.3 varas, and N 57° 17' E 43.7 varas.

Thence N 84° 56' 34" E 2010.9 varas to the place of beginning.

Surveyed January 22, 1934.

Robert A. Leidecker Chainmen.

Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 302 day of June, 1937. 4th This

Orig. in Bk.UT, Vol.11, p238, G.L.O.

SECTION No. 15

vol. For Plat see General Sketch in The State of Texas Crockett County.

County | BLOCK No.

U T 6 7 15 14 46 B

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11°10' Mag. Declination East. 0° 25' True North is the Field notes of this survey.

on the drainage of

to the

CROCKETT

650.1

right of the North point used in

Said survey is situated in Howard

CROCKETT County, Texas,

Creek, a tributary of Pecos River,

about 20 miles N 31°W of Ozona, the County Site.

Beginning at a concrete monument set for the SE corner of section No. 6, being the SW corner of section No. 7 and the NW corner of section No. 14, this Block, situated in a gravel bed in the bottom of a drain running South, 20 varas North of its junction with a creek from the NE, and 3.4 varas West of a large clump of walnuts, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "X", a 6-inch double mesquite marked "F", and another 6-inch mesquite marked "T" bear respectively S 40° 36' W 47.6 varas, N 81° 55' W 37.3 varas, and N 57° 17' E 43.7

Thence N 89° 00' 27" W --- at 323.8 varas cross a North-South abandoned road --- at 612.8 varas leave thick mesquites --- at 628.8 varas cross a road running NE and SW --- at 1214.6 varas pass a 60d hub nail in a small rock mound among thick cedar brush --- at 1900.8 varas the SW corner of section No. 6.

Thence S 0° 59' 33" W 1930.9 varas to a point for the SW corner of this section No. 15.

Thence S 89° 00' 27" E 1900.8 varas to the SW corner of section No. 14.

Thence N 0° 59' 33" E --- at 69 varas point in center of a mesquite covered valley running West --- at 436.4 varas pass a 60d hub nail in cedar on ridge --- at 969 varas leave cedar brush, enter mesquite and other brush --- at 1067 varas cross a gulley running West, 4 feet deep and 20 feet wide --- at 1440 varas cross a road running NE and SW --- at 1820.7 varas pass another 60d hub nail in a small rock mound on a rocky bluff --- at 1859 varas point in the bed of a drain running SW --- at 1919 varas point in the mouth of a drain from the East --- at 1930.9 varas the place of beginning.

NOTE: From the SW corner of section No. 6, this Block, which is also the NW corner of this section No. 15, an old rock mound with a large triangular stone standing on end in center, identified as the original NW corner of this section No. 15, bears South 106.7 varas and East 101.8 varas.

Surveyed January 22, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 303 day of June, 1937.

4th This

Orig. in Bk.UT, Vol.11,p 239,G.I.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

SECTION No. 16

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

646.9

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 12' Mag. Declination East.

16 17

25 24

U

B

0° 25' True North is the Field notes of this survey.

46

to the

right

of the North point used in

CROCKETT

County, Texas,

Said survey is situated in

Creek, a tributary of Pecos River,

on the drainage of Howard Creek, a tributary about 19 miles N 33°W of Ozona, the County Site.

Beginning at the SW corner of section No. 15, this Block, for the NW corner of this section No. 16.

Thence S 0° 59' 33" W 1921.3 varas to a point for the SW corner of this section No. 16.

Thence S 89° 00' 27" E --- at 56 varas cross a road running NW and SE --- at 250.6 varas set a 60d hub nail in a small rock mound from which the windmill at the L. D. Brooks Ranch House bears S 25°37' E --- at 530 varas and at 607 varas cross old North-South roads --- at 719.9 varas cross at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 1334.8 varas set a 60d hub nail in a small rock mound on the South edge of a hill --- at 1900.8 varas set a concrete monument in the mesquite covered valley of a prong of Howard Creek for the SE corner of this section No. 16, stamped its brass plate in top as is represented in the figure above, from which a mesquite 4 inches in diameter marked "X" and another 4-inches in diameter marked "X" and another 4-inches in diameter marked "X" and shother 4-in

Thence N 0° 59' 33" E --- at 325 varas point on the South foot of a rocky cedar covered hill --- at 599.1 varas set a 60d hub nail in a small rock mound on top of same hill --- at 1250.0 varas set a 60d hub nail in a small rock mound on top of a hill covered with catclaw and other brush --- at 1921.3 varas strike the SW corner of section No. 14, and the SE corner of section No. 15.

Thence N 89° 00: 27" W 1900.8 varas to the place of beginning.

Surveyed January 22, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT, Vol. C-lpage 304 day of June, 1937.

Orig. in Bk.UT, Vol.11,p 240,G.L.O.

This Lth

Vol. 12, G.L.O.; and in Vol. c-2, he State of Texas Crockett County.

CROCKETT County | BLOCK No. 46

FIELD NOTES of a survey of

683.8 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 07' East.

B

16 17 25 24

00 241 30" True North is to the the Field notes of this survey.

46

right

of the North point used in

Said survey is situated in on the drainage of Howard CROCKETT

County, Texas,

Creek, a tributary of Recos River,

about 19 miles N 30°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 14, 15, and 16, this

Thence N 85° 21' 31" E 2009.4 varas to the SW corner of section No.

Thence S 0° 59' 33" W 1940.3 varas to a point for the SE corner of this section No. 17.

Thence S 85° 53' 51" W 2007.6 varas to the concrete monument set in the mesquite covered valley of a prong of Howard Creek, for the SE corner of section No. 16, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite 4 inches in diameter marked "X" and another 4 inches in diameter marked "T" bear respectively N 56° 41' W 19.2 varas and N 26° 18' E 14.4 varas; the windmill at the Brooks Ranch bears S 88° 52' E 2425 varas; another windmill bears S 66° 21' W.

Thence N 0° 59' 33" E --- at 325 varas point on the South foot of a rocky cedar covered hill --- at 599.1 varas pass a 60d hub nail in a rock mound on top of same hill --- at 1250.0 varas pass a 60d hub nail in a small rock mound on top of a hill covered with catclaw and other brush --- at 1921.3 varas the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 305
This Lth day of June, 1937.

Orig. in Bk.UT, Vol.11,p 241,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas Crockett County.

County | BLOCK No.

CROCKETT

FIELD NOTES of a survey of

761.9

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 00' Mag. Declination East. 0° 241 True North is the Field notes of this survey. Said survey is situated in

18 19

23

B

on the drainage of

22

46

Howard

to the right

of the North point used in

CROCKETT Creek, a tributary of County, Texas,

about 18 miles N 27°W of Ozona, the County Site.

Pecos River,

Beginning at the SE corner of section No. 17, this Block, for the SW corner of this section No. 18.

Thence N 0° 59' 33" E 1940.3 varas to the South common corner of sections Nos. 13 and 14.

Thence N 85° 21' 31" E 2198.4 varas to the SW corner of section No. 12.

Thence South 1958.3 varas set a concrete monument on the West side of a rocky hill covered with cedar, catclaw and other brush for the SE corner of this section No. 18, stamped its brass plate in top as is represented in the figure above, from which a large flat rock about 100 feet in diameter, in which are many "metate" holes, known as "Indian Wells" bears about N 17° E 816 varas; a windmill at the Brooks Ranch bears S 79° 04' W; a 10-inch mesquite marked "T", a 4-prong hackberry marked "X", and a 6-inch mesquite bear respectively N 34° 20' W 17.4 varas, N 23° 40' E 16.5 varas, and S 29° 30' E 44.6 varas.

Thence S 85° 53' 51" W 2230.6 varas to the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

H

F

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Grockett County in Book UT Vol.C-1 page 306 day of June, 1937.

Orig. inBk.UT, Vol.11,p 242,G.L.O.

4th

This

Vol. 12, G. L. O. i End in Vol. C-2, The State of Texas 18 19 23 22

CROCKETT

County | BLOCK No. 46

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 05' Mag. Declination East.

0° 231 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard

46

CROCKETT

13: 11:

County, Texas,

Creek, a tributary of Pecos River,

about 18 miles N 24°W of Ozona, the County Site.

Beginning at a concrete monument set on the West side of a rocky hill covered with cedar, catclaw and other brush for the SE corner of section No. 18, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a large flat rock about 100 feet in diameter, in which are many "metate" holes, known as "Indian Wells" bears about N 17° E 816 varas; a windmill at the Brooks Ranch bears S 79° 04' W; a 10-inch mesquite marked "T", a 4-prong hackberry marked "X", and a 6-inch mesquite bear respectively N 34° 20' W 17.4 varas, N 23° 40' E 16.5 varas, and S 29° 30' E 44.6 varas.

Thence North 1958.3 varas to the SW corner of section No. 12 and the SE corner of section No. 13.

Thence East 1982.3 varas to the SW corner of section No. 11.

Thence South 1958.3 varas to a point for the SE corner of this section No. 19.

Thence West 1982.3 varas to the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

y

d

d

5

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 0-1 page 307 day of June, 1937.

Orig. in Bk.UT, Vol.11, p 243, G.L.O.

4th

f

E

n

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas 1 B 20 16 21 25

SECTION No. 20

CROCKETT County

BLOCK No. 46

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 110 East.

131 0° 221 30" to the True North is

right

of the North point used in

the Field notes of this survey.

46

Said survey is situated in on the drainage of Howard

45

CROCKETT

County, Texas,

Creek, a tributary of Pecos River, about 17 miles N 21°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 11, 12, and 19, this Block.

Thence South 1958.3 varas to the SE corner of said section No. 19.

Thence East 1982.3 varas to the concrete monument set among thick mesquites for the SW corner of section No. 16, being the NW corner of section No. 25, Block 45, University Land, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", a 4-prong mesquite marked "T", and a 10-inch mesquite marked "X" bear respectively S 8° 20' W 17.5 varas, S 74° 10' W 20.4 varas, and S 48° 55' E 16.0 varas.

Thence North --- at 12.3 varas pass a 60d hub nail in a small rock mound --- at 747.1 varas cross at about right angles a 36-inch net wire fence --- at 942.4 varas and at 1400.0 varas pass 60d hub nails in small rock mounds --- at 1958.3 varas strike the SW corner of section No. 15, Block 45, and the SE corner of section No. 11, this Block.

Thence West 1982.3 varas to the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

; d

d

3

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 308 day of June, 1937. This 4th

Orig. in Bk.UT, Vol.11, p 244, G.L.O.

f

E

Vol. 12 G.L.O.; and in Vol.C-2. The State of Texas For Plat see General Sketch in U B 20 21 25 46

· CROCKETT

County

SECTION No. 21

BLOCK No.

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 10: East. True North is 0° 221 30" to the the Field notes of this survey. Said survey is situated in

of the North point used in

CROCKETT

right

County, Texas,

Creek, a tributary of Pecos River,

on the drainage of Howard about 16 miles N 22°W of Ozona, the County Site.

Beginning at a concrete monument set among thick mesquite trees for the SW corner of section No. 16, Block 45, University Land, being the NW corner of section No. 25, same Block, and the SE corner of section No. 20, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", a 4-prong mesquite marked "T", and a 10-inch mesquite marked "X" bear respectively S 8° 20' W 17.5 varas, S 74° 10' W 20.4 varas, and S 48° 55' E 16.0 varas.

Thence South --- at 949.3 varas pass a 60d hub nail among thick mesquite and other brush --- at 1500 varas cut through very heavy mesquite and black brush --- at 1948.0 varas pass another 60d hub nail in a small rock mound --- at 1958.3 varas strike the SW corner of said section No. 25, and the NW corner of section No. 26, Block

Thence West 1982.3 varas to a point for the SW corner of this section No. 21.

Thence North 1958.3 varas to the SE corner of section No. 19.

Thence East 1982.3 varas to the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

ty

7; ed

ed

3

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 309

day of June, 1937. This 4th

Orig. in Bk.UT, Vol.11, p 245, G.L.O.

E

n

5.

For Plat see General Sketch in The State of Texas Vol. 12, G.L.O.; and in Crockett County 18 19 22

CROCKETT

687.6

County | BLOCK No. 46

SECTION No. 22

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 071 East. 00 True North is

* 46

231 30" to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard

CROCKETT Creek, a tributary of County, Texas,

about 17 miles N 29°W of Ozona, the County Site. Pecos River,

Beginning at the common corner of sections Nos. 19, 20, and 21, this Block, for the NE corner of this section No. 22.

Thence South 1958.3 varas to the SW corner of said section No. 21.

Thence West 1982.3 varas to a point for the SW corner of this section No. 22.

Thence North --- at 787 varas and at 1140 varas cross drains, the first running North, the second running NW --- at 1958.3 varas strike the concrete monument set on the West side of a rocky hill covered with cedar, catclaw, and other brush for the SE corner of section No. 18, being the NW corner of this section No. 22, the brass plate in top having been stamped as is represented in the figure above, from which a large flat rock about 100 feet in diameter, in which many "metate" holes appear, known as "Indian Wells" bears about N 17° E 816 varas; a windmill at the Brooks Ranch bears S 79° 04' W; a 10-inch mesquite marked "T", a 4-prong hackberry marked "X", and a 6-inch mesquite bear respectively N 34° 20' W 17.4 varas, N 23° 40' E 16.5 varas, and S 29° 30' E 44.6 varas.

Thence East 1982.3 varas to the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker | Chainmen. Jim Howard King

Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law: that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 150 day of June, 1937. This

Orig. in Bk.UT, Vol.11,p 246,G.L.O.

5th

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty

ed

ed

13

E

n

S.

For Plat see General Sketch in Vol. G-2, The State of Texas Vol. 12, T 18 19 46

CROCKETT

772.5

SECTION No. 23

County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 05' East. 00 241 True North is the Field notes of this survey. Said survey is situated in

on the drainage of

to the right

of the North point used in

County, Texas,

CROCKETT Creek, a tributary of Pecos River,

17 miles N 29°W of Ozona, the County Site. about

Howard

Beginning at the concrete monument set for the SE corner of section No. 18, being the Nw corner of section No. 22, this Block, situated No. 10, being the NW corner of section No. 22, this Block, situated on the West side of a rocky hill covered with cedar, catclaw, and other brush, its brass plate in top having been stamped as is represented in the figure above, from which a large flat rock about 100 feet in diameter, in which are many "metate" holes, known as "Indian Wells", bears about N 17° E 816 varas; a windmill at the Brooks Ranch bears S 79° 04' W; a 10-inch mesquite marked "T", a 4-prong hackberry marked "X", and a 6-inch mesquite bear respectively N 34° 20' W 17.4 varas, N 23° 40' E 16.5 varas, and S 29° 30' E 44.6 varas.

Thence S 85° 53' 51" W 2230.6 varas to the SE corner of section No. 17.

Thence S 0° 59' 33" W 1935.1 varas to a point for the SW corner of this section No. 23.

Thence N 86° 33' 07" E 2262.5 varas to the SW corner of section No.

Thence North --- at 787 varas and at 1140 varas cross drains, the first running north, the second running NW --- at 1958.3 varas the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Zona, Texas, Crockett County in Book UT Vol. C-1 page 311

day of June, 1937. This 5th

Orig. in Bk.UT, Vol.11, p 247, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

tv

ed

ed

13

E

in

n

S.

9.0

r

For Plat see General Sketch in The State of Texas Crockett County. 16 17 25 24

46

SECTION No. 24 CROCKETT County | BLOCK No. 46 · · · · · · · · · · · ·

FIELD NOTES of a survey of

681.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 10° East. True North is 0° 24, 30" the Field notes of this survey.

B

to the right

of the North point used in

Said survey is situated in on the drainage of Howard about 18 miles N 32°W of Ozona, the County Site.

CROCKETT County, Texas, Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 23, this Block, for the SE corner of this section No. 24.

Thence S 86° 33' 07" W 2005.7 waras to a point for the SW corner of this section No. 24.

Thence N 0° 59' 33" E 1912.1 varas to the concrete monument set in the mesquite covered valley of a prong of Howard Creek for the SE corner of section No. 16, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite 4 inches in diameter marked "X" and another 4-inch mesquite marked "T" bear respectively N 56° 41! W 19.2 varas and N 26° 18' E 14.4 varas; the windmill at the Brooks Ranch bears S 88° 52' E 2425 varas; another windmill bears S 66° 21' W.

Thence N 85° 53' 51" E 2007.6 varas to the SE corner of section No. 17 and the SW corner of section No. 18.

Thence S 0° 59' 33" W 1935.1 varas to the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, CrockettCounty in Book UT Vol.C-1 page 312

day of June, 1937. This 5th

Orig. in Bk.UT, Vol.11, p 248, G.LO.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty N; ed ed 23

IE

an

in

s,

r

vol. 12, G.L.O.; and in Vol.G-2, The State of Texas U 16 17 24 25

46

Howard

SECTION No. 25 CROCKETT County BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE 643.8

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11, 11, East. True North is 0° 25' the Field notes of this survey. Said survey is situated in

B

on the drainage of

to the right

of the North point used in

County, Texas,

CROCKETT

Creek, a tributary of Pecos River, about 18 miles N 35°W of Ozona, the County Site.

Beginning at a concrete monument set for the SE corner of section No. 16, being the SW corner of section No. 17 and the NW corner of section No. 24, this Block, situated in the mesquite covered valley of a prong of Howard Creek, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite 4 inches in diameter marked "X" and another 4 inches in diameter marked "T" bear respectively N 56° 41' W 19.2 varas and N 26° 18' E 14.4 varas; the windmill at the Brooks Ranch bears S 88° 52' E 2425 varas; another windmill bears S 66° 21' W.

Thence S 0° 59' 33" W 1912.1 varas to the SW corner of said section No. 24.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 25.

Thence N 0° 59' 33" E 1912.1 varas to the SW corner of section No.

Thence S 89° 00' 27" E --- at 56 varas cross a road running NW and SE --- at 250.6 varas pass a 60d hub nail in a small rock mound from which the windmill at the L. D. Brooks Ranch House bears S 25° 37' E --- at 530 varas and at 607 varas cross old North-South roads --- at 719.9 varas cross at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 1334.8 varas pass a 60d hub nail in a small rock mound on the South edge of a hill --- at 1900.8 varas the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law: that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 313

day of June, 1937. This 5th

Orig. in Bk.UT, Vol.11, p 249, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ity ed led 23

n.

IE

an

in

IS.

3 9

32

h in The State of Texas For Plat see General Sketch B 51 46 B 46

Mag. Declination East. 15" 0° 251 True North is

the Field notes of this survey. Said survey is situated in

on the drainage of Howard about 18 miles N 37°W of Ozona, the County Site.

CROCKETT

County | BLOCK No.

SECTION No. 26

FIELD NOTES of a survey of

568.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the

right

of the North point used in

CROCKETT

County, Texas, Creek, a tributary of Fecos River,

Beginning at the SW corner of section No. 25, this Block, for the NW corner of this section No. 26.

Thence S 89° 00: 27" E 1900.8 varas to the SW corner of section No. 24.

Thence S 0° 59' 33" W 1656.6 varas set a concrete monument in a grass covered valley-surrounded on all sides by cedar hills for the SE corner of this section No. 26, stamped its brass plate in top as is represented in figure No. 1 above, from which a 5-inch mesquite marked "X", a 6-inch mesquite marked "T", and a 10-inch mesquite marked "F" bear respectively S 77° 09' W 34.6 varas, N 20° 01' W 87.0 varas, and S 72° 33' E 137.1 varas.

Thence S 89° 09! 13" W --- at 662.1 varas pass under a double post 3-wire power line --- at 1901.4 varas set another concrete monument for the SW corner of this section No. 26, situated in a low grass covered prairie covered with dense mesquite, cedar, and other brush, stamped its brass plate in top as is represented in figure #2 above, from which a 6-inch mesquite marked "X", an 8-inch mesquite marked "F", and a 7-inch mesquite marked "T" bear respectively S 59° 09' W 13.5 varas, N 52° 51' W 37.2 varas, and N 40° 04' E 43.3 varas.

Thence N 0° 59' 33" E 1717.6 varas to the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol, C-1 page 31/1

day of June, 1937. This 5th

Orig. in Bk. UT, Vol. 11, p 250, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

w; ed led 23

n.

ity

HE

an

in

ıs.

3 :

Br

Vol. For Plat see General Sketch in The State of Texas T B 26 27

Mag. Declination 11° 121 East. 0° 241 30" True North is the Field notes of this survey.

Said survey is situated in on the drainage of Howard Creek, a tributary about 17 miles N 34°W of Ozona, the County Site.

CROCKETT

County | BLOCK No. 46

FIELD NOTES of a survey of

602.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

to the

right

of the North point used in

County, Texas,

CROCKETT Creek, a tributary of Pecos River,

Beginning at a concrete monument set in a grass covered valley surrounded on all sides by cedar covered hills for the SE corner of section No. 26, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "X", a 6-inch mesquite marked "T", and a 10-inch mesquite marked "F" bear respectively S 77° 09' W 34.6 varas, N 20° 01' W 87.0 varas, and S 72° 33' E 137.1 varas.

Thence N 0° 59' 33" E 1656.6 varas to the common corner of sections Nos. 24 and 25 and 26.

Thence N 86° 33' 07" E 2005.7 varas to the SW corner of section No.

Thence S 0° 59' 33" W 1747.7 varas to a point for the SE corner of this section No. 27.

Thence S 89° 09! 13" W --- at 87 varas cross an old a bandoned road running NW and SE --- at 336 varas cross another road running North and South --- at 1675.4 varas cross at about right angles a 48-inch net wire fence about 150 varas South of its junction with the South right-of-way fence of Midway Lane --- at 2000.7 varas the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 315 day of June, 1937. This 5th

Orig. in Bk.UT, Vol.11,p 251,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

n.

ity

w;

ped

led

23

For Plat see General Sketch in 12, G.L.O.; and in Vol.C-2, The State of Texas S 2 VS U MAY 18 1934 WIT NESS

CROCKETT

· · · · · · · / (....

724.1

County | BLOCK No.

SECTION No. 28

of

ΗE

an

in

as.

5 :

Br

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11,101 East. 00 True North is the Field notes of this survey. Said survey is situated in

Howard

on the drainage of

to the

of the North point used in

CROCKETT Creek, a tributary of about 16 miles N 31°W of Ozona, the County Site. Pecos River,

right

County, Texas,

Beginning at the common corner of sections Nos. 23, 24, and 27, this Block, for the NW corner of this section No. 28.

Thence N 86° 33' 07" E 2262.5 varas to the SW corner of section No. 22.

Thence South --- at 1194.7 varas cross a drain running West --- at 1819.8 varas pass through the North right-of-way fence of Midway Lane --- at 1847.7 varas set a concrete monument on the North rim of a low rocky ridge, stamped its brass plate in top as is represented in the figure above, from which a letter "H" cut in a large fixed rock bears \$ 81° 20! E 7.0 varas; a similar letter "H" cut in another fixed rock bears \$ 2° 10! W 38.2 varas; a letter "F" cut in another fixed rock bears \$ 11° 35! W 19.8 varas; a windmill bears N 36° 13! W --- at 1849.7 varas strike an old rock mound commonly known as Indian Well Corner, the original \$E corner of this section No. 28 Corner, the original SE corner of this section No. 28.

Thence S 89° 09' 13" W --- at 944.3 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net, being about the center of a jog in the South right-of-way fence of Midway Lane --- at 1411 varas cross a dim road running NW and SE --- at 1834 varas and at 1925 varas cross and recross a drain --- at 2071 varas and at 2101 varas cross roads --- at 2214 cross a drain running North --- at 2288.9 varas strike the SE corner of section No. 27.

Thence N 0° 59' 33" E 1747.7 varas to the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 3

day of June, 1937. This 5th

Orig. in Bk.UT, Vol.11, p 252, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

led 23

in.

sity

w;

ped

HE

an

in

as,

5:

Br

For Plat see General Sketch in Vol. C-2, The State of Texas 2 vs to U 46 MAY 18 1934 WIT NESS

SECTION No. 29 GROCKETT County | BLOCK No.

FIELD NOTES of a survey of

650.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 091 Mag. Declination East. True North is

-0°23'30" to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Howard about 16 miles N 27°W of Ozona, the County Site.

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at an old stone mound commonly known as Indian Well Corner, the original SE corner of section No. 28 and the original SW corner of this section No. 29.

Thence North --- at 2 varas set a concrete monument on the North rim Thence worth --- at 2 varas set a concrete monument on the North rim of a low rocky ridge, stamped its brass plate in top as is represented in the figure above, from which a letter "H" cut in a large fixed rock bears S 81° 20° H 7.0 varas; a similar letter "H" cut in another fixed rock bears S 2° 10° W 38.2 varas; a letter "F" cut in another fixed rock bears S 11° 35′ W 19.8 varas; a windmill bears N 36° 13′ W --- at 29.9 varas pass through the North right-of-way fence of Midway Lane at 655 varas cross a drain running West --- at 1849.7 varas strike the South common corner of sections Nos. 22 and 23. the South common corner of sections Nos. 22 and 23.

There East 1982.3 varas to the SW corner of section No. 21.

Thence South 1857.6 varas to a point for the SE corner of this section No. 29.

Thence N 89° 46: 20" W --- at 1734.3 varas cross the bed of a drain running North --- at 1982.3 varas the place of beginning.

Surveyed Janaury 23, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 0-1 page 317

day of June, 1937. This 5th

Orig. in Bk.UT, Vol.11, p 253, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

in.

sity

w;

bed

ded

23

HE

in

as.

0

Si

er

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas 46 B 45 26

BLOCK No. CROCKETT County

FIELD NOTES of a survey of

653.7 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 10' Mag. Declination East.

0° 22' 30" to the True North is

right

of the North point used in

the Field notes of this survey. Said survey is situated in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

on the drainage of Howard Creek, a tributary about 15 miles N 24°W of Ozona, the county site.

Beginning at the SE corner of section No. 29, this Block, for the SW corner of this section No. 30.

Thence North 1857.6 varas to the NE corner of said section No. 29, being also the SW and the SE corner respectively of sections Nos. 21 and 22.

Thence East 1982.3 varas to the West common corner of sections Nos. 25 and 26, Block 45, University Land.

Thence South --- at 387 varas cross a road running NE and SW --- at 792 varas pass about 250 varas East of a windmill and concrete tank --- at 1080 varas cross a road running NW and SE --- at 1191.7 varas pass a 60d hub nail in a small rock mound --- at 1836.8 varas cross at about right angles a 36-inch net wire fence having 2 smooth wires above the net, being the North right-of-way fence of Midway Lane --- at 1865.5 varas strike the concrete monument set for the SW corner of said section No. 26, situated in Midway Lane, being 14.3 varas North of the graded road among thick mesquites, its brass plate in top having been stamped as is represented in the figure above, from which a 3-inch mesquite marked "X" and a 4-inch mesquite marked "T" bear respectively N 62° 00' E 37.2 varas and N 39° 55' W 24.1 varas.

Thence N 89° 46: 20" W --- at 1934.3 varas point in the center of a wide drain running North --- at 1982.3 varas the place of beginning.

Surveyed January 23, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 318

day of June, 1937. 5th

Orig. in Bk.UT, Vol.11, p 254, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

an. sity w; bed

ded

23

vol. 12, G.L.O.; and in vol. C-2, The State of Texas B 47 10 9 U T

SECTION No. 1 County | BLOCK No. 47 CROCKETT

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' Mag. Declination East. 00 251 True North is

to the

right of the North point used in

in

as.

8;

er

of

HE

an

the Field notes of this survey.

about

Said survey is situated in on the drainage of Howard

CROCKETT County, Texas,

Creek, a tributary of Pecos River,

26 miles N 23°W of Ozona, the County Site.

645.9

Beginning at a point, the NW corner of section No. 5, Block 46, University Land.

Thence N 0° 59' 33" E 9,788.5 varas to a beginning point, the NW corner of this section No. 1, Block 47.

Thence S 0° 59' 33" W 1918.2 varas to a point for the SW corner of this section No. 1.

Thence S 89° 00' 27' E --- at 105.0 varas set a 60d hub nail in a small rock mound --- at 106.0 varas cross at about right angles a 48-inch net wire fence having 3 barbed wires above the net --- at 1100.1 varas set another 60d hub nail in a small rock mound on the North edge of a drain running East --- at 1900.8 varas set a concrete monument on the SW edge of a drain running SE for the SE corner of this section No. 1, its brass plate in top having been inconsistently stamped as is represented in the figure above, from which a 6-inch mesquite marked "X" and a 5-inch mesquite marked "T" bear respectively S 75° 44' E 57.6 varas and S 46° 56' E 45.5 varas; an earth mound containing broken glass bears S 67° 46' W 50.0 varas.

Thence N 0° 59' 33" E --- at 250 varas point in the NE edge of the drain running SE --- at 754.5 varas set another 60d hub nail in a small rock mound on high mesa covered by mesquite and althorn brush --- at 1250 varas point in the center of a small drain running East --- at 1487 varas cross an oil pipe line running N 72° 30' W - S 72° 30' E --- at 1490.9 varas pass under a 2-wire telepone line running parallel with the pipe line --- at 1500 varas point in the head of a drain running SE --- at 1918.2 varas point for the NE corner of this section No. 1 of this section No. 1.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed February 12, 1934.

Robert A. Leidecker Chainmen.

Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol., C-lpage 319

day of July, 1937. This 22nd

Orig. in Bk.UT, Vol.11, p 255, G.L.O.

an Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

sity

an.

w; bed ded 23

HE

an

as,

0

8;

er

an.

sity

w: bed

ded

23

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas SECTION No. 2 CROCKETT County | BLOCK No. 47 FIELD NOTES of a survey of 1 3 10 9 683.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an U T ACT approved March 29, 1929. 11° 15' Mag. Declination East. True North is 0° 24' 30" to the right of the North point used in the Field notes of this survey. Said survey is situated in rainage of Howard CROCKETT County, Texas, on the drainage of about 26 miles N 21°W of Ozona, the County Site. Pecos River, Beginning at a concrete monument set on the SW side of a drain running

SE for the SE corner of section No. 1, this Block, its brass plate in top having been inconsistently stamped as is represented in the figure above, from which a 6-inch mesquite marked "X" and a 5-inch mesquite marked "T" bear respectively S 75° 44' E 57.6 varas and S 46° 56' E 45.5 varas; an earth mound containing broken glass bears S 67° 46' W 50.0 varas.

Thence N 0° 59' 33" E --- at 250 varas point in the NE edge of the drain running SE --- at 754.5 varas pass a 60d hub nail in a small rock mound on high mesa covered by mesquite and althorn brush --- at 1250 varas point in the center of a small drain running East --- at 1487 varas cross an oil pipe line running N 72° 30' W - S 72° 30' E at 1490.9 varas pass under a 2-wire telephone line running parallel with the pipe line --- at 1500 varas point in the head of a drain running SE --- at 1918.2 varas strike the NE corner of section No. 1.

Thence N 83° 46' 33" E 2015.7 varas to a point for the NE corner of this section No. 2.

Thence S 0° 59' 33" W 1940.5 varas to a point for the SE corner of this section No. 2.

Thence S 84° 24' 22" W 2013.0 varas to the place of beginning.

Febraury 12, 1934. Surveyed

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 320

day of July, 1937. This 22nd

Orig. in Bk.UT, Vol.11,p 256,G.L.O.

HE

an

in

as.

3 3

Br

For Plat see General Sketch in Vol. C-2, The State of Texas Vol. 12, G.L.O.; and in Crockett County. County B 47 3 4 8 7 U T

SECTION No. 3 BLOCK No. 47 County CROCKETT

FIELD NOTES of a survey of

668.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

110 1111 Mag. Declination East. 00 241 True North is the Field notes of this survey. Said survey is situated in

on the drainage of

to the right

of the North point used in

CROCKETT County, Texas,

Creek, a tributary of about 26 miles N 19 W of Ozona, the County Site. Pecos River,

Beginning at the SE corner of section No. 2, this Block.

Howard

Thence N 0° 59' 33" E 1940.5 varas to the NE corner of said section No. 2, being the NW corner of this section No. 3.

Thence N 83° 46' 33" E 1931.7 varas to a point for the NE corner of this section No. 3.

Thence South 1958.3 varas set a concrete monument on a brushless prairie sloping South, being near the NE side of a drain running SE, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "T" bears N 58° 09' W 48.5 varas; a 3-inch mesquite marked "X" bears N 29° 38' E 25.5 varas; a windmill on horizon bears S 64° 00! W.

Thence S 84° 24' 22" W --- at 31.2 varas pass through a North-South 36-inch net wire fence having 2 barbed wires above the net --- at 1963.3 varas the place of beginning.

Surveyed February 12, 1934.

Robert A. Leidecker Chainmen. Jam Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 321 This 22nd day of July, 1937.

Orig. in Bk.UT, Vol.11, p 257, G.L.O.

aun Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ed ed 23

N;

n.

ty

S;

er

sity

aw;

bed

ded

23

vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County. SECTION No.14 CROCKETT County | BLOCK No. 47 B 47 FIELD NOTES of a survey of of 3 687.6 ACRES of land made for THE HE UNIVERSITY OF TEXAS by virtue of an U T an ACT approved March 29, 1929. 11° 13° Mag. Declination East. 0° 231 30" to the True North is of the North point used in right in the Field notes of this survey. Said survey is situated in CROCKETT County, Texas, as, on the drainage of Howard Creek, a tributary of about 25 miles N 17°W of Ozona, the County Site. Pecos River, Beginning at a concrete monument set on a brushless prairie sloping South near the NE side of a drain running SE for the SE corner of section No. 3, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "T" bears N 58° 09' W 48.5 varas; a 3-inch mesquite marked "X" bears N 29° 38' E 25.5 varas; a windmill on horizon bears S 64° 00' W. Thence North 1958.3 varas to the NE corner of said section No. 3, being the N W corner of this section No. 4. Thence East 1982.3 varas to a point for the NE corner of this 6 section No. 4. Thence South 1958.3 varas to a point for the SE corner of this section

Thence West --- at 1129 4 varas set a 60d hub nail in a small rock

mound --- at 1982.3 varas the place of beginning.

Surveyed February 12, 1934.

No. 4.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 3 22
This 22nd day of July, 1937. 22nd

Orig. in Bk.UT, Vol.11,p 258,G.L.O.

vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

B 10 47 44

SECTION No. 5

CROCKETT County | BLOCK No. 47

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 12' Mag. Declination East.

True North is 0° 22' 30" to the the Field notes of this survey.

Said survey is situated in on the drainage of Howard right of the North point used in

CROCKETT County, Texas,

Creek, a tributary of Pecos River, about 25 miles N 14°W of Ozona, the County Site.

Beginning at the SE corner of section No. 4, this Block.

Thence North 1958.3 varas to the NE corner of said section No. 4.

Thence East 1982.3 varas to a point which is the SW corner of section No.25, Block 43, and the NW corner of section No. 1, Block 44, University Land, being the NE corner of this section No. 5.

Thence South 1958.3 varas strike the concrete monument set on high prairie sparsely covered with mesquites for the SW corner of said section No. 1, being the NW corner of section No. 10, Block 44, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite 15 inches in diameter marked "T" bears N 67° 04' E 69.9 varas; a windmill near a ranch house bears N 81°34'E; a mesquite 5 inches in diameter marked "X" bears S 36° 25' E 39.1 varas; another 12 inch mesquite marked "E" bears S 52° 101 W ZL E varas; another 12-inch mesquite marked "F" bears S 52° 40' W 34.5 varas.

Thence West --- at 536 varas pass about 100 varas South of the center of a large dry lake --- at 1535.4 varas set a 60d hub nail in a small rock mound --- at 1982.3 varas the place of beginning.

Surveyed February 12, 1934.

Robert A. Leidecker {Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 323
This 22nd day of July, 1937.

Orig. inBk.UT, Vol.11, p 259, G.L.O.

Vol. 12, G. L.O.; and in Vol. C-2, The State of Texas

U B B 5 1 6 10 47 44

CROCKETT

BLOCK No. 47 County

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

110121 Mag. Declination East.

00 221 30" True North is

the Field notes of this survey. Said survey is situated in

right to the

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

on the drainage of Howard Creek, a tributary about 24 miles N 15°W of Ozona, the County Site.

Beginning at the SW corner of section No. 1, and the NW corner of section No. 10, Block 44, University Land, being also the SE corner of section No. 5, this Block, a concrete monument set on a high prairie sparsely covered with large mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite 15 inches in diameter marked "T" bears N 67° 04' E 69.9 varas; a windmill near a ranch house bears N 81° 34' E; a mesquite 5 inches in diameter marked "X" bears S 36° 25' E 39.1 varas; another 12-inch mesquite marked "F" bears S 52° 40' W 34.5 varas.

Thence West --- at 536 varas pass about 100 varas South of the center of a large dry lake --- at 1535.4 varas pass a 60d hub nail in a small rock mound --- at 1982.3 varas strike the SE corner of section No. 4 and the SW corner of section No. 5, this Block.

Thence South 1958.3 varas to a point for the SW corner of this section No. 6.

Thence East 1982.3 varas to the West common corner of sections Nos. 10 and 11, Block 44, the SE corner of this section No. 6.

Thence North 1958.3 varas to the place of beginning.

Surveyed February 12, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in zona, Texas, Crockett County in Book UT Vol. G-1 page 324

22nd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 260,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

Crockett County. 47 3 8 U T

BLOCK No. 17 CROCKETT County

SECTION No. 7

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

on the drainage of

11° 13' East. is 0° 23' 30" True North is

the Field notes of this survey. Said survey is situated in

Howard

right to the

of the North point used in

CROCKETT County, Texas,

Creek, a tributary of Pecos River, about 24 miles N 17°W of Ozona, the County Site.

Beginning at the SW corner of section No. 6, this Block, for the SE corner of this section No. 7.

Thence North 1958.3 varas to the common corner of this section and sections Nos. 4, 5, and 6.

Thence West --- at 1129.4 varas pass a 60d hub nail in a small rock mound --- at 1982.3 varas strike the concrete monument set for the SE corner of section No. 3, being the SW corner of section No. 4, situated on a brushless prairie sloping South near the NE side of a drain running SE, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "T" bears N 58° 09' W 48.5 varas; a 3-inch mesquite marked "X" bears N 29° 38' E 25.5 varas; a windmill on horizon bears S 64° 00' W.

Thence South 1958.3 varas to the SW corner of this section No. 7.

Thence East 1982.3 varas to the place of beginning.

Surveyed February 12, 1934.

Robert A. Leidecker Jim Hoawrd King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in ozona, Texas, Crockett County in Book UT Vol. C-1 page 325 22nd day of July, 1937.

Orig. in Bk.U.T, Vol.11,p 261,G.L.O.

This

Vol. 12, G.I.O.; and in Vol.C-2, The State of Texas County 47 3 8

BLOCK No. 47 County

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 14' Mag. Declination East.

U

00 241 True North is

T

the Field notes of this survey. Said survey is situated in on the drainage of Howard to the right

684.6

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of about 25 miles N 20°W of Ozona, the County Site.

Pecos River,

Beginning at the common corner of sections Nos. 3, 4, and 7, this Block, which is a concrete monument set on a bruhsless prairie sloping South near the NE side of a drain running SE, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "T" bears N 58° 09' W 48.5 varas; a 3-inch mesquite marked "X" bears N 29° 38' E 25.5 varas; a windmill on horizon bears S 64° 00' W.

Thence South 1958.3 varas to the SW corner of said section No. 7.

Thence S 84° 15' 02" W 1998.1 to a point for the SW corner of this section No. 8.

Thence N 0° 59' 33" E 1967.4 varas to the South common corner of sections Nos. 2 and 3.

Thence N 84° 24! 22" E 1963.3 varas to the place of beginning.

Surveyed February 12, 1934.

Robert A. Leidecker Chainmen.

Jim Howard King

Transitmen Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 326 This

day of July, 1937. Orig. in Bk.UT, Vol.11,p 262,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

47

SECTION No. 9

CROCKETT

County

BLOCK No. 117

FIELD NOTES of a survey of

696.1

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15! East.
True North is 0° 24! 30"

10

9

T

the Field notes of this survey.

U

B

Said survey is situated in on the drainage of Howard about 25 miles N 22°W of Ozona, the County Site.

to the right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 8, this Block.

Thence S 84° 15' 02" W 2013.6 varas to a point for the SW corner of this section No. 9.

Thence N 0° 59' 33" E 1972.9 varas to a concrete monument set for the SE corner of section No. 1, situated on the SW edge of a drain running SE, its brass plate in top having been inconsistently stamped as is represented in the figure above, from which a 6-inch mesquite marked "X" and a 5-inch mesquite marked "T" bear respectively S 75° 44' E 57.6 varas and S 46° 56' E 45.5 varas; an earth mound containing broken glass bears S 67° 46' W 50.0 varas.

Thence N 84° 24' 22" E 2013.0 varas to the South common corner of sections Nos. 2 and 3, and the NW corner of section No. 8.

Thence S 0° 59' 33" W 1967.4 varas to the place of beginning.

Surveyed February 12, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona Texas, Crockett County in Book UT Vol. C-1page 327

day of July, 1937. 22nd

Orig. in Bk.UT, Vol.11,p 263, G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County

SECTION No. 10

CROCKETT

; ... K.

County

BLOCK No.

FIELD NOTES of a survey of

664.3

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination True North is

11° 15'

47

T

East. 00 251

to the

right

of the North point used in

the Field notes of this survey.

U

B

1

10

3

9

Said survey is situated in on the drainage of H oward

CROCKETT

County, Texas,

Creek, a tributary of

Pecos River,

25 miles N 24 W of Ozona, the County Site.

Beginning at a concrete monument set on the SW edge of a drain running SE for the SE corner of section No. 1, this Block, being the SW corner of section No. 2 and the NW corner of section No. 9, its brass plate in top having been inconsistently stamped as is represented in the figure above, from which a 6-inch mesquite marked "X" and a 5-inch mesquite marked "T" bear respectively S 75° 44' E 57.6 varas and S 46° 56' E 45.5 varas; an earth mound containing broken glass bears S 67° 46' W 50.0 varas.

Thence S 0° 59' 33" W 1972.9 varas to the SW corner of said section

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 10.

Thence N 0° 59' 33" E 1972.9 varas to the SW corner of section No. 1.

Thence S 89° 00' 27" E --- at 105.0 varas pass a 60d hub nail in a small rock mound --- at 106.0 varas cross at about right angles a 48inch net wire fence having 3 barbed wires above the net --- at 1100.1 varas pass another 60d hub nail in a small rock mound on the North edge of a drain running East --- at 1900.8 varas the place of beginning.

Surveyed February 12, 1934.

Robert a. Leidecker | Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. G-1page 328

22nd day of July, 1937. This

Orig. IN Bk.UT, Vol.11, p 264, G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

Crockett County.

SECTION No. 11

U 11 12 20 19 B 47

CROCKETT County BLOCK No.

FIELD NOTES of a survey of

664.3 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 15" East. 0° 251 True North is the Field notes of this survey.

Said survey is situated in on the drainage of Howard about 24 miles N 25°W of Ozona, the County Site.

right to the

of the North point used in

CROCKETT Creek, a tributary of

· · · · ·

County, Texas,

Pecos River,

Beginning at the SW corner of section No. 10, this Block, for the NW corner of this section No. 11.

Thence S 0° 59' 33" W 1972.9 varas to a point for the SW corner of this section No. 11.

Thence S 89° 00' 27" E --- at 112.1 varas pass through atabout right angles a 36-inch net wire fence which has two barbed wires above the net --- at 113.0 varas set a 60d hub nail in a small rock mound, from which the Schneeman windmill bears S 45° 22' 27" E --- at 191 varas cross a road running NW and SE --- at 1093 varas point in a wide deep drain running South --- at 1177.1 varas set another 60d hub nail in a small rock mound on top of a hill --- at 1716.9 varas pass through at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1722 varas cross a road running parallel to the fence --- at 1882 varas cross another road running NW-SE --- at 1900.8 varas set a concrete monument on a grass covered point between two mesquite covered drains running SE for the SE corner of this section No. 11, stamped its brass plate in top as is represented in the figure above, from which the SE corner of a corral bears N 44° 56' 33" E about 1 mile; a mesquite 5 inches in diameter marked "X" bears S 68° 32' E 52.9 varas; a steel windmill bears S 50° 01' 27" E about 3/4 mile; a 4-inch mesquite marked "T" and a 5-inch mesquite marked "U" bear respectively S 12° 42' W 12.7 varas and S 59° 19' W 11.2 varas.

Thence N 0° 59' 33" E 1972.9 varas to the SW corner of section No. 9 and the SE corner of section No. 10, for the NE corner of this section No. 11.

Thence N 89° 00'27" W 1900.8 varas to the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol C-1 page 329 day of July, 1937.

Orig. in Bk.UT, Vol.11,p 265,G.L.O.

22nd

This

Vol. 12, G.L.O.; and in Vol. G-2, the State of Texas SECTION No. 12

m 11 12 20 19 B 47

County | BLOCK No. 47 FIELD NOTES of a survey of

697.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

110 Mag. Declination True North is

15 East. 0° 24' 30" to the

right

CROCKETT

174 17

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 24 miles N 23°W of Ozona, the County Site.

Beginning at a concrete monument set on a grass covered point between two mesquite covered drains running SE for the SE corner of section No. 11, this Block, being the SW corner of this section No. 12, its brass plate in top having been stmaped as is represented in the figure above, from which the SE corner a corral bears N hh 56' 33" E about 1 mile; a mesquite 5 inches in diameter marked "X" bears S 68°32' E 52.9 varas; a steel windmill bears S 50° 01' 27" E about 3/4 mile; a 4-inch mesquite marked "T" bears S 12° 42' W 12.7 varas; a 5-inch mesquite marked "U" bears S 59° 19' W 11.2 varas.

Thence N 84° 05' 51" E 2014.3 varas to a point for the SE corner of this section No/ 12.

Thence N 0° 59' 33" E 1967.5 varas to the SW corner of section No. 8 and the SE corner of section No. 9.

Thence S 84° 15' 02" W 2013.6 varas to the SE corner of section No. 10 and the N E corner of section No. 11.

Thence S 0° 59' 33" W 1972.9 varas to the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 330 day of July, 1937. 22nd

Orig. in Bk.UT, Vol.11,p 266,G.L.O.

This

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

15

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas Crockett County. CROCKETT

SECTION No. 13 County | BLOCK No.

FIELD NOTES of a survey of

696.5 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

110 141 Mag. Declination East. True North is 00 241 the Field notes of this survey.

13

18

B

14

17

47

to the right of the North point used in

County, Texas, Creek, a tributary of Pecos River,

Said survey is situated in CROCKETT on the drainage of Howard about 24 miles N 21°W of Ozona, the County Site.

Beginning at the SE corner of section No. 12, this Block.

Thence N 0° 59' 33" E 1967.5 varas to the South common corner of sections Nos. 8 and 9.

Thence N 84° 15' 02" E 1998.1 varas to the SW corner of section No. 7,

Thence South 1958.3 varas set a concrete monument among thick mesquite trees for the SE corner of this section No. 13, stamped its brass plate in top as is represented in the figure above, from which a mesquite marked "X", another marked "T", and a third marked "F", each 5 inches in diameter, bear respectively S 68° 35' E 22.1 varas, S 33° 22' W 24.7 varas, and N 24° 25' E 44.3 varas; an earth mound containing broken glass bears N 54° 55' E 11.2 varas.

Thence S 84° 05' 51" W --- at 61.1 varas pass through at nearly right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 2032.9 varas the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

ed

ed

35

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 331
This 22nd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 267,G.L.O.

IE

an

in

S,

n.

ity N;

ed

ed

35

For Plat see General Sketch in 12, G.LO.; and in Vol. C-2, The State of Texas Vol. 12 County U 13 14 18 17 B 47

SECTION No. 14 CROCKETT County BLOCK No.

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° Mag. Declination 121 East.

0° 231 30" to the True North is the Field notes of this survey. Said survey is situated in

right of the North point used in

CROCKETT County, Texas, Pecos River,

on the drainage of Howard Creek, a tributary of 23 miles N 18°W of Ozona, the County Site.

Beginning at a concrete monument set among thick mesquite trees for the SE corner of section No. 13, for the SW corner of this section No. 14, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite marked "X", another marked "T", and a third marked "F", each 5 inches in diameter, bear respectively S 68° 35' E 22.1 varas, S 33° 22' W 24.7 varas, and N 24° 25' E 14.3 varas; an earth mound containing broken glass bears N 54° 55' E 11.2 varas.

Thence North 1958.3 varas to the NE corner of said section No. 13, being the SW corner of section No. 7, and the SE corner of section

Thence East 1982.3 varas to the SW com er of section No. 6.

Thence South 1958.3 varas to a point for the SE corner of this section No. 14.

Thence West --- at 467.7 varas set a 60d hub nail in a small rock mound --- at 862.7 varas pass under a telephone line running NW-SE --- at 1617.7 varas set another 60d hub nail in a small rock mound --- at 1982.3 varas the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol, C-1 page 332 This 22nd day of July, 1937.

Orig. in Bk.UT, Vol.11, p 268, G.L.O.

Licensed Land Surveyor of Texas, and

Special Surveyor of University Lands

vol. 12. G.L.O.; and in Vol. C-2, The State of Texas U B B 15 11 16 20 47 44

SECTION No. 15 CROCKETT County | BLOCK No. 47

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 10° East. True North is 0° 221 30" the Field notes of this survey.

to the right

of the North point used in

in

as,

-7

of

ΗE

Said survey is situated in on the drainage of about 23 miles N 15 W of Ozona, the County Site. on the drainage of

CROCKETT

County, Texas,

Pecos River,

Beginning at the SE corner of section No. 14, this Block, for the SW corner of this section No. 15.

Thence North 1958.3 varas to the NE corner of said section No. 14, being the South common corner of sections Nos. 6 and 7.

Thence East 1982.3 varas to the SE corner of said section No. 6 and the SW corner of section No. 10, and the NW corner of section No. 11, Block 14, University Land.

Thence South 1958.3 varas to the concrete monument set for the SW corner of said section No. 11, being the NW corner of section No. 20, Block 44, and the SE corner of this section No. 15, set on the SW side of a low round hill sparsely covered with mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "X", all-inch mesquite marked "F", and a 7-inch mesquite marked "T" bear respectively N 9° 34! W 42.7 varas, N 18° 14' E 41.3 varas, and N 55° 00' E 24.1 varas.

Thence West --- at 57.6 varas pass under a 3-wire telephone line running NW and SE --- at 62.0 varas cross a pipe line running parallel with the telephone line --- at 68 varas cross a road --- at 131.1 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 204.8 varas set a 60d hub nail in a small rock mound --- at 642.0 varas cross a drain running South --- at 1084.2 varas set another 60d hub nail in a small rock mound --- at 1982.3 varas the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

ity

w:

ped

led

335

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 333
This 22nd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 269,G.L.O.

+7

of

HE

an

in

as,

re

Vol. 12, G.L.O.; and in Vol. G-2, The State of Texas U B B 15 11 16 20 47 44

SECTION No. 16 CROCKETT County BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

· .. "gk ...

687.6

Mag. Declination 11° 10' East.
True North is 0° 22' 30"

the Field notes of this survey.

to the Said survey is situated in

right of the North point used in

CROCKETT County, Texas, Creek, a tributary of Pecos River,

on the drainage of Howard Creek, a tributary about 22 miles N 16°W of Ozona, the County Site.

Beginning at a concrete monument set on the SW side of a low round hill sparsely covered with mesquite trees for the SW corner of section No. 11, being the NW corner of section No. 20, Block hip, University Land, and the SE corner of section No. 15, this Block, for the NE corner of this section No. 16, the brass plate in top of which monument having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "X", alli-inch mesquite marked "F", and a 7-inch mesquite marked "T" bear respectively N 9° 34' W 42.7 varas, N 18° 14' E 41.3 varas, and N 55° 00' E 24.1 varas.

Thence West --- at 57.6 varas pass under a 3-wire telephone line running NW and SE --- at 62.0 varas cross a pipe line running parallel with the telephone line --- at 68 varas cross a road --- at 131.1 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 204.8 varas pass a 60d hub nail in a small rock mound --- at 642.0 varas cross a drain running South --- at 1084.2 varas pass another 60d hub nail in a small rock mound --- at 1982.3 varas strike the SE corner of section No. 14.

Thence South 1958.3 varas to a point for the SW corner of this section no. 16.

Thence East 1982.3 varas to the West common corner of sections Nos. 20 and 21, Block Ill.

Thence North --- at 209 varas point in bed of a mesquite covered drain running SW --- at 432.3 varas cross at about right angles a 36-inch net wire fence having 2 barbed wires above the net, being about varas East of where it turns North --- at 1050.1 varas pass a 60d hub nail in a small rock mound --- at 1605 varas cross a drain running East --- at 1908.5 varas cross a buried pipe line --- at 1912.5 varas cross under a 3-wire telephone line running parallel to the pipe line --- at 1958.3 varas the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 334

22nd day of July, 1937.

Orig. in Bk.UT.Vol.11,p 270,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

an. sity

w; bed ded

335

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

SECTION No. 17 CROCKETT County | BLOCK No. 47

14 13 18 17 B 47

FIELD NOTES of a survey of

687.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

11° 10' East.
is 0° 23' 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard

CROCKETT

County, Texas,

Creek, a tributary of Pecos River, about 22 miles N 19°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 14, 15, and 16, this Block.

Thence West --- at 467.7 varas pass a 60d hub nail in a small rock mound --- at 862.7 varas pass under a telephone line running NW-SE at 1617.7 varas pass another 60d hub nail in a small rock mound at 1982.3 varas strike the concrete monument set for the SE corner of section No. 13, situated among thick mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite marked "X", another marked "T", and a third marked "F" being, each, 5 inches in diameter, bear respectively S 68° 35' E 22.1 varas, S 33° 22' W 24.7 varas, and N 24° 25' E 44.3 varas; an earth mound containing broken glass bears N 54° 55' E 11.2

Thence South 1958.3 varas to a point for the SW corner of this section No. 17.

Thence East 1982.3 varas to the SW corner of section No. 16.

Thence North 1958.3 varas to the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Jim Howard-King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records inOzona, Texas, Crockett County in Book UT Vol. C-1 page 335
This 22nd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 271,G.L.O.

Vol. 12, G.L.O.; and in Vol. C-2 The State of Texas Crockett County.

SECTION No. 18

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

707.0

right

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11' East. 00 241 True North is

13

18

T

47

14

17

to the

of the North point used in

the Field notes of this survey.

B

TT

CROCKETT

County, Texas,

Said survey is situated in on the drainage of Howard

Creek, a tributary of

Pecos River,

about 23 miles N 21°W of Ozona, the County Site.

Beginning at a concrete monument set among thick mesquite trees for the SE corner of section No. 13, being the NW corner of section No. 17, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite marked "X", another marked "T", and a third marked "F", each being 5 inches in diameter, bear respectively S 68° 35' E 22.1 varas, S 33° 22' W 24.7 varas, and N 24° 25' E 44.3 varas; an earth mound containing broken glass bears N 54° 55' E 11.2 varas.

Thence S 84° 05' 51" W --- at 61.1 varas pass through at nearly right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 2032.9 varas strike the SE corner of section No. 12.

Thence S 0° 59' 33" W 1960.1 varas to a point for the SW comer of this section No. 18.

Thence N 84° 09' 02" E 2066.9 varas to the SW corner of section No. 17.

Thence North 1958.3 varas to the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 336 day of July, 1937.

Orig. in Bk.UT, Vol.11, p 272, G.L.O.

22nd

vol. 12, G.L.O.; and in vol. C-2, The State of Texas Crockett County.

SECTION No. 19 County | BLOCK No.

CROCKETT

FIELD NOTES of a survey of

694.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 12' East.

11

20

12

19

True North is 0° 24' 30" to the

47

right

of the North point used in

the Field notes of this survey.

B

Said survey is situated in on the drainage of Howard

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 23 miles N 24°W of Ozona, the County Site.

Beginning at the SW corner of section No. 18, this Block, for the SE corner of this section No. 19.

Thence N 0° 59' 33" E 1960.1 varas to the South common corner of sections Nos. 12 and 13.

Thence S 84° 05' 51" W 2014.3 varas to the concrete monument set for the SE corner of section No. 11, this Block, situated on a grass covered point between two mesquite covered drains running SE, its brass plate in top having been stamped as is represented in the figure above, from which the SE corner of a corral bears N 44° 56'33"E about 1 mile; a mesquite 5 inches in diameter marked "X" bears S 68° 32' E 52.9 varas; a steel windmill bears S 50° 01' 27" E about 3/4 mile; a 4-inch mesquite marked "T" and a 5-inch mesquite marked "U" bear respectively S 12° 42' W 12.7 varas and S 59° 19' W 11.2

Thence S 0° 59' 33" W --- at 26 varas cross a road running NW and SE --- at 250 varas point in the middle of a mesquite covered drain running SE --- at 1100.0 varas set a 60d hub nail on a high ridge running SE --- at 1100.0 varas set a 60d hub nail on a high ridge in a small rock mound --- at 1478 varas cross an old road running NW and SE --- at 1550 varas pass 21.5 varas West of the West edge of a large rock tank --- at 1628 varas pass 9 varas West of the West side of the Max Schneeman garage --- at 1643 varas cross a road running NW-SE --- at 1665.7 varas pass through at about right angles the North fence of Schneeman's front yard --- at 1683.5 varas Schneeman's front door bears West 4.2 varas --- at 1698.5 varas pass through the South fence of Schneeman's yard --- at 1723.7 varas Schneeman's windmill bears East 23.0 varas --- at 1827.8 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at a 36-inch net wire fence having 2 barbed wires above the net --- at 1837.0 varas cross a concrete water trough --- at 1930 varas cross a 24-inch net wire fence having 2 barbed wires above the net, running NE and SW --- at 1958.3 varas point in the bottom of a rocky drain running SW for the SW corner of this section No. 19.

Thence N 84° 09: 02" E 2014.0 varas to the place of beginning.

Surveyed February 13, 1934.

Robert A. Leidecker Chainmen. Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.c-1 page 337 23rd day of July, 1937. This

Orig. in Bk.UT, Vol.11, p 273, G.I.O.

For Plat see General Sketch in The State of Texas Crockett County.

CROCKETT

SECTION No. 20

County | BLOCK No.

FIELD NOTES of a survey of

659.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 13' Mag. Declination East. 0° 25' True North is

11

20 19

12

47

to the

right of the North point used in

the Field notes of this survey. Said survey is situated in

B

U

CROCKETT

County, Texas,

on the drainage of Howard Creek, a tributary of Pecos River, about 24 miles N 26°W of Ozona, the County Site.

Beginning at a point in the bottom of a rocky drain running SW, the SW corner of section No. 19, this Block, for the SE corner of this section

Thence N 89°00'27"W 1900.8 varas point for the SW corner of this Section No. 20.

Thence N 0° 59' 33" E 1958.3 varas to the SW corner of section No. 11.

Thence S 89°00'27"E --- at 112.1 varas pass through at about right angles a 36-inch net wire fence which has two barbed wires above the net --- at 113.0 varas pass a 60d hub nail in a small rock mound, from which the Schneeman windmill bears S 45°22'27"E --- at 191 varas cross a road running NW and SE --- at 1093 varas point in a wide deep drain running South --- at 1477.1 varas pass another 60d hub nail in a small rock mound on top of a hill --- at 1716.9 varas pass through at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 1722 varas cross a road running parallel to the fence --- at 1882 varas cross another road running NW-SE --- at 1900.8 varas strike the concrete monument set on a grassy point between two mesquite covered drains running SE for the SE corner of section No. 11, being the NE corner of this section No. 20, its brass plate in top having been stamped as is represented in the figure above, from which the SE corner of a corral bears N 44°56'33"E about 1 mile; a mesquite 5 inches in diameter marked "X" bears S 68°32'E 52.9 varas; a steel windmill bears S 50°01'27"E about 3/4 mile; a 4-inch mesquite marked "T" and a 5-inch mesquite marked "U" bear respectively S 12°42'W 12.7 varas and S 59°19'W 11.2 varas.

Thence S 0°59'33" W --- at 26 varas cross a road running NW and SE --- at 250 varas point in the middle of a mesquite covered drain running SE at 1100.0 varas pass on a high ridge a 60d hub nail in a small rock mound --- at 1478 varas cross an old road running NW and SE --- at 1550 varas pass 21.5 varas West of the West edge of a large rock tank --- at 1628 varas pass 9 varas West of the West side of the Max Schneeman garage --- at 1643 varas cross a road running NW-SE --- at 1665.7 varas pass through at about right angles the north fence of Schneeman's front yard at 1683.5 varas Schneeman's front door bears West 4.2 varas --- at 1698.5 varas pass through the South fence of Schneeman's yard --- at 1723.7 varas Schneeman's windmill bears East 23.0 varas --- at 1827.8 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net --- at 1837.0 varas cross a com rete water trough --- at 1930 varas cross a 24-inch net wire fence having 2 barbed wires above the net --- at 1837.0 varas cross a com rete water trough --- at 1930 varas cross a 24-inch net wire fence having 2 barbed wires above the net --- at 1858.3 vares the place of wires above the net, running NE and SW --- at 1958.3 varas the place of beginning.

Surveyed February 14, 1934.

Robert A. Leidecker Jim Howard King N orris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Grockett County in Book UT Volc-1 page 338

This 23rd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 274,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

B 47 21 22 5 4 B 46

CROCKETT

County | BLOCK No.

SECTION No. 21

FIELD NOTES of a survey of

· K 662.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 12' East.

True North is 0° 25

the Field notes of this survey. Said survey is situated in on the drainage of Howard about 23 miles N 27°W of Ozona, the County Site.

to the right of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 20, this Block, for the NW corner of this section No. 21.

Thence S 89° 00' 27" E 1900.8 varas to a point in the bottom of a rocky drain running SW, the SW corner of section No. 19.

Thence S 0° 59' 33" W --- at 865.2 varas set a 60d hub nail in a small rock mound on a high ridge --- at 1292 varas enter thick mesquites --- at 1966.2 varas strike the concrete monument set for the NW corner of section No. 4, Block 46, University Land, situated in the edge of a thickly mesquite covered drain, its brass plate in top having been stamped as is represented in the figure above, from which a mesquite 6 inches in diameter marked "T", an 8-inch mesquite marked "U", and a 7-inch mesquite marked "X" bear respectively S 39° 15' W 46.7 varas, S 57° 28' W 11.4 varas, and N 41° 14' W 12.6 varas.

Thence N 89° 00' 27" W --- at 210.8 varas leave thick mesquites and drain running East --- at 610.6 varas pass a 60d hub nail in a small rock mound 50 varas South of the same drain running East --- at 839.9 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net, about 50 varas South of the head of a drain running East --- at 1210.8 varas point in the West edge of a large drain running South --- at 11/16.6 varas pass another 60d hub nail in a small rock mound --- at 1900.8 varas strike the NW corner of section No. 5, Block 46, the SW corner of this section No. 21.

Thence N 0° 59' 33 " E 1966.2 varas to the place of beginning.

Surveyed February 14, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 339

This 23rd day of July, 1937.

Orig. in Bk.UT, Vol.11, p 275, G.I.O.

For Plat see General Sketch in The State of Texas 2, G.L.O.; and in Vol.C-2, The State of Texas Crockett County

CROCKETT

SECTION No. 22

County | BLOCK No. 47

FIELD NOTES of a survey of

696.1

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 10' East.

21 5 4

B

True North is 0° 24' 30" to the

the Field notes of this survey. Said survey is situated in

on the drainage of Howard about 22 miles N 25°W of Ozona, the County Site.

47

46

right

of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at a concrete monument set in the edge of a drain thickly covered with mesquite for the NW corner of section No. 4, Block 46, University Land, being the SE corner of section No. 21, this Block, the brass plate in top of which monument having been stamped as is

represented in the figure above, from which a mesquite 6 inches im diameter marked "T", another mesquite 8 inches in diameter marked "U", and a 7-inch mesquite marked "X" bear respectively S 39° 15' W 46.7 varas, S 57° 28' W 11.4 varas, and N 41° 14' W 12.6 varas.

Thence N 84° 05' 38" E, following the North line of said section No. 4, Block 46, 2014.3 varas to the NW corner of section No. 3, Block 46, and the SE corner of this section No. 22.

Thence N 0° 59' 33" E 1964.2 varas to the South common corner of sections Nos. 18 and 19.

Thence S 84° 09' 02" W 2014.0 varas to a point in the bottom of a rocky drain, the SW corner of said section No. 19, the SE corner of section No. 20, and the NE corner of section No. 21.

Thence S 0° 59' 33" W --- at 865.2 varas pass a 60d hub nail in a small rock mound on a high ridge --- at 1292 varas enter thick mesquites --- at 1966.2 varas the place of beginning.

Surveyed February 14, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. 21 page 340
This 23rd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 276, G.L.O.

Vol. 12, G.LO.; Vol. C-2, Crocket The State of Texas

SECTION No. 23

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

719.5

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 091 East. True North is 00 24"

23

U

B

B

the Field notes of this survey.

Said survey is situated in on the drainage of Howard Creek, a tributary about 22 miles N 22°W of Ozona, the County Site. on the drainage of

T

24

2

47

46

to the right of the North point used in

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the common corner of sections Nos. 18, 19, and 22, this Block.

Thence S 0° 59' 33" W 1964.2 varas to the North common corner of sections Nos. 3 and 4, Block 46, University Land.

Thence N 84° 05' 38" E 2101.3 varas to the concrete monument set for the NW corner of section No. 2, Block 46, situated about 30 varas SW of the SW side of a mesquite covered drain running SE, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "X", a catclaw marked "T", and a 6-inch double mesquite marked "F" bear respectively N 40° 22! W 42.6 varas, S 57° 17' E 10.7 varas, and S 7° 15' E 57.2 varas; the center post of a red bumper gate in center of graded road bears S 78° 44' W about 230 varas.

Thence North 1958.3 varas to the South common corner of sections Nos. 17 and 18.

Thence S 84° 09' 02" W 2066.9 varas to the place of beginning.

Surveyed February 14, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

{Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 341

day of July, 1937. 23rd

Orig. in Bk.UT, Vol.11, p 277, G.L.O.

Vol. 12, G.I.O.; and in Vol.C-2, The State of Texas

U 47 2 B 46

CROCKETT County

BLOCK No.

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 10' East.

0°-231 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in Howard

CROCKETT

County, Texas,

on the drainage of Creek, a tributary of Pecos River, 21 miles N 20°W of Ozona, the County Site. about

Beginning at the SE corner of section No. 23, this Block, being the North common corner of sections Nos. 2 and 3, Block 46, University Land, a concrete monument situated about 30 varas SW of the SW side Land, a concrete monument situated about 30 varas SW of the SW side of a mesquite covered drain running SE, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "X", a catclaw marked "T", and a 6-inch double mesquite marked "F" bear respectively N 40° 22' W 42.6 varas, S 57° 17' E 10.7 varas, and S 7° 15' E 57.2 varas; the center post of a red bumper gate in center of graded road bears S 78° 44' W about 230 varas.

Thence North 1958.3 varas to the NE corner of said section No. 23 and the South common corner of sections Nos. 17 and 18.

Thence East 1982.3 varas to the SW cormer of section No. 16.

Thence South 1958.3 varas to the North common corner of sections Nos. 1 and 2, Block 46.

Thence West 1982.3 varas to the place of beginning.

Surveyed February 14, 1934.

Robert A. Leidecker Jim Howard King

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 342

23rd day of July, 1937.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol.11, p 278, G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

T B 47 B 44 25 21 5 B 46 B 45

SECTION No. 25

CROCKETT

County BLOCK No.

FIELD NOTES of a survey of

687.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 101 East.

True North is 0° 22' 30" to the

the Field notes of this survey. Said survey is situated in right of the North point used in

CROCKETT

County, Texas,

on the drainage of Howard Creek, a tributary of Pecos River, about 21 miles N 17°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 16, 17, and 24, this Block, for the NW corner of this section No. 25.

Thence South 1958.3 varas to the North common corner of sections Nos. 1 and 2, Block 46, University Land.

Thence East 1982.3 varas to the concrete monument set for the SW corner of section No. 21, Block 44, being the NW corner of section No. 5, Block 45, University Land, and the NE corner of section No. 1, Block 46, said monument being situated in the North edge of an abandoned field, its brass plate in top having been stamped as is represented in the figure above, from which an earth monument containing broken glass and tin cans bears N 82° 17' W 12 varas; a windmill over a well drilled by Parker and Coates in the year 1890 bears N 58° 17' E 238.6

Thence North --- at 30.5 varas pass through at about right angles a 24-inch net wire fence having 3 barbed wires above the net --- at 516.8 varas pass a 60d hub nail in a small rock mound on top of a ridge extending West --- at 1123.1 varas pass under a telephone line running NE-SW --- at 1566.5 varas pass a 60d hub nail in an East-West brush-cut-out line, from which a 60d hub nail in said brush line bears N 89° 33' 40" W 222.1 varas --- at 1958.3 varas strike the SE corner of section No. 16, this Block, and the SW corner of section No. 20, Block W.

Thence West 1982.3 varas to the place of beginning.

Surveyed February 14, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 343

This 23rd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 279, G.L.O.

For Plat see General Sketch in The State of Texas 2, G.L.O.; and in back of The State of Texas Vol. Reagan County. B 48 B 43

SECTION No. 1

REAGAN

County BLOCK No. 48

FIELD NOTES of a survey of

665.9

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

110 Mag. Declination 301 East.

True North is 0° 22' 30" to the

the Field notes of this survey.

Said survey is situated in on the drainage of Tepes

right

of the North point used in

REAGAN

County, Texas,

about 10 miles S 65°E of Big Lake, the County Site.

Beginning at a concrete monument set for the NW corner of section No. 5, Block 43, University Land, situated in a low flat grass covered drain running NE, being 87 varas North of an East-West fence and about 300 varas South of the Santa Fe Railroad, its brass plate in top having been starmed as its represented in the firms shows from which there we have stamped as is represented in the figure above, from which three 6-inch mesquites, one marked "Y", another marked "X", and a third marked "F" bear respectively N 41° 57' E 48.5 varas, S 61° 39' E 31.8 varas, and S 29° 44' E 44.2 varas; a steel windmill bears N 43° 06' W about 400 varas.

Thence South 1897.1 varas to the SW corner of said section No. 5 and the NW corner of section No. 6, Block 43.

Thence West 1982.3 varas to a point for the SW cormer of this section

Thence North 1895.9 varas to a point for the NW corner of this section No. 1.

Thence N 89° 57' 58" E 1982.3 varas to the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2page 71

23rd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 280,G.L.O.

G.L.O.; and in back of the State of Texas For Plat see General Sketch in 3 2 B 48 U T

REAGAN County | BLOCK No. 48

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 30' -0° 231 True North is

to the right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of miles S 64°E of Big Lake, the County Site. Tepee about 9

REAGAN

665.5

County, Texas, Middle Concho River,

Beginning at the NW corner of section No. 1, this Block, for the NE corner of this section No. 2.

Thence S 89° 57' 58" W 1982.3 varas set a concrete monument on the NW side of a drain running NE, being 151.0 varas North of an East-West fence, stamped its brass plate in top as is represented in the figure above, from which a 5-inch mesquite marked "T", a 12-inch mesquite marked "X", and a 6-inch mesquite marked "Y" bear respectively N 46° 16' E 17.0 varas, S 54° 13' E 59.4 varas, and S 23° 38' E 54.8 varas; an earth mound containing broken glass bears N 26° 01' W 60.2

Thence South 1894.8 varas to a point for the SW corner of this section

Thence East 1982.3 varas to the SW corner of section No. 1.

Thence North 1895.9 varas to the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 72

23rd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 281,G.L.O.

For Plat see General Sketch in Vol.12, G.L.O.; and in back of thi The State of Texas Vol. R-2. Reagan County. 3 48 B U T

SECTION No. 3

REAGAN County BLOCK No. 48

FIELD NOTES of a survey of

ACRES of land made for THE 604.2

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

11° 28' East. s 0° 23' 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in Tepee on the drainage of 8 miles S 60°E of Big Lake, the County Site.

REAGAN

Middle Concho River,

Beginning at the concrete monument set on the NW side of a drain running NE 151.0 varas North of an East-West fence for the NW corner of section No. 2, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "T", a 12-inch mesquite marked "X", and a 6-inch mesquite marked "Y" bear respectively N 46° 16' E 17.0 varas, S 54° 13' E 59.4 varas, and S 23° 38' E 54.8 varas; an earth mound containing broken glass bears N 26° 01' W 60.2 varas.

Thence South 1894.8 varas to the SW corner of said section No. 2.

Thence S 87° 49' 00" W 1787.5 varas to a point for the SW corner of this section No. 3.

Thence N 0° 59' 33" E 1962.2 varas to a point for the NW corner of this section No. 3.

Thence N 89° 57' 58" E --- at 6.2 varas a rock mound bears South 1.3 varas --- at 312 varas cross a road running North and South --- at 321.2 varas pass under a North-South telephone line 130.9 varas North of the junction of a fence from the South with an East-West fence --- at 627 varas and at 820 varas cross roads, each running NW and SE --- at 1752.2 varas the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker | Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT VolR-2 page 73

23rd day of July, 1937.

Orig. in Bk.UT, Vol.11,p 282,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in back of 5 B 48 T

The State of Texas

SECTION No. 4

REAGAN

County | BLOCK No. 48

FIELD NOTES of a survey of

708.3

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 East.

True North is 00 241

to the right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of

REAGAN

County, Texas,

the basin of Greek, actributary of Big Lake,

7 miles S 56°E of Big Lake, the County Site.

Beginning at the NW corner of section No. 3, this Block.

Thence S 0° 59; 33" W 1962.2 varas to the SW corner of same for the SE corner of this section No. 4.

Thence S 87° 49' 00" W 2002.8 varas to a point for the SW corner of this section No. 4.

Thence N 0° 59' 33" E 2037.3 varas set a concrete monument about 100 varas South of the center of a large dry lake, 15 varas South of a very old East-West road and 109.6 varas North of an East-West fence for the NW corner of this section No. 4, stamped its brass plate in top as is represented in the figure above, from which an earth mound containing broken glass bears N 48° 24' E 42.5 varas; a 7-inch mesquite marked "T" bears N 55° 51' E 139.4 varas; a windmill near a red tank bears S 65° 07' E about 600 varas.

Thence N 89° 57' 58" E --- at 277 varas pass over the North edge of a conspicuous earth mound 4 varas in diameter, being on the East edge of the dry lake --- at 417 varas cross a road running NE-SW --- at 986 varas cross a very old read also running NE and SW --- at 2000.0 varas the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Tex., Reagen County in Book UT Vol.R-2 page 71. This 23rd day of July, 1937.

Orig. in Bk.UT, Vol.11, p 283, G.L.O.

For Plat see General Sketch in The State of Texas G.I.O.: and in back of Vol. R-2, Reagan County. 5 B 48 U T

SECTION No. 5 REAGAN County | BLOCK No. 48

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 211 East.

0° 24' 30" to the True North is

right

of the North point used in

the Field notes of this survey. Said survey is situated in

REAGAN

680.3

County, Texas,

on the drainage of miles S 51°E of Big Lake, the County Site. Greek, a tributary of Big Lake,

Beginning at a concrete monument set about 100 varas South of the center of a large dry lake and 15 varas South of a very old East-West road and 109.6 varas North of an East-West fence, same being the NW corner of section No. 4, this Block, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing broken glass bears N 48° 24' E 42.5 varas; a 7-inch mesquite marked "T" bears N 55° 51' E 139.4 varas; a windmill near a red tank bears S 65° 07' E about 600 varas.

Thence S 0° 59' 33" W 2037.3 varas to the SW corner of said section

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 5.

Thence N 0° 59' 33" E 2003.3 varas to a point for the NW corner of this section No. 5.

Thence N 89° 57' 58" E --- at 404.8 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net, from which point of crossing the NE corner of a pasture bears North 40 varas and the NW corner of another pasture bears South 91 varas --- at 525 varas cross a road running NW and SE --- at 1400 varas point in the West edge of a large dry lake --- at 1901.1 varas the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

{Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol. R-2 page 75.

This 26th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 284, G.L.O.

For Plat see General Sketch in 12, G.I.O.; and in back of Vol. R-2. Reagan County. Vol. 15 14

SECTION No. 6

REAGAN

County | BLOCK No. 48

FIELD NOTES of a survey of

666.1

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 19' East.

True North is 0° 24, 30" to the

48

right

of the North point used in

the Field notes of this survey.

B

Said survey is situated in on the drainage of the basin of

REAGAN Creek, a tributary of Big Lake,

County, Texas,

about 7 miles S 45°E of Big Lake, the County Site.

Beginning at the SW corner of section No. 5, this Block, for the NW corner of this section No. 6.

Thence S 0° 59' 33" W 1978.4 varas to a point for the SW corner of this section No. 6.

Thence S 89° 00' 27" E --- at 327.0 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net, from which point its intersection with an East-West fence bears North 86 varas --- at 350 varas cross a road running North and South --- at 1000 varas point in center of a thick mott of mesquites --- at 1900.8 varas set a concrete monument in a smooth flat thickly covered with grass and mesquite trees for the SE corner of this section No. 6, stemped its brass plate in top as is represented in the figure above. stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "F", another 6-inch mesquite marked "X", a double mesquite marked "X", and a 4-inch mesquite marked "T" bear respectively S 76° 53' W 49.9 varas, N 14° 08' W 103.8 varas, N 15° 08' E 77.0 varas, and S 85° 41' E 27.8 varas.

Thence N 0° 59! 33" E 1978.4 varas to the South common corner of sections Nos. 4 and 5.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2 page 76
This 26th day of July, 1937.

Orig. in Bk.UT, Vol.11,p 285, G.L.O.

For Plat see General Sketch in 12, G.I.O.; and in back of The State of Texas Vol. County. 6 15 14 B 48

SECTION No. 7

REAGAN County BLOCK No. 48

FIELD NOTES of a survey of

694.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 21' East.

True North is

to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Tepee

REAGAN

County, Texas,

Creek, a tributary of Middle Concho River, miles S 50°E of Big Lake, the County Site.

Beginning at the common corner of sections Nos. 4, 5, and 6, this

Thence S 0° 59' 33" W 1978.4 varas to the concrete monument set in a Thence S 0 59 55 W 1970.4 varas to the concrete monument set in a flat thickly covered with grass and mesquite trees for the SE corner of said section No. 6, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", another 6-inch mesquite marked "X", a double mesquite marked "X", and a 4-inch mesquite marked "T" bear respectively S 76° 53' W 49.9 varas, N 14° 08' W 103.8 varas, N 15° 08' E 77.0 varas, and S 85° 41' E 27.8 varas.

Thence N 86° 47' 37" E 2005.0 varas to a point for the SE corner of this

Thence N 0° 59' 33" E 1942.5 varas to the SW corner of section No. 3, and the SE corner of section No. 4.

Thence S 87° 49' 00" W 2002.8 varas to the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2, page
This 26th day of July, 1937.

Orig. in Bk.UT, Vol.11,p 286, G.L.O.

For Plat see General Sketch in The State of Texas Vol. R-2, Reagan County. Vol. B 48 8 9 13 12 U T

SECTION No. 8

REAGAN

BLOCK No. 48 County

FIELD NOTES of a survey of

614.7

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 110 241 East.

0° 23' 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Tepee about 8

REAGAN

County, Texas,

Creek, a tributary of Middle Concho River,

miles S 54°E of Big Lake, the County Site.

Beginning at the common corner of sections Nos. 3, 4, and 7, this Block, for the NW corner of this section No. 8.

Thence S 0° 59' 33" W 1942.5 varas to the SE corner of said section No. 7.

Thence N 86° 47' 37" E 1822.8 varas set a concrete monument for the SE corner of this section No. 8, being about 150 varas NE of a drain running SE, 50 varas North of an East-West road, and 76.1 varas South of an East-West 36-inch net wire fence, stamped its brass plate in top as is represented in the figure above, from which a 13-inch mesquite marked "F", an 8-inch mesquite marked "T", and a 6-inch mesquite marked "X" bear respectively S 66° 39' W 34.6 varas, N 75° 30' W 100.8 varas, and N 70° 49' W 108.5 varas; the windmill at the Ferguson Ranch bears N 80° 18' E about 600 varas.

Thence North 1908.4 varas to the South common corner of sections Nos. 2 and 3.

Thence S 87° 49' 00" W 1787.5 varas to the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2 page 78
This 26th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 287, G.I.O.

G.L.O.; and in back of The State of Texas For Plat see General Sketch in B 78 8 9 13 12 U T

SECTION No. 9

REAGAN

1 1.00 O.k.

County BLOCK No.

FIELD NOTES of a survey of

670.1

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 241 East. 00 231 True North is

to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of

REAGAN

County, Texas,

age of Tepee Creek, a tributary of Middle Concho River, miles S 59°E of Big Lake, the County Site.

Beginning at a concrete monument set for the SE corner of section No. 8, this Block, situated about 150 varas NE of a drain running SE, 50 varas North of an East-West road, and 76.1 varas South of an East-West 36-inch net wire fence, its brass plate in top having been stamped as is represented in the figure above, from which a 13-inch mesquite marked "F", an 8-inch mesquite marked "T", and a 6-inch mesquite marked "X" bear respectively S 66° 39' W 34.6 varas, N 75° 30' W 100.8 varas, and N 70° 49' W 108.5 varas; the windmill at the Ferguson Ranch bears N 80° 18' E about 600 varas.

Thence East 1982.3 varas to a point for the SE corner of this section No. 9.

Thence North 1908.4 varas to the SW corner of section No. 1 and the SE corner of section No. 2.

Thence West 1982.3 varas to the SE corner of section No. 3 and the NE corner of section No. 8.

Thence South 1908.4 varas to the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagen County in Book UT Vol.R-2 page 79
This 26th day of July, 1937.

Orig. in Bk.UT, Vol.11,p 288,G.L.O.

Vol. G.L.O.; and in back of The State of Texas For Plat see General Sketch in B 48 10 6 11 15 B 43 U T

REAGAN

SECTION No. 10

County

BLOCK No.

FIELD NOTES of a survey of

670.1

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 19' East.

0° 221 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

REAGAN

County, Texas,

Creek, a tributary of Middle Concho River,

on the drainage of Tepee Creek, a tributary of about 10 miles S 61°E of Big Lake, the County Site.

Beginning at the SW corner of section No. 1, the SE corner of section No. 2, and the NE corner of section No. 9, this Block, for the NW corner of this section No. 10.

Thence East 1982.3 varas to the SE corner of said section No. 1, being the SW corner of section No. 5 and the NW corner of section No. 6, Block 43, University Land.

Thence South --- at 485 varas enter the North edge of thick mesquites along the bed of Tepee Creek running East --- at 585 varas South edge of mesquites --- at 1036.7 varas pass a 60d hub nail in a small rock of mesquites --- at 1036.7 varas pass a 60d hub nail in a small rock mound --- at 1547 varas cross an East-West road --- at 1547.2 varas cross a 36-inch net wire fence having 2 barbed wires above the net running N 85° 34' E about 400 varas where it joins a North-South fence at 1775 varas and at 1835 varas the NW and the SE edges respectively of a rocky drain running NE --- at 1908.4 varas strike the concrete monument set on the NW side of a rocky hill for the SW corner of section No. 6, being the NW corner of section No. 15, Block 43, its brass plate in top having been stamped as is represented in the figure above, from which a 7-inch mesquite marked "L", an 8-inch mesquite marked "X", a 6-inch mesquite marked "T", and a gnarled 11-inch mesquite marked "F" bear respectively S 69° 42' E 73.6 varas, S 59° 37' W 62.0 varas, N 59° 34' W 79.5 varas, and N 12° 38' W 56.0 varas; two steel windmills, only half of their wheels being visible, bear N 88° 24' W and N 5° 08'W.

Thence West 1982.3 varas to the SE corner of section No. 9.

Thence North 1908.4 varas to the place of beginning.

Surveyed February 19, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol.R-2 page 80
This 26th day of July, 1937.

Orig. in Bk.UT, Vol.11,p 289, G.I.O.

For Plat see General Sketch in The State of Texas Vol. R-2, Reagan County. Vol. B 48 10 6 11 15 B 43 U T

SECTION No. 11

REAGAN

County BLOCK No.

FIELD NOTES of a survey of

674.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 17' Mag. Declination East.

True North is 0° 22' 30"

to the right of the North point used in

the Field notes of this survey. Said survey is situated in

on the drainage of

Tepee

REAGAN

County, Texas, Creek, a tributary of Middle Concho River, about 10 miles S 56°E of Big Lake, the County Site.

Beginning at a concrete monument set on the NW side of a rocky hill Beginning at a concrete monument set on the NW side of a rocky hill for the SW corner of section No. 6, being the NW corner of section No. 15, Block 43, University Land, and also the SE corner of section No. 10, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 7-inch mesquite marked "L", an 8-inch mesquite marked "X", a 6-inch mesquite marked "T", and a gnarled 11-inch mesquite marked "F" bear respectively S 69° 42' E 73.6 varas, S 59° 37' W 62.0 varas, N 59° 34' W 79.5 varas, and N 12° 38' W 56.0 varas; two steel windmills, only half of their wheels being visible, bear N 88° 24' W and N 5° 08' W.

Thence South --- at 77 varas point in middle of a drain running NW --- at 861.3 varas pass a 60d hub nail in a small rock mound --- at 1048 varas cross a road running NW and SE --- at 1919.6 varas strike the NW corner of section No. 16, Block 43.

Thence West 1982.3 varas to a point for the SW corner of this section No. 11.

Thence North 1919.6 varas to the SE corner of section No. 9 and the SW corner of section No. 10, this Block.

Thence East 1982.3 varas to the place of beginning.

Surveyed February 20, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT VolR-2 page 81
This 27th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 290, G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in back of The State of Texas Vol. R-2 agone County B 48 8 9 13 12 TT T

SECTION No. 12

REAGAN

County | BLOCK No. 48

FIELD NOTES of a survey of

674.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 19' East. True North is the Field notes of this survey.

to the

right of the North point used in

Said survey is situated in

REAGAN

about 10 miles S 53°E of Big Lake, Creek, a tributary of the County Site.

County, Texas, Middle Concho River,

Beginning at the common corner of sections Nos. 9, 10, and 11, this Block.

Thence West 1982.3 varas to the concrete monument set for the SE corner Thence west 1902.5 varas to the concrete monument set for the SE corner of section No. 8, this Block, situated about 150 varas NE of a drain running SE, 50 varas North of an East-West road, and 76.1 varas South of an East-West 36-inch net wire fence, i ts brass plate in top having been stamped as is represented in the figure above, from which a 13-inch mesquite marked "F", an 8-inch mesquite marked "T", and a 6-inch mesquite marked "X" bear respectively S 66° 39' W 34.6 varas, N 75° 30' W 100.8 varas, and N 70° 49' W 108.5 varas; the windmill at the Ferguson Ranch bears N 80° 18' E about 600 varas.

Thence South 1919.6 varas to a point for the SW corner of this section No. 12.

Thence East 1982.3 varas to the SW corner of section No. 11.

Thence North 1919.6 varas to the place of beginning.

Surveyed February 20, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 82
This 27th day of July, 1937.

Orig. in Bk.UT, Vol.11,p 291,G.L.O.

For Plat see General Sketch in The State of Texas Vol. Reagan County. B 48

8 13 12 U T

SECTION No. 13

REAGAN

County

BLOCK No. 48

FIELD NOTES of a survey of

629.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 191 Mag. Declination East.

True North is 0° 23' 30" to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of

REAGAN

County, Texas,

about 9 miles S 49°E of Big Lake, the County Site.

Beginning at a concrete monument set for the SE corner of section No. 8, this Block, situated about 150 varas NE of a drain running SE, 50 varas North of an East-West road and 76.1 varas South of an East-West 36-inch net wire fence, said monument being also the NW corner of section No. 12, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 13-inch mesquite marked "F", an 8-inch mesquite marked "T", and a 6-inch mesquite marked "X" bear respectively S 66° 39' W 34.6 varas, N 75° 30' W 100.8 varas, and N 70° 49' W 108.5 varas; the windmill at the Ferguson Ranch bears N 80° 18' E about 600 varas.

Thence South 1919.6 varas to the SW corner of said section No. 12.

Thence S 86° 57' 12" W 1858.2 varas to a point for the SW corner of this section No. 13.

Thence N 0° 59' 33" E 1949.0 varas to the SE corner of section No. 7 and the SW corner of section No. 8.

Thence N 86° 47' 37" E 1822.8 varas to the place of beginning.

Surveyed February 20, 1934.

Robert A. Leideck Chainmen. Jim Howard King Transitman. Norris B. Creath

y

d

d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 83

This 27th day of July, 1937.

Orig. in Bk.UT, Vol.11,p 292,G.L.O.

12, G.L.O.; and in back of The State of Texas For Plat see General Sketch in U 6 15 14 B 48

SECTION No. 14

REAGAN

County

BLOCK No. 48

FIELD NOTES of a survey of

691.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 17' East. 00 241 True North is the Field notes of this survey.

to the

right

of the North point used in

Said survey is situated in on the drainage of Tepee 8 miles S Щ°E of Big Lake, the County Site. about

REAGAN Creek, a tributary of Middle Concho River,

County, Texas,

Beginning at the SE corner of section No. 7, the SW corner of section No. 8, and the NW corner of section No. 13, this Block.

Thence S 86° 47' 37" W 2005.0 varas to the concrete monument set in a flat thickly covered with grass and mesquite trees for the SE corner of section No. 6, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", another 6-inch mesquite marked "X", a double mesquite marked "X", and a 4-inch mesquite marked "T" bear respectively S 76° 53' W 49.9 varas, N 14° 08' W 103.8 varas, N 15° 08' E 77.0 varas, and S 85° 41' E 27.8

Thence S 0° 59' 33" W --- at 758.5 varas set a 60d hub nail in a small rock mound on a high prairie covered with mesquite trees --- at 1582 varas cross an East-West road --- at 1978.6 varas point for the SW corner of this section No. 14.

Thence N 85° 57' 12" E 2007.4 varas to the SW corner of section No. 13.

Thence N 0° 59' 33" E 1949.0 varas to the place of beginning.

February 20, 1934. Surveyed

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

ď

d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2page 84.
This 27th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 293, G.L.O.

For Plat see General Sketchin vol. 12, G.L.O.; and in back of The State of Texas County. U 6 14 15

SECTION No.15

REAGAN

County | BLOCK No. 48

FIELD NOTES of a survey of

666.2

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 16: East.

True North is 0° 24' 30" to the

the Field notes of this survey. Said survey is situated in right

of the North point used in

REAGAN

County, Texas,

on the drainage of

48

the basin of Creek, atributary of x Big Lake,

miles S 39°E of Big Lake, the County Site.

Beginning at a concrete monument set in a flat thickly covered by grass and mesquite trees for the SE corner of section No. 6, this Block, being the SW corner of section No. 7, and the NW corner of section No. 14.

Thence S 0° 59' 33" W --- at 758.5 varas pass a 60d hub nail in a small rock mound on a high prairie covered with mesquite trees --- at 1582 varas cross an East-West road --- at 1978.6 varas strike the SW corner of said section No. 14.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 15.

Thence N 0° 59' 33" E 1978.6 varas to the SW corner of section No. 6.

Thence S 89° 00' 27" E --- at 327.0 varas pass through at about right angles a 36-inch net wire fence having 3 barbed wires above the net, from which point its intersection with an East-West fence bears North 86 varas --- at 350 varas cross a road running North and South --- at 1000 varas a point in center of a thick mott of mesquites --- at 1900.8 varas the place of beginning.

NOTE: The monument at the beginning point of the fieldnotes of this survey is described as follows: "The brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", another 6-inch mesquite marked "X", a double mesquite marked "X", and a 4-inch mesquite marked "T" bear respectively S 76° 53' W 49.9 varas, N 14° 08' W 103.8 varas, N 15° 08' E 77.0 varas, and S 85° 41' E 27.8 varas.

Surveyed February 20, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 85
This 27th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 294, G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

; d d Vol. 12, G.L.O.; and in back of this state of Texas

16 17 25 24 B 48

SECTION No. 16

REAGAN

County

BLOCK No. 48

FIELD NOTES of a survey of

666.2

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 110 15' East.

0° 241 30" to the True North is the Field notes of this survey.

Said survey is situated in on the drainage of miles S 34 E of Big Lake, the County Site. about 8

right

of the North point used in

REAGAN

County, Texas,

Pecos River,

Beginning at the SW corner of section No. 15, this Block, for the NW corner of this section No. 16.

Thence S 0° 59' 33" W 1978.6 varas to a point for the SW corner of this section No. 16.

Thence S 89° 00' 27" E 274.0 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 438.4 varas cross a buried pipe line running S 51° 18' 27" E - N 51° 18' 27" W --- at 441.6 varas set a 60d hub nail in a small rock mound --- at 445.9 varas pass under a 3-wire telephone line parallel to the pipe line --- at 509.1 varas set another 60d hub nail in a small rock mound --- at 563 varas cross a road running NW-SE --- at 1700 varas point in the center of a wide mesquite covered drain running South --- at in the center of a wide mesquite covered drain running South --- at 1900.8 varas set a concrete monument in an open grass covered prairie sloping SW, about 30 varas West of a small mesquite mott, for the SE corner of this section No. 16, stamped its brass plate in top as is represented in the figure above, from which an 8-inch mesquite marked "T", a 6-inch mesquite marked "F", and a 4-inch mesquite marked "U" bear respectively N 27° 01' W 52.7 varas, N 16° 09' W 56.9 varas, and S 78° 16' E 58.4 varas; a letter "X" cut on the face of a fixed rock bears S 7° 49' E 37.8 varas.

Thence N 0° 59' 33" E --- at 258.6 varas point in the South edge of a thick mesquite mott --- at 1474.3 varas set a 60d hub nail in a rock mound on a high brushy mesa --- at 1917.2 varas pass through a 36-inch net wire fence having 3 barbed wires above the net, running N 78° 28' E - S 78° 28' W --- at 1918.9 varas set another 60d hub nail in a small rock mound --- at 1978.6 varas strike the SW corner of section No. 14, and the SE corner of section No. 15.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed February 20, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

;; :d

d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol. R-2 page 86 This

27th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 295, G.L.O.

For Plat see General Sketch in The State of Texas Reagan County TT T 16 17 25 24 B 48

SECTION No. 17

REAGAN

County

BLOCK No. 48

FIELD NOTES of a survey of

695.7

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 15" East. 00 True North is 241

to the

right of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of

about

Howard

REAGAN Creek, a tributary of

County, Texas,

9 miles S 40° E of Big Lake, the County Site. Pecos River,

Beginning at a concrete monument set for the SE corner of section No. 16, this Block, situated in an open grass covered prairie sloping SW, being about 30 varas West of a small mesquite mott, its brass plate in top having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 6-inch mesquite marked "F", and a 4-inch mesquite marked "U" bear respectively N 27° 01' W 52.7 varas, N 16° 09' W 56.9 varas, and S 78° 16' E 58.4 varas; a letter "X" cut on the face of a fixed rock bears S 7° 49' E 37.8 varas.

Thence N 0° 59' 33" E --- at 258.6 varas point in the South edge of a thick mesquite mott --- at 1474.3 varas pass a 60d hub nail in a rock mound on a high brushy mesa --- at 1917.2 varas pass through a 36-inch net wire fence having 3 barbed wires above the net, running N 78° 28' E - S 78° 28' W --- at 1918.9 varas pass another 60d hub nail in a small rock mound --- at 1978.6 varas strike the NE corner of said section No. 16, being also the SW corner and the SE corner respectively of sections Nos. 14 and 15.

Thence N 85° 57' 12" E 2007.4 varas to the SW corner of section No.

Thence S 0° 59' 33" W 1949.8 waras to a point for the SE corner of this section No. 17.

Thence S 85° 08' W 2010.1 varas to the place of beginning.

Surveyed February 20, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

ty

v;

ed

7

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol. B-2 page 87 day of July, 1937. This 29th

Orig. in Bk.UT, Vol.11,p 296,G.L.O.

For Plat see General Sketch in The State of Texas 12, G.L.O.; and in back of The State of Texas Vol. County B 48 18 19 23 22 U T

SECTION No. 18

REAGAN

A Variable

County

BLOCK No.

FIELD NOTES of a survey of

640.6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 16' East. Mag. Declination

True North is 0° 23' 30" the Field notes of this survey.

to the right

of the North point used in

Said survey is situated in on the drainage of

Tepee

REAGAN County, Texas, Creek, a tributary of Middle Concho River, about 10 miles S hip E of Big Lake, the County Site.

Beginning at the common corner of sections Nos. 13, 14, and 17, this

Thence N 85° 57' 12" E 1858.2 varas to the SW corner of section No. 12.

Thence South 1920.0 varas set a concrete monument near the NE side of a drain running SE among mesquite trees for the SE corner of this section No. 18, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "F", a 13-inch mesquite marked "X", and a 5-inch mesquite marked "T" bear respectively N 35° 38' W 41.0 varas, N 1° 24' E 37.4 varas, and N 38° 49' E 32.0 varas; a windmill bears N 28° 24' E about 850 varas.

Thence S 85° 08' W 1894.0 varas to the SE corner of section No. 17.

Thence N 0° 59' 33" E 1949.8 varas to the place of beginning.

Surveyed February 20, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol R-2 page 88
This 28th day of July, 1937.

Orig. in Bk.UT, Vol.11,p 297,G.L.O.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

ty ed

ed 3

G.L.O.; and in back of The State of Texas For Plat see General Sketch in B 48 18 19 23 22 U T

SECTION No. 19

REAGAN

County]

BLOCK No.

FIELD NOTES of a survey of

i jek ... 674.2

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 17' East.

True North is 0° 231

to the

right of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of

REAGAN

County, Texas,

Creek, a tributary of Middle Concho River,

Tepee about 10 miles S 49°E of Big Lake, the County Site.

Beginning at a concrete monument set near the NE side of a drain running SE among mesquite trees for the SE corner of section No. 18, the SW corner of this section No. 19, the brass plate in top of the monument having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", a 13-inch mesquite marked "X", and a 5-inch mesquite marked "T" bear respectively N 35° 38' W 41.0 varas, N 1° 24' E 37.4 varas; and N 38° 49' E 32.0 varas; a wind-mill bears N 28° 24' E about 850 varas.

Thence East 1982.3 waras to a point for the SE corner of this section No. 19.

Thence North 1920.0 varas to the South common corner of sections Nos.

Thence West 1982.3 varas to the SE corner of section No. 13 and the NE corner of section No. 18.

Thence South 1920.0 varas to the place of beginning.

Surveyed February 20, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

ty

V;

ed

ed 3

7

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2 page 89

This 29th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 298, G.L.O.

12. G. R. O.; and in back of The State of Texas B 48 20 16 21 25 B 43 U T

SECTION No. 20

REAGAN County

BLOCK No.

FIELD NOTES of a survey of

674.2

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

0° 221 30" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of

REAGAN

County, Texas, on the drainage of Tepee Creek, a tributary of Middle Concho River, about 11 miles S 51°E of Big Lake, the County Site.

Beginning at the SE corner of section No. 19.

Thence North 1920.0 varas to the NE corner of same, being also the SW and the SE corner respectively of sections Nos. 11 and 12.

Thence East 1982.3 varas to the SE corner of said section No. 11, being the SW corner of section No. 15 and the NW corner of section No. 16, Block 43, University Land.

Thence South --- at 108 varas cross a rocky drain 50 varas wide running NE --- at 471.5 varas pass a 60d hub nail in a small rock mound --- at 560 varas and at 860 varas points on the NE edge and the SW edge respectively of a mesquite covered drain running NW --- at 1246.6 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net, its junction with a North-South fence being East about 100 varas --- at 1452.7 varas pass another 60d hub nail in a small rock mound, from which a windmill at Ferguson's ranch bears N 44° 28' W --- at 1920.0 varas strike the concrete monument set on a high rolling mesquite covered prairie for the SW corner of said section No. 16, being the NW corner of section No. 25, Block 43, its brass plate in top having been stamped as is represented in the figure above, from which a 10-inch mesquite marked "U", a 6-inch mesquite marked "X", and another 10-inch mesquite marked "F" bear respectively S 63° 27' E 50.4 varas, S 29° 19' W 27.6 varas, and N 39° 31' W 29.5 varas.

Thence West 1982.3 varas to the place of beginning.

Surveyed February 21, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

n.

ty

ed

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 90 This 29th day of July, 1937.

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Orig. in Bk.UT, Vol.11,p 299, G.I.O.

For Plat see General Sketch in The State of Texas SECTION No. 21 в 48 REAGAN & CROCKETT County | BLOCK No. 48 20 16

FIELD NOTES of a survey of 653.1 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 13' East.

B 43

25

21

U

0º 22' 30" to the True North is the Field notes of this survey.

right

of the North point used in

Said survey is situated in REAGAN & CROCKETT County, Texas, on the drainage of about 12 miles S 49°E of Big Lake, the County Site of Reagan County; and about 21 miles N 14° W of Ozona, the County Site of Crockett County.

Beginning at a concrete monument set on a high rolling mesquite covered prairie for the SW corner of section No. 16, being the NW corner of section No. 25, Block 43, University Land, and also the SE corner of section No. 20, this Block, the brass plate in which monument having been stamped as is represented in the figure above, from which a 10-inch mesquite marked "U", a 6-inch mesquite marked "X", and another 10-inch mesquite marked "F" bear respectively S 63° 27' E 50.4 varas, S 29° 19' W 27.6 varas, and N 39° 31' W 29.5 varas.

Thence South --- at 1178.4 varas cross the Reagan-Crockett County line --- at 1860.0 varas point for the SE corner of this section No. 21, being also the SW corner of section No. 25, Block 43, the NW corner of section No. 1, Block 44, and the NE corner of section No. 5, Block

Thence West 1982.3 varas to a point for the SW corner of this section No. 21.

Thence North --- at 698.5 varas recross the Reagan-Crockett County Line --- at 1860.0 varas strike the South common corner of sections Nos. 19 and 20.

Thence East 1982.3 varas to the place of beginning.

NOTE: Of this survey, there are 410.8 acres in Reagan County, and 242.3 acres in Crockett County.

Surveyed February 21, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

ity

N;

ed

ed 8

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 91

This 29th day of July, 1937.

Orig. in Bk.UT, Vol.11,p 300,G.L.O. Recorded in Bk.UT, Vol.C-1, p 344, Ozona, Texas, Crockett Co.

f

n

n.

ity

w;

ed

led

8

For Plat see General Sketch in The State of Texas Vol.12, G.L.O.; in Vol.R-2, Reagan The State of Texas Co.; & in Vol.C-2, Crockett County. SECTION No. 22 48 B REAGAN & CROCKETT County | BLOCK No. FIELD NOTES of a survey of 18 19 23 22 653.1 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an U T ACT approved March 29, 1929. 11° 14' Mag. Declination East. True North is 0° 231 to the right of the North point used in the Field notes of this survey. Said survey is situated in REAGAN & CROCKETT County, Texas, on the drainage of on the drainage of Tepee Creek, a tributary of Middle Concho River, about 11 miles S happened about 26 miles N 16° W of Ozena, the County Site of Creekett County.

Beginning at the common corner of sections Nos. 19, 20, and 21, this Block, for the NE corner of this section No. 22.

Thence South --- at 1161.5 varas cross the Reagan-Crockett County Line --- at 1860.0 varas strike the SW corner of said section No. 21, being also the North common corner of sections Nos. 4 and 5, Block 47, University Land.

Thence West 1982.3 varas to a point for the SW corner of this section No. 22, being also the NE corner of section No. 3, Block 47.

Thence North --- at 715.3 varas recross the Reagan-Crockett County Line --- at 1860.0 varas strike the concrete monument set for the SE corner of section No. 18, this Block, situated near the NE side of a drain running SE among mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", a 13-inch mesquite marked "X", and a 5-inch mesquite marked "T" bear respectively N 35° 38' W 41.0 varas, N 1° 24' E 37.4 varas, and N 38° 49' E 32.0 varas; a windmill bears N 28° 24' E about 850 varas.

Thence East 1982.3 varas to the place of beginning.

NOTE: Of this survey, there are 404.9 acres in Reagan County; and 248.2 acres in Crockett County.

Surveyed February 21, 1934.

Robert A. Leidecker Jim Howard King Chainmen. Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 92
This 29th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 301, G.L.O.: Recroded in Bk.UT, Vol.C-1,p 345,

Ozona, Texas, Crockett Co.

For Plat see General Sketch in The State of Texas Vol.12, G.L.O.; in Vol.R-2, Reagan Co.: & in Vol.C-2, Crockett County. SECTION No. 23 REAGAN & CROCKETTCounty | BLOCK No. 48 FIELD NOTES of a survey of 18 19 634.9 23 22

ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 110 141 East.

T

0° 231 30" to the True North is right of the North point used in the Field notes of this survey.

Said survey is situated in REAGAN & CROCKETT County, Texas, on the drainage of Howard Creek, a tributary of Pecos River, about 10 miles S 40°E of Big Lake, the County Site of Reagan County; and about 27 miles N 18°W of Ozona, the County Site of Crockett County.

Beginning at a concrete monument set near the NE side of a drain running SE among mesquite trees for the SE corner of section No. 18, being the SW corner of section No. 19, and the NW corn er of section No. 22, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 6-inch mesquite marked "F", a 13-inch mesquite marked "X", and a 5-inch mesquite marked "T" bear respectively N 35° 38' W 41.0 varas, N 1° 24' E 37.4 varas, and N 38° 49' E 32.0 varas; a windmill bears N 28° 24' E about 850 varas.

Thence South --- at 1144.7 varas cross the Reagan-Crockett County Line and 4, Block 47, University Land.

Thence S 83° 46' 33" W 1931.7 varas to the NE corner of section No. 2, Block 47, the SW corner of this section No. 23.

Thence N 0° 59' 33" E --- at 941.1 varas recross the Reagan-Crockett County Line --- at 1909.1 varas strike the South common corner of sections Nos. 17 and 18, this Block.

Thence N 85° 08' E 1894.0 varas to the place of beginning.

NOTE: Of this survey, there are 354.6 acres in Reagan County; and 280.3 acres in Crockett County.

Surveyed February 21, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

ity

W;

ed

led

8

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded

in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2 page 93.

This 29th day of July, 1937.

Orig. in Bk.UT, Vol.11, p 302, G.L.O.

Recorded in Bk.UT, Vol.C-1, p 346, Ozona, Texas, Crockett County.

ıf

n

e

n.

ity

w;

ed led

7

For Plat see General Sketch in Vol.12, G.L.O.; in Vol.R-2, Reagan Co.; & in Vol.C-2, Crockett Co. 16 17 25 24 B 48

SECTION No. 24

REAGAN & CROCKETT County | BLOCK No.

FIELD NOTES of a survey of

684.7

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 110 East. 00 241 True North is

right to the

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of

REAGAN & CROCKETT County, Texas,

on the drainage of Howard Creek, a tributary of Pecos River, about 10 miles S 35°E of Big Lake, the County Site of Reagan County; and about 27 miles N 20° W of Ozona, the County Site of Crockett County.

Beginning at the common corner of sections Nos. 17, 18, and 23, this Block.

Thence S 0° 59' 33" W --- at 968.0 varas cross the Reagan-Crockett County Line --- at 1909.1 varas strike the North common corner of sections Nos. 2 and 3, Block 47, University Land.

Thence S 83° 46' 33" W 2015.7 varas to the NE corner of section No. 1, Block 47, also the SW corner of this section No. 24.

Thence N 0° 59' 33" E --- at 126.1 varas set a 60d hub nail in a small rock mound --- at 127.1 varas pass through at about right angles a 40-inch net wire fence having 2 barbed wires above the net --- at 377.2 varas pass under a telephone line running NW and SE --- at 824.9 varas pass over a pipe line running N 51° 18' 27" W - S 51° 18' 27" E --- at 831.7 varas pass under a 3-wire telephone line running parallel with the pipe line --- at 831.8 varas set a 60d hub nail in a small rock mound 3 varas Fest of the NF carrier at 831 in a small rock mound 3 varas East of the NE corner of a small inclosure around a 12-inch gate valve --- at 1132 varas point in the South edge of a drain running East into a large ravine running SE --- at 1176.6 varas recross the Reagan-Crockett County Line --- at 1192 varas point in the North edge of the same drain --- at 1532 varas point in the SW edge of a drain running SE --- at 1556 varas cross a road running NW and SE --- at 1682 varas the NE edge of the same drain --- at 1957.1 varas strike the concrete monument set in an open grass covered prairie sloping SW about 30 varas West of a small mesquite mott, set for the SE corner of section No. 16, this Block, being the SW corner of section No. 17, and the NW corner of this section No. 24, the brass plate in top of which monument having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 6-inch mesquite marked "F", and a 4-inch mesquite marked "U" bear respectively N 27° 01' W 52.7 varas, N 16° 09' W 56.9 varas, and S 78° 16' E 58.4 varas; a letter "X" cut on the face of a fixed rock bears S 7° 49' E 37.8 varas.

Thence N 85° 08' 08" E 2010.1 varas to the place of beginning.

NOTE: Of this survey, there are 309.7 acres in Reagan County; and 375.0 acres in Crockett County.

Surveyed February 21, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol.R-2 page 94

This 29th day of July, 1937.
Orig. in Bk.UT, Vol.11, p 303, G.L.O. Recorded in Bk.UT, Vol.C-1, Crockett,

p 347, Ozona, Texas.

Special Surveyor of University Lands

Licensed Land Surveyor of Texas, and

of

E

Vol. 12, G.L.O.; in Vol. R-2, Reagan The State of Texas SECTION No. 25 in Vol. C-2 Crockett Co. REAGAN & CROCKETT County | BLOCK No. FIELD NOTES of a survey of 16 17 659.0 25 24 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an B 48 ACT approved March 29, 1929. 11°15' Mag. Declination East. 0° 241 30" to the True North is right of the North point used in the Field notes of this survey. Said survey is situated in REAGAN & CROCKETT County, Texas, on the drainage of Howard Creek, a tributary of Pecos River, about 9 miles S 30°E of Big Lake, the County Site of Reagan County; and about 27 miles N 23°W of Ozona, the County Site of Crockett County.

Beginning at the SW corner of section No. 24, this Block, which point is identical with the NE corner of section No. 1 and the NW corner of section is identical with the NE corner of section No. 1 and the NW corner of section No. 2, Block 47, University Land.

Thence N 0° 59! 33" E --- at 126.1 varas pass a 60d hub nail in a small rock mound --- at 127.1 varas pass through at about right angles a 40-inch net wire fence having 2 barbed wires above the net --- at 377.2 varas pass under a telephone line running NW and SE --- at 824.9 varas pass over a pipe line running N 51° 18: 27" W - S 51° 18: 27" E --- at 831.7 varas pass under a 3-wire telephone line running parallel with the pipe line --- at 831.8 varas pass a 60d hub nail in a small rock mound 3 varas East of the NE corner of a small inclosure around a 12-inch gate valve --at 1132 varas point in the South edge of a drain running East into a large line --- at 1176.6 varas recross the Reagan-Crockett County
Line --- at 1192 varas point in the SW edge of a drain running SE --- at 1576 varas

rooss a road running NW and SE --- at 1682 varas the NE edge of the same

drain --- at 1957.1 varas strike the concrete monument set for the SE corner

of section No. 16, being the SW corner of section No. 17, this Block,

situated in an open grass covered prairie sloping SW about 30 varas West of

a small mesquite mott, the brass plate in which monument having been stamped a small mesquite mott, the brass plate in which monument having been stamped as is represented in the figure above, from which an 8-inch mesquite marked "T", a 6-inch mesquite marked "F", and a 4-inch mesquite marked "U" bear respectively N 27°01'W 52.7 varas, N 16°09'W 56.9 varas, and S 78°16' E 58.4 varas; a letter "X" cut on the face of a fixed rock bears S 7°49'E 37.8 varas. 90 Thence N 89° 00' 27" W --- at 200.8 varas point in the center of a wide grass covered drain running South --- at 1337.8 varas cross a road running NW-SE --- at 1391.7 varas pass a 60d hub nail in a small rock mound --- at 1/54.9 varas pass under a 3-wire telephone line running parallel with a pipe line --- at 1459.2 varas pass another 60d hub nail in a small rock mound --- at 1462.4 varas cross a buried pipe line running S 51°18'27"E -N 51°18'27"W --- at 1626.8 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net --- at 1900.8 varas strike the SW corner of section No. 16, being the NW corner of this section No.25.

Thence S 0° 59' 33" W --- at 797.2 varas recross the Reagan-Crockett

County Line --- at 1957.1 varas strike the NW corner of section No. 1,

Block 47, University Land, being the SW corner of this section No. 25, from which point the NW corner of section No. 5, Block 46, University Land, bears

S 0°59'33"W 9788.5 varas.

Thence S 89° 00' 27" E 1900.8 varas to the place of beginning. NOTE: Of this survey, there are 265.6 acres in Reagan County; and 393.4 acres in Crockett County. Robert A. Leidecker Chainmen. Surveyed February 21, 1934. Jim Howard King n. Transitman. Norris B. Creath I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University ity Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; w; ped that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in E Lake, Texas, ReaganCounty in Book UT Vol. R-2 page 95 led

This 29th day of July, 1937.
Orig. in Bk.UT, Vol.11, p 304, G.L.O.
Recorded in Bk.UT, Vol.C-1, p 348,

Ozona, Texas, Crockett Co.

E

20

n.

ity

w;

bed

led 18

7

Vol. 12, this Vol	G.L.O.	General Sk	etch in n Back of County.
		The second	
	2	1	
	В	49	
	U	T	

The State of Texas

668.8

SECTION No. 1

County | BLOCK No. 49 REAGAN

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' Mag. Declination East.

08 25' 15"to the True North is the Field notes of this survey.

right of the North point used in

REAGAN County, Texas,

Said survey is situated in on the drainage of the basin of Creekxa tributa about 5 miles S 45°E of Big Lake, the County S Creekxa tributary of x Big Lake,

Beginning at the NW corner of section No. 5, Block 48, University Land, for the NE corner of this section No. 1, Block 49.

Thence S 0° 59' 33" W 2003.3 varas to the SW corner of said section No. 5 and the NW corner of section No. 6, Block 48.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW comer of this section No. 1.

Thence N 0° 59' 33" E 1969.2 varas set a concrete monument in a prairie sloping NW, sparsely covered with mesquite, althorn and other brush, being 45.9 varas South of an East-West 36-inch net wire fence having being 45.9 varas South of an East-West 30-inch net wire fence having 3 barbed wires above the net, said monument being the NW corner of this section No. 1, its brass plate in top having been stamped as is represented in the figure above, from which a 2-inch mesquite marked "F", an 8-inch mesquite marked "T", and a 6-inch mesquite marked "X" bear respectively S 48° 15' W 27.2 varas, N 83° 30' W 48.2 varas, and N 56° 57' W 60.4 varas; "Hi-lonesome" Windmill bears N 86° 21' 30" W; another windmill on a hill South of Best bears N 68° 19' W; the water tower in the town of Big Lake bears N 46° 21' W.

Thence N 89° 57' 58" E 1901.1 varas to the place of beginning.

Surveyed March 5, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 96
This 2nd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 305, G.L.O.

in

G.L.O.; and in back of The State of Texas For Plat see General Sketch in 2 B 49 TT

REAGAN

657.3

SECTION No. 2 County | BLOCK No. 49

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 15' East. True North is 0° 25' 45" to the

of the North point used in right

the Field notes of this survey. Said survey is situated in REAGAN County, Texas, the basin of Greek xa tributary of Big Lake, on the drainage of about 5 miles S 35°E of Big Lake, the

Beginning at a concrete monument set for the NW corner of section No. 1, this Block, situated 45.9 varas South of an East-West 36-inch net wire fence which has 3 barbed wires above the net, being on a prairie sloping NW, sparsely covered with mesquite, althorn and other brush, its brass plate in top having been stamped as is represented in the figure above, from which a 2-inch mesquite mrked "F", an 8-inch mesquite marked "T", and a 6-inch mesquite marked "X" bear respectively S 48° 15' W 27.2 varas, N 83° 30' W 48.2 varas, and N 56° 57' W 60.4 varas; "Hi-lonesome" Windmill bears N 86° 21' 30" W; another windmill on a hill South of Best bears N 68° 19' W; the water tower in the town of Big Take bears N 46° 21' W.

Thence S 0° 59' 33" W 1969.2 varas to the SW corner of said section No. 1.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 2.

Thence N 0° 59' 33" E 1935.1 varas to a point for the NW corner of this section No. 2.

Thence N 89° 57' 58" E --- at 538 varas cross a road running NW and SE --- at 717 varas cross near its head a large drain running SW --- at 1110 varas point in the West edge of thick black brush --- at 1901.1 varas the place of beginning.

Surveyed March 5, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

ın.

sity

w;

bed

led

7

18

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2 page 97
This 2nd day of August, 1937.

Orig. in Bk.UT, Vol.11,p 306,G.L.O.

. G.L.O.	General Sk ; and i Reagan	n back of
	3	
	в 49	

The State of Texas

SECTION No. 3

REAGAN

County | BLOCK No. 49

FIELD NOTES of a survey of

650.0

1. , , , , , , , , , , , ,

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

True North is 0° 26' 15" to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

REAGAN

County, Texas,

Creek, a tributary of Big Lake,

on the drainage of the basin of Greek, a tributary of I about 4 miles S 25°E of Big Lake, the County Site.

Beginning at the SW corner of section No. 2, this Block.

Thence N 89° 00' 27" W 1900.0 varas to an old earth and rock mound, the original SW corner of this section No. 3, from which the original bearing, a mesquite 10 inches in diameter with deep axe cut near base, bears N 87° 40' W 56.4 varas.

Thence N 0° 12' 53" E 1900.8 varas set a concrete monument in a prairie sloping South about 70 varas North of a rocky drain running West, stamped its brass plate in top as is represented in the figure above, from which a 6-inch mesquite marked "T", an 8-inch mesquite marked "X", and another 6-inch mesquite marked "F" bear respectively N 9° 19' E 61.1 varas, S 3° 49' W 51.3 varas, and S 26° 26' W 52.7 varas, a small stone mound bears N 49° 15' E 22.5 varas; an oil test well, J. W. Young No. 2, bears S 43° 20' 23" W about 700 varas; the marked rock which is a resurvey corner by H. M. Garden, the SW corner of Survey No. 228, T. & P., Block 1, bears N 0° 12' 53" E 2173.3 varas and S 89° 47' 07" E 147.0 varas; the concrete monument set during this resurvey for the NE corner of section No. 1. Block 12. University of resurvey for the NE corner of section No. 1, Block 12, University of Texas land, bears N 89° 47' 07" W 3282.3 varas and N 0° 40' 59" E 1379.9 varas.

Thence N 89° 57' 58" E --- at 709 varas cross a road running NW and SE --- at 1029 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net, being 54 varas South of its intersection with an East-West fence near sheep pens --- at 1032 varas cross another road running North and South --- at 1660.9 varas pass through at a bout right angles another 36-inch net wire fence having 1 barbed wire above the net being 52 varas South of its intersection with an East-West fence --- at 1926.1 varas strike the NW corner of section No. 2.

Thence S 0° 59' 33" W 1935.1 varas to the place of beginning.

Surveyed March 5, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT VolR-2 page 98
This 2nd day of March, 1937.

Orig. in Bk.UT, Vol.11, p 307, G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in back of The State of Texas County County REAGAN U · · · · · 661.2 9 B 49 ACT approved March 29, 1929.

SECTION No. 4 BLOCK No. 49 FIELD NOTES of a survey of ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

clination 11° 15' East. True North is 0° 26' 15" Mag. Declination to the right of the North point used in the Field notes of this survey. Said survey is situated in REAGAN County, Texas, on the drainage of the basin of Greek, a tributary of about 5 miles S 20°E of Big Lake, the County Site. Big Lake,

Beginning at the SW corner of section No. 3, this Block, being the original earth and stone mound, from which the original bearing, a 10-inch mesquite with a deep axe cut near its base, bears N 87° 40' W 56.4 varas.

Thence S 0° 12' 53" W 1978.6 varas set a concrete monument on the NE edge of a wide shallow drain running NW for the SW corner of this section No. 4, stamped its brass plate in top as is represented in the figure above, from which a li-inch mesquite marked "X" and a 12-inch mesquite marked "X" bear respectively N 34° 39' W 90.9 varas and N 64° 03' E 87.7 varas; the NW corner of a pasture bears S 60° 43' E 45.8 varas; the NE corner of another pasture bears S 15° 54' E 137.9 varas; a test well, W. E. Friend No. 1, bears S 58° 42' 13" W.

Thence S 89° 00' 27" E --- at 852.4 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net, 7.5 varas North of its intersection with an East-West fence——— at 985.3 varas cross a pipe line coursing N 51° 17' 30" W—— S 51° 17' 30" E—— at 994.1 varas pass under a 2-wire telephone line running parallel with the pipe line——— at 1684 varas cross under a telephone line——— at 1873.2 varas point for the SE corner of this section No. 4.

Thence N 0° 59' 33" E 1978.4 varas to the South common corner of sections Nos. 2 and 3.

Thence N 89° 00' 27" W 1900.0 varas to the place of beginning.

Surveyed March 5, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT VolR-2 page 99

This 2nd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 308, G.L.O.

For Plat see General Sketch in The State of Texas Vol. R-2. Reagan County. U REAGAN T 6 666.1 8 B 49

SECTION No. 5 County | BLOCK No. 49

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' Mag. Declination East.

True North is 0° 25' 45" to the

right of the North point used in

the Field notes of this survey. Said survey is situated in

on the drainage of

about 6

REAGAN the basin of Creek, a tributary of x miles S 30°E of Big Lake, the County Site.

County, Texas,

Big Lake,

Beginning at the SW corner of section No. 4, this Block.

Thence S 89° 00' 27" E --- at 203 varas cross a drain running NW Thence S 89° 00' 27" E --- at 203 varas cross a drain running NW --- at 645.0 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net, 22.2 varas South of its intersection with an East-West fence --- at 1900.8 varas set a concrete monument for the SE corner of this section No. 5, situated on a high mesa sparsely covered with mesquite and other brush, being 45.3 varas South of an East-West 36-inch net wire fence having 2 barbed wires above the net, the brass plate in which monument being stamped as is represented in the figure above, from which a 5-inch mesquite marked "X", another 5-inch mesquite marked "X", another 5-inch mesquite marked "X", another 5-inch mesquite marked "X". "X", another 5-inch mesquite marked "T", a 4-inch double mesquite marked "F", and a 6-inch mesquite also marked "F" bear respectively S 0° 01' E 68.8 varas, N 0° 30' W 39.1 varas, N 66° 20' W 14.0 varas, and S 52° 58' E 74.2 varas.

Thence N 0°, 59' 33" E 1978.4 varas to the SW corner of section No. 1 and the SE corner of section No. 2.

Thence N 89° 00' 27" W 1900.8 varas to the SE corner of section No. 3.

Thence S 0° 59' 33" W 1978.4 varas to the place of beginning.

333.05 166,525

March 5, 1934. Surveyed

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol. R-2 page 100
This 2nd day of August, 1937.

Orig. in Bk.UT, Vol.11,p 309,G.L.O.

vol. 12, Reagan County. SECTION No. 6

· · · · ok · · ·

U T

5 6
8 7

B 49

REAGAN County BLOCK No. 49

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

Said survey is situated in

True North is 0° 25' 15" to the the Field notes of this survey.

right of the North point used in

REAGAN County, Texas,

on the drainage of the basin of Creek, a tributary of about 6 miles S 37°E of Big Lake, the County Site.

Beginning at a concrete monument set for the SE corner section No. 5, this Block, situated on a high mesa covered with mesquite and other brush, being 45.3 varas South of an East-West 36-inch net wire fence having 2 barbed wires above the net, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "X", another 5-inch mesquite marked "T", a 4-inch double mesquite marked "F", and a 6-inch mesquite also marked "F" bear respectively S 0° 01' E 68.8 varas, N 0° 30' W 39.1 varas, N 66° 20' W 14.0 varas, and S 52° 58' E 74.2 varas.

Thence S 89° 00! 27" E --- at 752 varas cross a grass covered drain running SE --- at 1100 varas point in a smooth open prairie sloping North --- at 1900.8 varas strike the SW corner of section No. 6 and the NW corner of section No. 15, Block 48, University Land.

Thence N 0° 59' 33" E 1978.4 varas to the SW corner of section No. 5, Block 48, and the SE corner of section No. 1, this Block.

Thence N 89° 00' 27" W 1900.8 varas to the SE corner of section No. 2.

Thence S 0° 59' 33" W 1978.4 varas to the place of beginning.

Surveyed March 5, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagen County in Book UT Vol. R-2page 101

This 2nd day of August, 1937.

Orig. in Bk.UT, Vol.11,p 310,G.L.O.

For Plat see General Sketch in The State of Texas 12, G.L.O.; and in back of The State of Texas Vol. 12, U T 5 6 8 7 B 49

SECTION No. 7 REAGAN County] BLOCK No. 49

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' Mag. Declination East.

True North is 0° 25' 15" to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in

REAGAN

666.2

County, Texas,

on the drainage of mage of the basin of Greek, a tributary of miles S 32°E of Big Lake, the County Site. Big Lake,

Beginning at the SE corner of section No. 6, this Block, being the SW corner of section No. 6 and the NW corner of section No. 15, Block 48, University land.

Thence S 0° 59' 33" W 1978.6 varas to the SW corner of said section No. 15 and the NW corner of section No. 16, Block 48.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this s ection No. 7.

Thence N 0° 59' 33" E 1978.6 varas to the concrete monument set for the SE corner of section No. 5, being the SW corner of section No. 6, situated 45.3 varas South of an East-West 36-inch net wire fence having 2 barbed wires above the net, and on a high mesa covered with mesquite and other brush, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "X", another 5-inch mesquite marked "T", a 4-inch double mesquite marked "F", and a 6-inch mesquite also marked "F" bear respectively S 0° 01' E 68.8 varas, N 0° 30' W 39.1 varas, N 66° 20' W 14.0 varas, and S 52° 58' E 74.2 varas.

Thence S 89° 00' 27" E --- at 752 varas cross a grass covered drain running SE --- at 1100 varas point in a smooth open prairie sloping North --- at 1900.8 varas the place of beginning.

Surveyed March 5, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman. 7

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2page 102 day of August, 1937.

Orig. in Bk.UT, Vol.11, p 311, G.L.O.

2nd

For Plat see General Sketch in The State of Texas 12, G.L.O.; and in back of Vol. R-2. Reagan County. U T 6 8 B 49

REAGAN

SECTION No. 8

County BLOCK No. 49

FIELD NOTES of a survey of

666.2 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' Mag. Declination East. 0° 25' 45" to the True North is the Field notes of this survey.

right

of the North point used in

Said survey is situated in REAGAN County, Texas, on the drainage of Creek, attributary of Big Lake,

inage of the basin of Creek, atributary of miles S 25°E of Big Lake, the County Site.

Beginning at a concrete monument set for the SE corner of section No. 5, this Block, being the SW corner of section No. 6 and the NW corner of section No. 7, situated 45.3 varas South of an East-West 36-inch net wire fence having 2 barbed wires above the net, and on a high mesa covered with mesquite and other brush, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "X", another 5-inch mesquite marked "T", a 4-inch double mesquite marked "F", and a 6-inch mesquite also marked "F" bear respectively S 0° 01' E 68.8 varas, N 0° 30' W 39.1 varas, N 66° 20' W 14.0 varas, and S 52° 58' E 74.2 varas.

Thence S 0° 59' 33" W 1978.6 varas to the SW corner of said section No. 7.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 8.

Thence N 0° 59' 33" E 1978.6 varas to the SE corner of section No. 4 and the SW corner of section No. 5.

Thence S 89° 00' 27" E --- at 203 varas cross a drain running NW --- at 645.0 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net, 22.2 varas South of its intersection with an East-West fence --- at 1900.8 varas the place of beginning.

Surveyed March 5, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman. d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol.R-2 page 103
This 2nd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 312, G.I.O.

For Plat see General Sketch in 12. G.L.O.; and in this R-2. Resgan County. Vol. U 4 9 B 49

The State of Texas

SECTION No. 9

REAGAN

i jik

County]

BLOCK No. 49

FIELD NOTES of a survey of

651.9

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

0° 26' 15" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in fainage of the basin of Creek, a tributary of the miles S 15°E of Big Lake, the County Site. on the drainage of

REAGAN

County, Texas,

Big Lake,

Beginning at the common corner of sections Nos. 4, 5, and 8, this Block.

Thence S 0° 59' 33" W 1978.6 varas to the SW corner of said section

Thence N 89° 00' 27" W 1846.4 varas to a point for the SW corner of this section No. 9.

Thence N 0° 12' 53" E 1978.8 varas to the concrete monument set for the SW corner of section No. 4, situated on the NE edge of a wide shallow drain running NW, its brass plate in top having been stamped as is represented in the figure above, from which a l4-inch mesquite marked "X", and a 12-inch mesquite marked "X" bear respectively N 34° 39' W 90.9 varas, and N 64° 03' E 87.7 varas; the NW corner of a pasture bears S 60° 43' E 45.8 varas; the NE corner of another pasture bears S 15° 54' E 137.9 varas; a test well, W. E. Friend No. 1, bears S 58° 42' 13" W.

Thence S 89° 00' 27" E --- at 852.4 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net, 7.5 varas North of its intersection with an East-West fence --- at 985.3 varas cross a pipe line coursing N 51° 17' 30" W - S 51° 17' 30" E --- at 994.1 varas pass under a 2-wire telephone line running parallel to the pipe line --- at 1684 varas cross under a telephone line --- at 1873.2 varas the place of beginning.

> 325, 950 162,975

Surveyed March 5, 1934.

2nd

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman. ed

S

1

d

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol. R-2 page 104 day of August, 1937.

Orig. in Bk.UT, Vol.11,p 313,G.L.O.

For Plat see General Sketch in The State of Texas SECTION No. 10	5
this Vol. R-2 Reagan County REAGAN County BLOCK No. 19	9
FIELD NOTES of a survey of	ıf
15 642.3 ACRES of land made for THE	E
B 49 UNIVERSITY OF TEXAS by virtue of an	n
ACT approved March 29, 1929.	
Mag. Declination 11° 15' East. True North is 0° 26' 15" to the right of the North point used in	n
Said survey is situated in REAGAN C T.	3,
on the drainage of Howard Creek, a tributary of Pecos River, about 7 miles S 14°E of Big Lake, the County Site.	
Beginning at the SW corner of section No. 9, this Block, for the NW corner of this section No. 10.	
Thence S 0° 12' 53" W 1978.8 varas set a concrete monument in the center of a large stone mound composed of three large stones and eight small ones deeply embedded in soil, identified as the original SW corner of this section No. 10, stamped the brass plate in top as is represented in the figure above, from which a large letter "F", an "N", a "P", a "T", and a letter "U", each cut 1/2-inch deep in flat fixed rocks, bear respectively N 76° 12' W 39.3 varas, N 51°41'W 40.1 varas, N 29° 09' W 48.8 varas, S 39° 05' E 6.3 varas, and S 34° 57' W 6.4 varas; a windmill near the W. E. Friend Ranch House bears N 2° 00' 27" W; an 8-inch mesquite marked "T" bears S 13° 39' W 105.9 varas.	.t3
The stones of the original mound were left cemented together around the monument.	1
Thence S 89° 00' 27" E at 2.8 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net at 370 varas point in the center of a grass covered drain running South at 381 varas cross a North-South road at 935.6 varas set a 60d hub nail in a rock mound on a rocky cedar covered hill at 997.7 varas set another 60d hub nail in a small rock mound, from which the windmill near the W. E. Friend ranch house bears N 45° 55' 27" W at 1568.7 varas set another 60d hub nail in a small rock mound at 1819.6 varas point in the bottom of a grass and mesquite covered drain running SE, the SE corner of this section No. 10.	ted as Ks
Thence N 0° 59' 33" E 1978.6 varas to the South common corner of sections Nos. 8 and 9.	
Thence N 89° 00' 27" W 1846.4 varas to the place of beginning.	
	11
I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law:	ty
that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded	ed ed LO

Orig. in Bk.UT, Vol.11,p 314,G.L.0

The state of the s			315	
For Plat see Gene Vol. 12, G.L.O.;	eral Sketch in and in back of The	State of Texas SI	ECTION No. 11	5
this Vol. R-2. Ře	T County.		LOCK No. 49	.9
77 70			ES of a survey of	of
11 12 13		160,35	nd made for THE	IE
		UNIVERSITY OF TEXAS		an
	19	ACT approved March 29, 1		
Mag. Declination 11° True North is	15' East.	right of the Nor	th point wood in	in
Said survey is a	situated in RI	EAGAN	County Tayas	ıs,
on the drainage of	Howard Creek	a tributary of Pecos Ri	ver,	1
Beginning at a podrain, the SE cor	oint in the bottom of mer of section No. 1	a mesquite and grass	covered	
		varas set a 60d hub na	11 in a	
rock mound on the	South side of a roo	ky cedar covered hill rain running SW at	at	nty
varas pass throughaving 2 barbed w	th at about right and vires above the net -	cles a 36-inch net wire at 1697.0 varas se	e fence t a 60d	
hub nail in a sma from which the wi	all rock mound on the indmill near the W. H	SW side of a brushy l	hill,	al
N 73° 36' 27" W - bank of a small d	at 1900.8 varas s drain running SW for	set a concrete monument the SEcorner of this se	t on the	
figure above, fro	om which a letter "F"	p as is represented in cut on the face of a	fired	
"U" and a o-inch	mesquite marked "T"	5-inch double mesquibear respectively S 4	5 51 E 50.0	
wheel only being	.6' E 97.3 varas; a w visible, bears S 9°	indmill on the horizon 53' 27" E; another win	n, the ndmill in	nat
	er of section No. 8.	the SW corner of sec	tion No.	ted
Thence N 89° 00'	27" W 1900.8 varas t	to the SE corner of sec	etion No.	ks,
	er of section No. 10			as
mence 5 0° 59° 5	19 W 19/0.0 Varas CC	the place of beginning	ng.	
				all
				1
Surveyed Marc	h 5, 1934.	Robert A. Leidecker Jim Howard King	Chainmen.	•
IF IFF.	.l I:11 10	Norris B. Creath	Tansiman.	n. ity
Lands, do hereby certify t	hat the foregoing survey wa	of Texas and Special Surveys s made by me in the field and a	ccording to law;	w;

that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2page 106

This 2nd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 315, G.L.O.

316	
For Plat see General Sketch in Vol. 12, G.L.O.; and in back of The State of Texas SECTION No. 12	15
U T REAGAN County BLOCK No. 49	49
11 12 FIELD NOTES of a survey of	of
14 13 666.2 ACRES of land made for THE	HE
B 49 UNIVERSITY OF TEXAS by virtue of an	an
ACT approved March 29, 1929.	
Mag. Declination 11° 15' East. True North is 0° 25' 15" to the right of the North point used in	in
Said survey is situated in REAGAN	as,
on the drainage of Howard Creek, a tributary of Pecos River, about 8 miles S 27°E of Big Lake, the County Site.	đ
Beginning at a concrete monument set on the SE side of a hill on the edge of a small drain running SW for the SE corner of section No. 11, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" cut on the face of a fixed rock bears S 83° 30' E 129.6 varas; a 5-inch double mesquite marked "U" and a 6-inch mesquite marked "I" bear respectively S 43° 51' E 38.8 varas and S 28° 16' E 97.3 varas; a windmill on the horizon, the wheel only being visible, bears S 9° 53' 27" E; another windmill in the distant horizon bears S 8° 33' 03" W. Thence S 89° 00' 27" E at 218 varas cross a road running NW and SE at 254.7 varas set a 60d hub nail in a small rock mound on the East side of a hill at 650 varas land on the point of hill jutting South at 714 varas cross a road running NE and SW at 1326.8 varas set another 60d hub nail in a small rock mound at 1900.8 varas strike the SW corner of section No. 16 and the NW corner of section No. 25, Block 48, University Land. Thence N 0° 59' 33" E 1978.6 varas to the SW corner of section No. 15, Block 48, and the SE corner of section No. 7, this Block. Thence N 89° 00' 27" W 1900.8 varas to the SE corner of section No. 8 and the NE corner of section No. 11.	nty lal.te
	all.
Surveyed March 5, 1934. Robert A. Leidecker Chainmen.	1.
Jim Howard King Norris B. Creath Transitman.	an.
Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described	sity iw; bed ded

Orig. in Bk.UT, Vol.11,p 316,G.L.O.

bed ded

For Plat see General Sketch in The State of Texas Vol.12, G.L.O.; in Crockett U T 11 12 14 13 B 49

REAGAN & CROCKETT County | BLOCK No.

FIELD NOTES of a survey of

659.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

True North is 0° 25' 15" to the right of the North point used in the Field notes of this survey.

Said survey is situated in REAGAN & CROCKETT on the drainage of Howard Creek, a tributary of Pecos River, about 9 miles S 25°E of Big Lake, the County Site of Reagan County; and about 28 miles N 24° W of Ozona, the County Site of Crockett County. on the drainage of

Beginning at the SE corner of section No. 12, this Block, which is the West common corner of sections Nos. 16 and 25, Block 48, University Land.

Thence S 0° 59' 33" W --- at 797.2 varas cross the Reagan-Crockett county line --- at 1957.1 varas strike the SW corner of section No. 25, Block 48, and the NW corner of section No. 1, Block 47, University Land, from which point the NW corner of section No. 5, Block 46, University Land, bears S 0° 59' 33" W 9,788.5 varas.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 13.

Thence N 0° 59' 33" E --- at 1143.2 varas recross the Reagan-Crockett county line --- at 1957.1 varas strike the concrete monument set on the SE side of a hill near the bank of a small drain running SW for the SE corner of section No. 11, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" cut on the face of a fixed rock bears S 83° 30' E 129.6 varas; a 5-inch double mesquite marked "U" and a 6-inch mesquite marked "T" bear respectively S 43° 51' E 38.8 varas and S 28° 16' E 97.3 varas; a windmill on the horizon, the wheel only being visible, bears S 9° 53' 27" E; another windmill in the distant horizon bears S 8° 33' 03" W.

Thence S 89° 00' 27" E --- at 218 varas cross a road running NW and SE --- at 254.7 varas pass a 60d hub nail in a small rock mound on the East side of a hill --- at 650 varas land on the point of hill jutting South --- at 714 varas cross a road running NE and SW --- at 1326.8 varas pass another 60d hub nail in a small rock mound --- at 1900.8 varas the place of beginning.

NOTE: Of this survey, there are 271.2 acres in Reagan County; and 387.8 acres in Crockett County.

Surveyed March 5, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded

in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT Vol. R-2page 108
This 3rd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 317, G.L.O.
Recorded in Bk.UT, Vol.C-1, p 349, Ozona, Texas, Crockett County.

in the Surveyor's Records in Big Lake, Texas, ReaganCounty in Book UT Vol. R-2 page
This 3rd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 318, G.L.O.
Recorded in Bk.UT, Vol.C-1, p 350, Ozona, Licensed Land Surveyor of Texas, and

Special Surveyor of University Lands

Texas, Crockett County.

For Plat see General Sketch in The State of Texas Vol.12, G.L.O.; in Vol.R-2, Reagan he State of Texas Co.: and in Vol.G-2, Crockett Co. U 10 15 B 49

REAGAN & CROCKETT County

SECTION No. 15

BLOCK No.

629.1

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15 1 Clination 11° 15' East.
True North is 0° 26' 15"

to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

REAGAN & CROCKETT

County, Texas,

on the drainage of on the drainage of Howard Creek, a tributary of Pecos River, about 8 miles S 13°E of Big Lake, the County Site of Reagan County; and about 29 miles N 28° W of Ozona, the County Site of Crockett County.

Beginning at the common corner of sections Nos. 10, 11, and 14, this Block, for the NE corner of this section No. 15, being a point in the bottom of a mesquite and grass covered drain running SE.

Thence S 0° 59' 33" W --- at 830.6 varas cross the Reagan-Crockett county line --- at 1957.1 varas strike the SW corner of said section No. 14.

Thence N 89° 00' 27" W 1809.5 varas to a point in a valley, 0.6 varas West and 5.0 varas South of a 4-way intersection of fences, the original SW corner of this section No. 15, from which point the original mesquite bearings are as follows: a mesquite 14 inches in diameter marked "X" bears N 56° 21' W 37 varas; a 20-inch mesquite stump marked "X" bears N 61° 38' E 45.0 varas; an 18-inch mesquite stump bears N 69° 22' E 61 varas.

Thence N 0° 41' 53" E --- at 1110.4 varas recross the Reagan County-Crockett County line, from which point of crossing a large stone set on end marked "TG COL - C COL 28 M" bears S 89° 30' 45" E 24.0 varas --- at 1957.1 varas strike the original SW corner of section No. 10 and the NW corner of this section No. 15, being a concrete monument set in the NW corner of this section No. 15, being a concrete monument set in the center of a large stone mound, consisting of three large stones and eight smaller ones, all embedded in soil before our monument was cemented in place, the brass plate in top of said monument having been stamped as is represented in the figure above, from which a letter "F", an "N", a "P", a "T", and a letter "U", each cut 1/2-inch deep in flat fixed rocks, bear respectively N 76° 12' W 39.3 varas, N 51° 41' W 40.1 varas, N 29° 09' W 48.8 varas, S 39° 05' E 6.3 varas, and S 34° 57' W 6.4 varas; a windmill near the W. E. Friend ranch house bears N 2° 00' 27" W; an 8-inch mesquite marked "T" bears S 13° 39' W 105.9 varas.

Thence S 89° 00' 27" E --- at 2.8 varas pass through at about right angles a 36-inch net wire fence having 2 barbed wires above the net angles a 30-inch net wire fence having 2 barbed wires above the net -- at 370 varas point in the center of a grass covered drain running South -- at 381 varas cross a North-South road --- at 935.6 varas pass a 60d hub nail in a rock mound on a rocky cedar covered hill --- at 997.7 varas pass another 60d hub nail in a small rock mound, from which the windmill near the W. E. Friend ranch house bears N 45° 55' 27" W --- at 1568.7 varas pass another 60d hub nail in a small rock mound --- at 1819.6 varas point in the bed of a mesquite covered drain running SE, the place of beginning.

NOTE: Of this survey, there are 270.0 acres in Reagan County; and 359.1 acres in Crockett County.

Surveyed March 5, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and more in the Surveyor's Records in Big Lake, 1937.

This 3rd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 319, G.L.O.

Recorded in Bk.UT, Vol.C-1, p 351, Ozona,

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Big Lake, Texas, Reagan County in Book UT VolR-2 page 110

12, G.L.O.; and in back of The State of Texas B 50 6 UT

SECTION No. 1

CROCKETT County

BLOCK No. 50

FIELD NOTES of a survey of

610.9

1 4 4 4 4 6 6 6

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East.

True North is 0° 26' 15" to the

of the North point used in right

the Field notes of this survey.

Said survey is situated in on the drainage of Howard

CROCKETT County, Texas, Creek, a tributary of Pecos River,

about 28 miles N 29°W of Ozona, the County Site.

Beginning at the SW corner of section No. 15, Block 49, University Land, same being a point in valley 0.6 varas West and 5.0 varas South of a 4-way intersection of fences, said point being identified as the original common West corner of said section No. 15, Block 49, and this section No. 1, Block 50; the present condition of the three original bearing trees is as follows: a 14-inch mesquite marked "x" bears N 56° 21' W 37 varas; a 20-inch mesquite stump marked "X" bears N 61° 38' E 45.0 varas; an 18-inch mesquite stump bears N 69° 22' E 61 varas.

Thence S 0° 18' 03" W 1918.3 varas set a concrete monument in an old Thence S 0° 18' 03" w 1918.3 varas set a concrete monument in an old stone mound of four large rocks and twelve smaller ones, one rock marked "NE 49 - SE 2", said mound being identified as the original SW corner of this section No. 1, stamped the brass plate in the top of the concrete monument as is represented in the figure above, from which a 5-inch mesquite marked "X" bears S 11° 40' E 35.2 varas; a letter "X" cut on the face of a fixed rock bears S 17° 08' W 13.6 varas; an earth mound containing broken glass bears N 67° 10' W 54.2 varas; a 6-inch mesquite marked "T" bears N 51° 41' W 70.4 varas; a letter "T" cut on the face of a fixed rock bears N 49° 31' E 26.3 varas.

Thence S 89° 00' 27" E --- at 361.3 varas cut a "cross" on cap rock --- at 652.0 varas set a 60d hub nail in a small rock mound about 200 varas North of the head of a drain running South --- at 1216.7 varas set another 60d hub nail in a small rock mound --- at 1691.2 varas set a third 60d hub nail in a rock mound on the side of a hill sloping SE --- at 1786.4 varas point for the SE corner of this section No. 1.

Thence N 0° 59! 33" E 1918.2 varas to the South common corner of sections Nos. 14 and 15, Block 49.

Thence N 89° 00' 27" W 1809.5 varas to the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 352 day of August, 1937.

Orig. in Bk.UT, Vol.11, p 320, G.L.O.

For Plat see General Sketch in The State of Texas Grockett County.

SECTION No. 2

CROCKETT

County

BLOCK No. 50

645.9

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East. True North is 0° 25! 45" the Field notes of this survey.

5

U

50

T

to the

of the North point used in

Said survey is situated in on the drainage of on the drainage of Howard Creek, a tributary about 27 miles N 27°W of Ozona, the County Site.

CROCKETT

right

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the common corner of sections Nos. 14 and 15, Block 49, University Land, and section No. 1, this Block, for the NW corner of this section No. 2.

Thence S 0° 59' 33" W 1918.2 varas to the SE corner of said section No. 1.

Thence S 89° 00' 27" E --- at 360 varas and at 600 varas cross drains, each running South --- at 1163 varas and at 1800 varas the NW edge and the SE edge respectively of a drain running SW, thickly covered with mesquite trees --- at 1900.8 varas set a concrete monument for the SE corner of this section No. 2, situated on a smooth prairie sloping westerly, about 250 varas SW of the NE corner of a pasture, stamped the brase plate in top of the monument as is represented in the figure above westerly, about 250 varas SW of the NE corner of a pasture, stamped the brass plate in top of the monument as is represented in the figure above, from which a Spanish Dagger bears N 81° 38' W 52.0 varas; a letter "X" and a letter "T", each cut on the faces of fixed rocks, bear respectively N 48° 55' W 57.0 varas and S 58° 24' W 42.8 varas; the windmill near the W. E. Friend ranch bears N 36° 50' 27" W; a 6-inch mesquite marked "X", a 4-inch mesquite marked "F", and a 5-inch mesquite marked "T" bear respectively N 11° 58' E 49.3 varas, N 10° 44' W 44.8 varas, and S 3° 39' E 42.7 varas; the approximate center of a concrete tank bears S 14° 20' 27" E; windmill at McMichael's bears S 63° 15' 33" W.

Thence N 0° 59' 33" E 1918.2 varas to the South common corner of sections Nos. 13 and 14, Block 49.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed March 6,1934.

3rd

Robert A. Leidecker Chainmen. Jim Howard King Transitman. N orris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 353 day of August, 1937. This

Orig. in Bk.UT, Vol.11, p 321, G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 3

Crockett B 50 U T

BLOCK No. 50 County CROCKETT

FIELD NOTES of a survey of

645.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Clination 11° 15' East.

True North is 0° 25' 15" to the Mag. Declination

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard about 27 miles N 25°W of Ozona, the County Site.

CROCKETT County, Texas,

Creek, a tributary of Pecos River,

right

Beginning at the concrete monument set in a smooth prairie sloping westerly, about 250 varas SW of the NE corner of a pasture, for the westerly, about 250 varas SW of the NE corner of a pasture, for the SE corner of section No. 2, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a Spanish Dagger bears N 81° 38' W 52.0 varas; a letter "X" and a letter "T", each cut on the faces of fixed rocks, bear respectively N 48° 55' W 57.0 varas and S 58° 24' W 42.8 varas; the windmill near the W. E. Friend ranch bears N 36° 50' 27" W; a 6-inch mesquite marked "X", a 4-inch mesquite marked "F", and a 5-inch mesquite marked "T" bear respectively N 11° 58' E 49.3 varas, N 10° 44' W 44.8 varas, and S 3° 39' E 42.7 varas; the approximate center of a concrete tank bears S 14° 20' 27" E; windmill at McMichael's bears S 63° 15' 33" W.

Thence S 89° 00' 27" E --- at 164.9 varas set a 60d hub nail, from which a windmill bears S 53° 18' 27" E about 700 varas --- at 166.0 varas pass through a 36-inch net wire fence having 2 barbed wires above the net, 251.1 varas S 1° 31' 30" W of the point where it turns West --- at 195 varas cross a North-South road --- at 466 varas cross a NW and SE road --- at 650 varas pass about 300 varas North of the center of a dry lake --- at 1069.3 varas set another 60d hub nail, from which a windmill bears S 26° 36' 30" W about 330 varas --- at 1900.8 varas strike the West common cormer of sections Nos. 1 and 10, Block 47, University Land.

Thence N 0° 59' 33" E 1918.2 varas to the common corner of Blocks Nos. 47, 48, 49, and 50, University Land, from which the NW corner of section No. 5, Block 46, University Land, bears S 0° 59' 33" W 9788.5 varas.

Thence N 89° 00' 27" W 1900.8 varas to the SE corner of section No. 14, Block 49, and the NE corner of section No. 2, this Block.

Thence S 0° 59' 33" W 1918.2 varas to the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 3 5 4

day of August, 1937. This 3rd

Orig. in Bk.UT, Vol.11, p 322, G.L.O.

For Plat see General Sketch in Vol. C-2, The State of Texas SECTION No. 4

CROCKETT

BLOCK No. 50 County

FIELD NOTES of a survey of

ok" 664.3

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East.

2

5

True North is 0° 25' 15" to the

T

50

3

4

right

of the North point used in

the Field notes of this survey.

U

Said survey is situated in on the drainage of Howard Creek, a tributary about 26 miles N 27°W of Ozona, the County Site.

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SE corner of section No. 3, this Block, being also the West common corner of sections Nos. 1 and 10, Block 47, University Land.

Thence S 0° 59' 33" W 1972.9 varas to the NW corner of section No. 11, Block 47.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW comer of this section No. 4.

Thence N 0° 59' 33" E 1972.9 varas to the concrete monument set for the SE corner of section No. 2, being the SW corner of section No. 3, and the NW corner of this section No. 4, situated in a smooth prairie sloping Westerly, about 250 varas SW of the NE corner of a pasture, the brass plate in top of the monument having been stamped as is the brass plate in top of the monument having been stamped as is represented in the figure above, from which a Spanish Dagger bears N 81° 38' W 52.0 varas; a letter "X" and a letter "T", each cut on the faces of fixed rocks, bear respectively N 48° 55' W 57.0 varas and S 58° 24' W 42.8 varas; the windmill near the W. E. Friend ranch house bears N 36° 50' 27" W; a 6-inch mesquite marked "X", a 4-inch mesquite marked "F", and a 5-inch mesquite marked "T" bear respectively N 11° 58' E 49.3 varas, N 10° 44' W 44.8 varas, and S 3° 39' E 42.7 varas; the approximate center of a concrete tank bears S 14° 20' 27" E; windmill at McMichael's bears S 63° 15' 33" W.

Thence S 89° 00' 27" E --- at 164.9 varas pass a 60d hub nail, from which a windmill bears S 53° 18' 27" E about 700 varas --- at 166.0 varas pass through a 36-inch net wire fence having 2 barbed wires above the net, 251.1 varas S 1° 31' 30" W of the point where it turns West --- at 195 varas cross a North-South road --- at 466 varas cross a NW and SE road --- at 650 varas pass about 300 varas North of the center of a dry lake --- at 1069.3 varas pass another 60d hub mil, from which a windmill bears S 26° 36' 30" W about 330 varas --- at 1900.8 varas the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Jim Howard King N orris B. Creath

raust

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 355 day of August, 1937. This

Orig. in Bk.UT, Vol.11, p 323 ,G.L.O.

3rd

Vol. 12, G.L.O.; and in Vol. C-2, he State of Texas 50 4 5 U T

CROC KETT County | BLOCK No. 50

SECTION No. 5

FIELD NOTES of a survey of

ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

True North is 0° 25' 45" to the

right

· · · · · · · · · · · · · · · · ·

664.3

of the North point used in

the Field notes of this survey.

Said survey is situated in

CROCKETT Creek, a tributary of Pecos River,

County, Texas,

on the drainage of Howard Creek, a tributary about 26 miles N 28°W of Ozona, the County Site.

Beginning at the SE corner of section No. 2, being the SW corner of section No. 3, and the NW corner of section No. 4, this Block, for the NE corner of this section No. 5, being a concrete monument set in a smooth prairie sloping toward the West, about 250 varas SW of the NE corner of a pasture, its brass plate in top having been stamped as is represented in the figure above, from which a Spanish Dagger bears N 81° 38' W 52.0 varas; a letter "X" and a letter "T", each cut on the faces of fixed rocks, bear respectively N 48° 55' W 57.0 varas and S 58° 24' W 42.8 varas; the windmill near the W. E. Friend ranch house bears N 36° 50' 27" W; a 6-inch mesquite marked "X", a 4-inch mesquite marked "F", and a 5-inch mesquite marked "T" bear respectively N 11° 58' E 49.3 varas, N 10° 44' W 44.8 varas, and S 3° 39' E 42.7 varas; the approximate center of a concrete tank bears S 14° 20' 27" E; windmill at McMichael's bears S 63° 15' 33" W.

Thence S 0° 59' 33" W 1972.9 varas to the SW corner of said section

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 5.

Thence N 0° 59! 33" E 1972.9 varas to the SE corner of section No. 1 and the SW corner of section No. 2.

Thence S 89° 00! 27" E --- at 360 varas and at 600 varas cross drains, each running South --- at 1463 varas and at 1800 varas the NW edge and the SE edge respectively of a drain running SW, thickly covered with mesquite trees --- at 1900.8 varas the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 356 day of August, 1937.

Orig. in Bk.UT, Vol.11,p 324, G.L.O.

3rd

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas B 50 1 UT

CROCKETT County | BLOCK No. 50

FIELD NOTES of a survey of

629.3 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

0° 26' 15" to the True North is

right of the North point used in

the Field notes of this survey.

Said survey is situated in

CROCKETT

in the

County, Texas,

on the drainage of Howard Creek, a tributary of about 27 miles N 30°W of Ozona, the County Site. Creek, a tributary of Pecos River,

Beginning at the common corner of sections Nos. 1, 2, and 5, this Block.

Thence S 0° 59' 33" W 1972.9 varas to the SW corner of said section No.

Thence N 89° 00' 27" W 1814.6 varas to a point for the SW corner of this section No. 6.

Thence N 1° 48' 43" E 1973.1 varas to the concrete monument set in the center of an old stone mound of four large rocks and twelve smaller ones, one rock marked "NE 49 - SE 2", said mound being identified as ones, one rock marked "NE 49 - SE 2", said mound being identified as the original NW corner of this section No. 6, the brass plate in top of the concrete monument having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "X" bears S 11° 40' E 35.2 varas; a letter "X" cut on the face of a fixed rock bears S 17° 08' W 13.6 varas; an earth mound containing broken glass bears N 67° 10' W 54.2 varas; a 6-inch mesquite marked "T" bears N 51° 41' W 70.4 varas; a letter "T" cut on the face of a fixed rock bears N 49° 31' E 26.3 varas.

Thence S 89° 00' 27" E --- at 361.3 varas cut a "cross" on cap rock
--- at 652.0 varas pass a 60d hub nail in a small rock mound about
200 varas North of the head of a drain running South --- at 1216.7
varas pass another 60d hub nail in a small rock mound --- at 1691.2
varas pass a third 60d hub nail in a rock mound on the side of a hill sloping SE --- at 1786.4 varas point for the NW corner of this section No. 6, the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 357 day of August, 1937. 3rd

Orig. in Bk.UT, Vol.11,p 325, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.OI: and in Vol. C-2, The State of Texas U T 12 B 50

SECTION No. 7 CROCKETT

County | BLOCK No. 50

FIELD NOTES of a survey of

ACRES of land made for THE 639.1

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

0° 26' 15" to the True North is the Field notes of this survey.

right of the North point used in

Said survey is situated in on the drainage of

CROCKETT

County, Texas,

drainage of Howard Creek, a tributary 26 miles N 31° Wof Ozona, the County Site. Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 6, this Block, for the NW corner of this survey.

Thence S 1° 48' 43" W 1973.1 varas to an old stone mound of six large Thence S 1° 48' 43" W 1973.1 varas to an old stone mound of six large flat rocks, there being seven smaller ones interspersed therein, situated on the South side of a rocky hill 7.2 varas East of a North-South 36-inch net wire fence having 3 barbed wires above the net, identified as the original SW corner of this section No. 7. On the West side of, but hard against this mound was cemented in solid rock a brass plate, stamped same as is represented in the figure above, from which brass plate a steel windmill bears S 87° 07' 27" E; a letter "T", a letter "U", and a letter "X" chiseled into the faces of fixed rocks bear respectively S 60° 23' E 9.2 varas, S 27° 57' W 4.7 varas, and N 25° 28' W 4.7 varas; the concrete monument set for the SE corner of section No. 36, Block 12, University Land, bears N 61° 03' 06" W 3.72h.9 varas. 3,724.9 varas.

Thence S 89° 00' 27" E --- at 375 varas cross about 100 varas below the head of a drain running South --- at 774.7 varas set a 60d hub nail in a rock mound on top of a cedar covered hill --- at 1240 varas point in East edge of thick cedar --- at 1842.8 varas point for the SE corner of this section No. 7.

Thence N 0° 59' 33" E 1972.9 varas to the SW corner of section No. 5 and the SE corner of section No. 6.

Thence N 89° 00' 27" W 1814.6 varas to the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 358
This 3rd day of August, 1937.

Orig. in Bk.UT, Vol.11,p 326,G.L.O.

G.L.O.; and in Vol.C-2, The State of Texas For Plat see General Sketch in Vol. 12, II T 8 9 11 10

SECTION No. 8

CROCKETT

County | BLOCK No. 50

FIELD NOTES of a survey of

664.3

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

110 151 Mag. Declination East.

True North is 0° 25' 45" to the

50

right

of the North point used in

the Field notes of this survey.

B

Said survey is situated in on the drainage of

CROCKETT

County, Texas,

on the drainage of Howard Creek, a tributary of about 25 miles N 29°W of Ozona, the County Site. Pecos River,

Beginning at the common corner of sections Nos. 5, 6, and 7, this Block.

Thence S 0° 59' 33" W 1972.9 varas to the SE corner of said section

Thence S 89° 00' 27" E --- at 542.7 varas set a 60d hub nail in a small rock mound from which a steel windmill near a steel tank bears S 73° 02' 27" E about 340 varas --- at 688.1 varas pass through at about right angles a 40-inch net wire fence having 3 barbed wires above the net, crossing at a point 5 varas South of a plank gate --- at 844.5 varas pass 21 varas North of an old oil test well --- at 948 varas cross a road running NE and SW --- at 1049.5 varas set another 60d hub nail in a rock mound, from which the same windmill near a steel tank bears S 67° 07' 33" W about 300 varas --- at 1445 varas cross a North-South road --- at 1900.8 varas set a concrete monument on a high mesa sparsely covered with small mesquite trees for the SE corner of this section No. 8, stamped its brass plate in top as is represented in the figure above, from which three 4-inch mesquites, the first marked "X", the second marked "T", and the third marked "F", bear respectively N 20° 18' W 14.8 varas, N 64° 28' E 15.6 varas, and S 11° 55' E 19.0 varas; the steel windmill near steel tank bears S 86° 12' 33" W about 1000 varas.

Thence N 0° 59' 33" E 1972.9 varas to the South common corner of sections Nos. 4 and 5.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 359 day of August, 1937. This 3rd

Orig. in Bk.UT, Vol.11, p 327, G.L.O.

328

For Plat see General Sketch in Vol. 2, G.L.O.; and in Vol. C-2, The State of Texas SE

1. 1 . O.K.

SECTION No. 9

CROCKETT County BLOCK No. 50

FIELD NOTES of a survey of

664.3 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

True North is 0° 25 15" to the the Field notes of this survey.

right of the North point used in

of the Horth point used in

Said survey is situated in CROCKETT County, Texas, on the drainage of Howard Creek, a tributary of Pecos River, about 25 miles N 28°W of Ozona, the County Site.

Beginning at a concrete monument set on a high mesa sparsely covered with small mesquite trees, for the SE corner of section No. 8, this Block, its brass plate in top having been stamped as is represented in the figure above, from which three 4-inch mesquites, the first marked "X", the second marked "T", and the third marked "F", bear respectively N 20° 18' W 14.8 varas, N 64° 28' E 15.6 varas, and S 11° 55' E 19.0 varas; the steel windmill mear steel tank bears S 86° 12' 33" W about 1000 varas.

Thence S 89° 00' 27" E --- at 1000 varas point in the center of a wide drain running SE --- at 1556.3 varas set a 60d hub nail in a rock mound on top of a hill --- at 1745 varas and at 1891 varas cross roads, the latter being an old one --- at 1900.8 varas strike the West common corner of sections Nos. 11 and 20, Block 47, University Land.

Thence N 0° 59' 33" E 1972.9 varas to the SW corner of section No. 10, Block 47, and the SE corner of section No. 4, this Block.

Thence N 89° 00' 27" W 1900.8 varas to the SE corner of section No.

Thence S 0° 59' 33" W 1972.9 varas to the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Jim Howard King Norris B. Greath Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 360 This 3rd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 328, G.L.O.

SECTION No. 10

For Plat see General Sketch in 12, G.L.O.; and in Vol. C-2, The State of Texas Crockett County. Vol. U T 8 9 11 10 B 50

County BLOCK No. CROCKETT

FIELD NOTES of a survey of

659.4 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East.

True North is 0° 25' 15" to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of Howard

CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

24 miles N 29°W of Ozona, the County Site. about

Beginning at the West common corner of sections Nos. 11 and 20, Block 47, University Lands, being also the SE corner of section No. 9, this Block, for the NE corner of this section No. 10.

Thence S 0° 59' 33" W 1958.3 varas to the NW corner of section No. 21, Block 47.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 10.

Thence N 0° 59' 33" E 1958.3 varas to the concrete monument set for the SE corner of section No. 8, situated on a high mesa sparsely covered with small mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which three 4-inch mesquites, the first marked "X", the second marked "T", and the third marked "F", bear respectively N 20° 18' W 14.8 varas, N 64° 28' E 15.6 varas, and S 11° 55' E 19.0 varas; the steel windmill near steel tank bears S 86° 12' 33" W about 1000 varas.

Thence S 89° 00' 27" E --- at 1000 varas point in the center of a wide drain running SE --- at 1556.3 varas pass a 60d hub nail in a rock mound on top of a hill --- at 1745 varas and at 1891 varas cross roads, the latter being an old one --- at 1900.8 varas the place of beginning.

Surveyed March 6, 1934.

This

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 361 day of August, 1937.

Orig. in Bk.UT, Vol.11,p 329,G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas U 8 11 10

CROCKETT

SECTION No. 11

FIELD NOTES of a survey of

County | BLOCK No.

659.4

· · · D. · · ·

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination True North is 0° 25'

0° 25' 45" to the the Field notes of this survey.

50

right

of the North point used in

Said survey is situated in on the drainage of Howard Creek, a tributary about 25 miles N 30°W of Ozona, the County Site. on the drainage of

C ROCKETT

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the NW corner of section No. 10, this Block, being a concrete monument set for the SE corner of section No. 8, situated concrete monument set for the SE corner of section No. 0, situated on a high mesa sparsely covered with small mesquite trees, its brass plate in top having been stamped as is represented in the figure above, from which three 4-inch mesquites, the first marked "X", the second marked "T", and the third marked "F", bear respectively N 20° 18' W 14.8 varas, N 64° 28' E 15.6 varas, and S 11° 55' E 19.0 varas; the steel windmill near steel tank bears S 86° 12' 33" W about 1000varas.

Thence S 0° 59' 33" W 1958.3 varas to the SW corner of said section No. 10.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW comer of

Thence N 0° 59' 33" E 1958.3 varas to the SE corner of section No. 7 and the SW corner of section No. 8.

Thence S 89° 00' 27" E --- at 542.7 varas pass a 60d hub nail in a small rock mound from which a steel windmill near a steel tank bears S 73° 02' 27" E about 340 varas --- at 688.1 varas pass through at about right angles a 40-inch net wire fence having 3 barbed wires above the net, crossing at a point 5 varas South of a plank gate at 844.5 varas pass 21 varas North of an old oil test well --- at 948 varas cross a road running NE-SW --- at 1049.5 varas pass another 60-d hub nail in a rock mound, from which the same windmill near a steel tank bears S 67° 07' 33" W about 300 varas --- at 1445 varas cross a North-South road --- at 1900.8 varas the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath Transitman.

ed

ed

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas Crockett County in Book UT Vol. C-1page 362 day of August, 1937.

Orig. in Bk.UT, Vol.11,p 330,G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in Vol. C-2, The State of Texas Vol. 12, G.L.O.; and in Crockett County.

SECTION No. 12

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' East. Mag. Declination

True North is 0° 26' 15" to the

UT

B 50

12

right

of the North point used in

the Field notes of this survey. Said survey is situated in

CROCKETT

County, Texas,

Howard on the drainage of

Creek, a tributary of

Pecos River,

25 miles N 32°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 7, 8, and 11, this

Thence S 0° 59' 33" W 1958.3 varas to the SW corner of said section

Thence N 89° 00' 27" W 1847.0 varas to a very old stone mound of eight large rocks deeply embedded in the soil, identified as the original SW corner of this section No. 12.

Thence N 1° 06' 53" E 1958.3 varas to an old stone mound consisting of six large flat and seven smaller rocks, situated on the South side of a rocky hill, 7.2 varas East of a North-South 36-inch net wire of a rocky hill, 7.2 varas East of a North-South 36-inch net wire fence having 3 barbed wires above the net, identified as the original NW corner of this section No. 12 and the SW corner of section No. 7. On the West side, but hard against this old stone mound was anchored in solid rock a brass plate, stamped as is represented in the figure above, from which a steel windmill bears S 87° 07' 27" E; a letter "T", a letter "U", and a letter "X" chiseled into the faces of fixed rocks bear respectively S 60° 23' E 9.2 varas, S 27° 57' W 4.7 varas, and N 25° 28' W 4.7 varas; the concrete monument set for the SE corner of section No. 36, Block 12, University Land, bears N 61° 03' 06" W 3.72h.9 varas. 3,724.9 varas.

Thence S 89° 00' 27" E --- at 375 varas cross about 100 varas below the head of a drain running South --- at 774.7 varas pass a 60d hub nail in a rock mound on top of a cedar covered hill --- at 1240 varas point in East edge of thick cedar --- at 1842.8 varas the place of beginning.

March 6, 1934. Surveyed

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 363
This 3rd day of August, 1937.

Orig. in Bk.UT, Vol.11,p 331,G.I.O.

BLOCK No. 50

County, Texas,

Vol. 12, G.I.O.; and in Vol. C-2, The State of Texas SECTION No. 13 CROCKETT County WITN ESS FIELD NOTES of a survey of 2 VR EAST 1. BR. ACRES of land made for THE 647.3 TO NW 3 B 51

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East. 0° 261 15" to the True North is the Field notes of this survey.

UT

9 18 35

of the North point used in right

CROCKETT Said survey is situated in Creek, a tributary of Pecos River, on the drainage of Howard Creek, a tributary about 24 miles N 34°W of Ozona, the County Site.

Beginning at a very old stone mound of eight large rocks deeply embedded in the soil at the SW corner of section No. 12, this Block, said mound being identified as the original NW corner of this section No. 13.

Thence S 1° 39' 53" W 1966.3 varas to a large stone monument 6 feet at base and 3 feet high, having a long upright stone in center, known by the writer since the year 1925, and considered by old residents, the Schneemans, since the year 1890, as the original SW corner of this section No. 13, situated on the West edge of a cedar covered hill overlooking the valley of Howard Creek. 2.0 varas N 89° 00' 27" W of this monument was cemented in solid rock a brass plate stamped as is represented in the figure above, from which a letter "U", a letter "T", a letter "F", and a letter "X", each cut in the faces of fixed rocks bear respectively S 58° 17' W 14.9 varas, N 45° 02' W 12.7 varas, N 4° 52' E 6.0 varas, and N 50° 39' E 15.7 varas; a windmill on the horizon bears N 36° 23' 33" E about 2 1/4 miles.

Thence, from the center of the monument, S 89° 00' 27" E --- at 344.9 varas, at 1012.2 varas, and at 1439.9 varas set 60d hub nails in small rock mounds, the second being on a low cedar covered hill --- at 1648 varas cross a small drain running SE --- at 1801 varas cross a North-South road running along the bed of a small drain --- at 1870.0 varas point for the SE corner of this section N . 13.

Thence N 0° 59' 33" E 1966.2 varas to the South common corner of sections Nos. 11 and 12.

Thence N 89° 00' 27" W 1847.0 varas to the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett, County in Book UT Vol. C-1 page 364 day of August, 1937.

Orig. in Bk.UT, Vol.11,p 332,G.L.O.

3rd

Vol. For Plat see General Sketch in The State of Texas and in County. Crockett U m

50

51

CROCKETT County J SECTION No. 1/1

BLOCK No. 50

FIELD NOTES of a survey of

662.0

right

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' Mag. Declination East.

14

B

B

on the drainage of

00 25 45" True North is the Field notes of this survey.

to the

of the North point used in

Said survey is situated in Howard

County, Texas, CROCKETT

about 24 miles N 32°W of Ozona, the County Site.

Creek, a tributary of Pecos River,

Beginning at the common corner of sections Nos. 11, 12, and 13, this Block.

Thence S 0° 59' 33" W 1966.2 varas to the SE corner of said section

Thence S 89° 00' 27" E --- at 368 varas cross a road running NE and SW --- at 991.7 varas set a 60d hub nail in a rock mound in the East edge of thick cedar brush --- at 1378.5 varas point from which an old fence corner "deadman" weighted by a large rock mound bears South 2.5 varas --- at 1391.7 varas set another 60d hub nail in a rock mound --- at 1774 varas cross a road running NE and SW --- at 1900.8 varas set a concrete monument on a high mesa in the NW edge of thick greasewood and about 150 varas SW of a thick mesquite mott for the SE corner of this section No. 14, stamped its brass plate in top as is represented in the figure above, from which an earth mound containing tin cans bears N 33° 52' 27" W 10.6 varas; the approximate center of a large dry lake bears N 24° W about 200 varas; a 4-inch double mesquite marked "T" bears S 20° 22' W 33.0 varas.

Thence N 0° 59' 33" E 1966.2 varas to the SW corner of section No. 10 and the SE corner of section No. 11.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett, County in Book UT Vol. G-1 page
This 3rd day of August, 1937.

Orig. in Bk.UT, Vol.11, p 333, G.L.O.

Vol. 12, G.L.O.; and in Vol.G-2, The State of Texas T U B 50 14 15 1

CROCKETT

County

SECTION No. 15

BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE 662.0 UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' Mag. Declination East.

B

True North is 0° 25' 15" to the

51

right

of the North point used in

the Field notes of this survey.

CROCKETT

County, Texas,

Said survey is situated in Pecos River, on the drainage of Howard Creek, a tributary of

about 23 miles N 29°W of Ozona, the County Site

Beginning at a concrete monument set for the SE corner of section No. 14, this Block, situated on a high mesa in the NW edge of thick greasewood and about 150 varas SW of a thick mesquite mott, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing tin cans bears N 33° 52' 27" W 10.6 varas; the approximate center of a large dry lake bears N 24° W about 200 varas; a 4-inch double mesquite marked "T" bears S 20° 22' W 33.0 varas.

Thence S 89° 00' 27" E --- at 691.0 varas and at 1691.0 varas set 60d hub nails in small rock mounds --- at 1740 varas cross the head of a drain running South --- at 1900.8 varas point in the head of a drain running South, the NW corner of section No. 5, Block 46, and the SW corner of section No. 21, Block 47, University Land.

Thence N 00 59' 33" E 1966.2 varas to the SW corner of section No. 20, Block 47, and the SE corner of section No. 10, this Block.

Thence N 89° 00' 27" W 1900.8 varas to the SE corner of section No. 11 and the NE corner of section No. 14.

Thence S 0° 59' 33" W 1966.2 varas to the place of beginning.

Surveyed March 6, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 366
This 3rd day of August, 1937.

Orig. in Bk. UT, Vol. 11, p 334, G. I.O.

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

Crockett County.

SECTION No. 1

U B 50 14

CROCKETT

County | BLOCK No. 51

FIELD NOTES of a survey of

650.2

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

True North is 0° 25' 15" to the

51

right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 22 miles N 31°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 15, Block 50, and 21, Block 47, and 5, Block 46, University Land, for the NE corner of this section No. 1, being a point in the head of a drain running South.

Thence S 0° 59' 33" W 1931.0 varas to the NW corner of section No. 6, Block 46.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 1.

Thence N 0° 59' 33" E 1931.0 varas to the concrete monument set on a high mesa in the NW edge of dense greasewood and about 150 varas SW of a thick mesquite mott, for the SE corner of section No. 11, being the SW corner of section No. 15, Block 50, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing tin cans bears N 33° 52° 27° W 10.6 varas; the approximate center of a large dry lake bears N 24°W about 200 varas; a 4-inch double mesquite marked "T" bears S 20° 22' W 33.0 varas.

Thence S 89° 00' 27" E --- at 691.0 varas and at 1691.0 varas pass 60d hub nails in small rock mounds --- at 1740 varas cross the head of a drain running South --- at 1900.8 varas the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 367 4th day of August, 1937.

Orig. in Bk.UT, Vol.11,p 335,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas SECTION No. 2

County U 50 14 15 2 1 B 51

County | BLOCK No. 51 CROCKETT

FIELD NOTES of a survey of

ACRES of land made for THE 650.2

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination

Clination 11° 15' East.

True North is 0° 25' 45" to the the Field notes of this survey.

Said survey is situated in

right

of the North point used in

County, Texas, CROCKETT Creek, a tributary of Pecos River.

Howard on the drainage of about 23 miles N 34°W of Ozona, the County Site.

Beginning at a concrete monument set for the SE corner of section No. 14, being the SW corner of section No. 15, Block 50, University Land, also the NW corner of section No. 1, this Block, said monument being situated on a high mesa in the NW edge of dense greasewood and about 150 varas SW of a thick mesquite mott, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing tin cans bears N 33° 52' 27" W 10.6 varas; the approximate center of a large dry lake bears N 24° W about 200 varas; a 4-inch double mesquite marked "T" bears S 20° 22' W 33.0 varas.

Thence S 0° 59' 33" W 1931.0 varas to the SW corner of said section No. 1.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW comer of this section No. 2.

Thence N 0° 59' 33" E 1931.0 varas to the South common corner of sections Nos. 13 and 14, Block 50.

Thence S 89° 00' 27" E --- at 368 varas cross a road running NE and SW --- at 991.7 varas pass a 60d hub nail in a rock mound in the East edge of thick cedar brush --- at 1378.5 varas point from which an old fence corner "deadman" weighted by a large rock mound bears South 2.5 varas --- at 1391.7 varas pass another 60d hub nail in a rock mound --- at 1774 varas cross a road running NE and SW --- at 1900.8 varas the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 368
This 4th day of August, 1937.

Orig. in Bk.UT, Vol.11, p 336, G.L.O.

For Plat see General Sketch in Vol. G-2, The State of Texas SECTION No. 3 CROCKETT

bK

642.9

WIT NESS 2 VR EAST TO NW 3 B 51 9 18 35 UT

BLOCK No. 51 County

FIELD NOTES of a survey of ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East. 0° 26' 15" to the True North is the Field notes of this survey.

of the North point used in right

CROCKETT Said survey is situated in on the drainage of Howard

County, Texas,

Creek, a tributary of Pecos River,

about 23 miles N 350W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 13 and 14, Block 50, University Land, and section No. 2, this Block, for the NE corner of this section No. 3.

Thence S 0° 59' 33" W 1931.0 varas to the SW corner of said section

Thence N 89° 00' 27" W 1889.0 varas to a point for the SW corner of this section No. 3.

Thence N 1° 33' 13" E --- at 789 varas point on a low rocky point extending West --- at 1175 varas cross a drain running SW --- at 1385 varas point at the South foot of a hill --- at 1834 varas top of same hill --- at 1931.1 varas strike the old stone mound 6 feet at base and 3 feet high, having in its center a long upright stone, being undisturbed, identified by the writer in the year 1925 and considered by old residents, the Schneemans, in 1890 as the original NW corner of this section No. 3, and the SW corner of section No. 13, Block 50, same being situated on the West brow of a rocky cedar covered hill overlooking the valley of Howard Creek. From the monument, N 89° 00' 27" W 2.0 varas was cemented in solid rock a brass plate stamped as is represented in the figure above, from which a letter "U", a letter "F", and a letter "X", cut on the faces of fixed rocks, bear respectively S 58° 17' W 14.9 varas, N 45° 02' W 12.7 varas, N 4° 52' E 6.0 varas, and N 50° 39' E 15.7 varas; a windmill on the horizon bears N 36° 23' 33" E about 2 1/4 miles.

Thence, from the center of the monument, S 89° 00' 27" E --- at 344.9 varas, at 1012.2 varas, and at 1439.9 varas pass 60d hub nails in small rock mounds, the second being on a low cedar covered hill --- at 1648 varas cross a small drain running SE --- at 1801 varas cross a North-South road running along the bed of a small drain --- at 1870.0 varas the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-lpage 369 day of August, 1937. 4th

Orig. in Bk.UT, Vol.11, p 337, G.L.O.

This

Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas U 9 B 51

CROCKETT

County | BLOCK No. 51

FIELD NOTES of a survey of

SECTION No. 1

ACRES of land made for THE 649.3

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 15'

True North is 0° 26' 15" to the

of the North point used in right

the Field notes of this survey. County, Texas, CROCKETT Said survey is situated in Creek, a tributary of Pecos River, on the drainage of

Howard about 23 miles N 37°W of Ozona, the County Site.

Beginning at the SW corner of section No. 3, this Block. Thence S 1° 33' 13" W --- at 451 varas cross a drain running SW --- at 1651 varas cross another drain running West --- at 1867 varas North foot of a hill --- at 1931.0 varas set a brass plate in cement between two large rocks for the SW corner of this section No. 4, situated on the first ledge up from the NE foot of a rocky cedar covered hill, stamped the brass plate as is represented in the figure above, from which a letter "U" and a letter "F" cut in the faces of fixed rocks bear respectively S 6° 21' W 20.8 varas and S 53° 12' W 9.6 varas; a windmill at a ranch house bears N 25° 15' 27" W; an 8-inch mesquite

marked "T" bears N 73° 01' E 33.7 varas.

Thence S 89° 00' 27" E --- at 32.5 varas cross the head of a drain running North --- at 279.5 varas and at 366.4 varas set 60d hub nails in small rock mounds, the first being on top of a low hill --- at 782 varas cross another drain running North --- at 994.8 varas set another 60d hub nail in a small rock mound under a double post, 3-wire power line coursing N 37° 43' 27" W - S 37° 43' 27" E, from which hub a windmill near a stone tank bears N 69° 51' 33" E --- at 1399.2 varas set another 60d hub nail in a rock mound on the North end of a low cedar covered hill --- at 1756 varas cross a road running NE and SW --- at 1908.0 varas point for the SE corner of this section No. 4, from which an old stone mound of five large rocks in a smooth drain about 10 varas NW of the foot of a hill, identified as the original SE corner of this section No. 4, bears South 149.3 varas and West 75.8 varas.

Thence N 0° 59' 33" E 1930.9 varas to the South common corner

of sections Nos. 2 and 3.

Thence N 89° 00' 27" W 1889.0 varas to the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim H ward King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 370 day of August, 1937.

Orig. in Bk.UT, Vol.11,p 338,G.L.O.

Vol. 12, G.I.O.; and in Vol.C-2, The State of Texas

SECTION No. 5

U 6 8 7. 51

BLOCK No. 51 County CROCKETT

FIELD NOTES of a survey of

650.1 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

151 Mag. Declination East.

0° 251 45" to the True North is

of the North point used in right

the Field notes of this survey.

CROCKETT County, Texas,

Said survey is situated in on the drainage of Howard

Creek, a tributary of Pecos River,

about 22 miles N 35°W of Ozona, the County Site.

Beginning at the SE corner of section No. 4, this Block, from which point an old stone mound of five large rocks in a smooth valley about 10 varas NW of the foot of a hill, identified as the original SW corner of this section No. 5, bears South 149.3 varas and West 75.8

Thence S 89° 00' 27" E --- at 97.9 varas set a 60d hub nail in a rock mound from which a windmill near a stone tank bears N 43° 54' 27" W --- at 198 varas cross a North-South road --- at 225 varas cross another old North-South road deeply rutted --- at 561.8 varas set another 60d hub nail in a rock mound on top of hill --- at 840 varas point at the East foot of the hill --- at 1390 varas point in valley --- at 1490 varas West foot of another hill --- at 1843.5 varas set a 60d hub nail in a rock mound on top of hill --- at 1900.8 varas set a concrete monument on a rocky, thickly cedar covered hill, 15 varas West of its East edge, for the SE corner of this section No. 5, stamped its brass plate in top as is represented in the figure above, from which a letter "X" and a letter "F" cut on the faces of fixed rocks bear respectively N 53° 41' E 37.0 varas and S 29° 13' W 28.0 varas; the approximate center of a cedar knoll bears N 9° W about 200 varas; a 5-inch mesquite marked "T" bears S 79° 21' W 21.3 varas; an old stone mound of nine stones on the East slope of a low cedar covered hill, identified as the original SE corner of this section No. 5, bears South 125.3 varas and East 7.6 varas.

Thence N 0° 59' 33" E 1930.9 varas to the SW corner of section No. 1 and the SE corner of section No. 2.

Thence N 89° 00' 27" W 1900.8 varas to the SE corner of section No. 3 and the NE corner of section No. 4.

Thence S 0° 59' 33" W 1930.9 varas to the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 371
This 4th day of August, 1937.

Orig. in Bk.UT, Vol.11,p 339,G.L.O.

For Plat see General Sketch in The State of Texas SECTION No. 6
Crockett County.

U T CROCKETT County BLOCK No. 51

T T T 5 6 7 B 51

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15° East.

True North is 0° 25° 15" to the right of the North point used in the Field notes of this survey.

Said survey is situated in CROCKETT County, Texas,

on the drainage of Howard Creek, a tributary of Pecos River, about 21 miles N 33°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 1, 2, and 5.

Thence S 0° 59' 33" W 1930.9 varas to the concrete monument set for the SE corner of section No. 5, situated on a hill thickly covered with cedar, 15 varas West of its East edge, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X" and a letter "F" cut on the faces of fixed rocks bear respectively N 53° 41' E 37.0 varas and S 29° 13' W 28.0 varas; the approximate center of a cedar knoll bears N 9° W about 200 varas; a 5-inch mesquite marked "T" bears S 79° 21' W 21.3 varas; an old stone mound of nine stones on the East slope of a low cedar covered hill, identified as the original SW corner of this section No. 6, bears South 125.3 varas and East 7.6 varas.

Thence S 89° 00' 27" E --- at 155.4 varas pass through a 36-inch net wire fence having 2 barbed wires above the net --- at 646.1 varas set a 60d hub nail in a small rock mound on top of a cedar covered hill --- at 712 varas cross a road running NE and SW --- at 1188.7 varas and at 1738.9 varas set 60d hub nails in rock mounds, the first being on the South slope, the second on top of cedar covered hills --- at 1900.8 varas strike the SW corner and the NW corner respectively of sections Nos. 6 and 15, Block 46, University Land, from which point an old rock mound with a large triangular stone standing on end in center, identified as the original SE corner of this section No. 6, bears South 106.7 varas and East 101.8 varas.

Thence N 0° 59' 33" E 1930.9 varas to the SW corner of section No. 5, Block 46, and the SE corner of section No. 1, this Block.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc_1 page 372

This hth day of August, 1937.

Orig. in Bk.UT, Vol.11,p 340,G.L.O.

Vol.12, G.L.O.; and in Vol.C-2, The State of Texas

U 6 51

CROCKETT

650.1

SECTION No. 7

County | BLOCK No. 51

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

11° 15' East. h is 0° 25' 15" to the True North is

right

of the North point used in

the Field notes of this survey.

Said survey is situated in Howard CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

on the drainage of about 21 miles N 34°W of Ozona, the County Site.

Beginning at the West common corner of sections Nos. 6 and 15, Block 46, University Land, being also the SE corner of section No. 6, this Block, from which point an old stone mound of nine stones, having in its center a large triangular stone set on end, identified as the original NE corner of this section No. 7, bears South 106.7 varas and East 101.8 varas.

Thence S 0° 59' 33" W --- at 1930.9 varas the NW corner of section No. 16, Block 46.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW comer of this section No. 7.

Thence N 0° 59' 33" E 1930.9 varas to the concrete monument set 15 varas West of the East edge of a hill thickly covered with cedar for the SE corner of section No. 5, being the SW corner of section No. 6 and the NW corner of this section No. 7, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X" and a letter "E" out on the faces of fixed rocks hear respectively. and a letter "F" cut on the faces of fixed rocks bear respectively N 53° 41' E 37.0 varas and S 29° 13' W 28.0 varas; the approximate center of a cedar knoll bears N 9° W about 200 varas; a 5-inch mesquite marked "T" bears S 79° 21' W 21.3 varas; an old stone mound of nine stones on the East slope of a low cedar covered hill, identified as the original NW corner of this section No. 7, bears South 125.3 varas and East 7.6 varas.

Thence S 89° 00' 27" E --- at 155.4 varas pass through a 36-inch net wire fence having 2 barbed wires above the net --- at 646.1 varas pass a 60d hub nail in a small rock mound on top of a cedar covered hill --- at 712 varas cross a road running NE and SW --- at 1188.7 varas and at 1738.9 varas pass 60d hub nails in rock mounds, the first being on the South slope, the second on top of cedar covered hills --- at 1900.8 varas the place of beginning.

Surveyed March 7, 1934.

Lith

This

Robert A. Leidecker Chainmen. Jim Howard King Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 373 day of August, 1937.

Orig. in Bk.UT, Vol. 11, p 341, G.L.O.

For Plat see General Sketch in Vol. 12. G.L.O.; and in Vol. C-2, The State of Texas Crockett County.

SECTION No. 8

Vol. 12. G.L.O.; and in Vol. C. Crockett County.

U T

5 6
8 7

B 51

CROCKETT County BLOCK No. 51

FIELD NOTES of a survey of

650.1 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 15 East.

True North is 0° 25' 45" to the the Field notes of this survey.

right of the No

: · · · //k ...

of the North point used in

Said survey is situated in CROCKETT County, Texas, on the drainage of Howard Creek, a tributary of Pecos River, about 21 miles N 37°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 5, 6, and 7, this Block, being a concrete monument set 15 varas West of the East edge of a hill thickly covered with cedar, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X" and a letter "F" cut on the faces of fixed rocks bear respectively N 53° 41' E 37.0 varas and S 29° 13' W 28.0 varas; the approximate center of a cedar knoll bears N 9° W about 200 varas; a 5-inch mesquite marked "T" bears S 79° 21' W 21.3 varas; an old stone mound of nine stones on the East slope of a low cedar covered hill, identified as the original NE corner of this section No. 8, bears South 125.3 varas and East 7.6 varas.

Thence S 0° 59' 33" W 1930.9 varas to the SW corner of said section No. 7.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SE corner of this section No. 8.

Thence N 0° 59' 33" E 1930.9 varas to the SE corner of section No. 4 and the SW corner of section No. 5, from which point an old stone mound of five large stones in a smooth valley about 10 varas NW of the foot of a hill, identified as the original NW corner of this section No. 8, bears South 149.3 varas and West 75.8 varas.

Thence S 89° 00' 27" E --- at 97.9 varas pass a 60d hub nail in a rock mound from which a windmill near a stone tank bears N 43° 54' 27"W --- at 198 varas cross a North-South road --- at 225 varas cross another old North-South road deeply rutted --- at 561.8 varas pass another 60d hub nail in a rock mound on top of hill --- at 840 varas point at the East foot of the hill --- at 1390 varas point in valley --- at 1490 varas West foot of another hill --- at 1843.5 varas pass a 60d hub nail in a rock mound on top of hill --- at 1900.8 varas the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 374.

This out the day of August, 1937.

Orig. in Bk.UT, Vol.11,p 342,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas CROCKETT B 51

County | BLOCK No. 51

SECTION No. 9

FIELD NOTES of a survey of

ACRES of land made for THE 655.8

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' East. Mag. Declination

True North is 0° 26' 15" to the

right

of the North point used in

the Field notes of this survey.

Said survey is situated in

CROCK ETT

County, Texas,

on the drainage of Howard Creek, a tributary about 22 miles N 38°W of Ozona, the County Site. Creek, a tributary of Pecos River,

Beginning at the common corner of sections Nos. 4, 5, and 8, this Block, from which point an old stone mound of five large stones in a smooth valley about 10 varas NW of the foot of a hill, identified as the original NE corner of this section No. 9, bears South 149.3 varas and West 75.8 varas.

Thence S 0° 59' 33" W 1930.9 varas to the SW corner of said section No. 8.

Thence N 89° 00' 27" W 1927.0 varas to an old stone mound of six rocks promiscuously scattered, in a mesquite covered valley, identified as the original SW corner of this section No. 9.

Thence N 1° 33' 13" E --- at 82 varas approach the South foot of a hill --- at 352 varas top of same hill --- at 550 varas North foot of same hill --- at 680 varas point in valley thickly covered with large mesquite trees --- at 1050 varas South foot of another hill --- at 1075 varas cross a small drain running West --- at 1100 varas foot of another hill --- at 1220 varas top of hill --- at 1486 varas North foot of hill --- at 1700 varas top of another hill --- at 1930.9 varas strike the brass plate cemented between two large rocks on the first ledge up from the NE foot of a rocky, cedar covered hill, the SW corner of section No. 4, this Block, being the NW corner of this section No. 9, the brass plate having been stamped as is represented in the figure above, from which a letter "U" and a letter "F" cut on the faces of fixed rocks bear respectively S 6° 21' W 20.8 varas and S 53° 12' W 9.6 varas; a windmill at a ranch house bears N 25° 15'27"W; an 8-inch mesquite marked "T" bears N 73° 01' E 33.7 varas.

Thence S 89° 00' 27" E --- at 32.5 varas cross the head of a drain running North --- at 279.5 varas and at 366.4 varas pass 60d hub nails in small rock mounds, the first being on top of a low hill --- at 782 varas cross another drain running North --- at 994.8 varas pass another 60d hub nail in a small rock mound under a double post, 3-wire power line coursing N 37° 43' 27" W - S 37° 43' 27" E, from which hub a windmill near a stone tank bears N 69° 51' 33" E --- at 1399.2 varas pass another 60d hub nail in a rock mound on the North end of a low cedar covered hill --- at 1756 varas cross a road running NE and SW --- at 1908.0 varas the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Zona, Texas, Crockett County in Book UT Vol. C-1 page 375

day of August, 1937.,

Orig. in Bk.UT, Vol.11,p 343,G.L.O.

G.L.O.; and in Vol. C-Z, he State of Texas For Plat see General Sketch in U

10 15 B 51

CROCKETT

County

BLOCK No.

SECTION No. 10

FIELD NOTES of a survey of

654.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' East. th is 0° 26' 15" Mag. Declination True North is the Field notes of this survey.

Said survey is situated in

to the

of the North point used in right

CROCKETT Creek, a tributary of Peccs River,

County, Texas,

on the drainage of Howard about 21 miles N 40°W of Ozona, the County Site.

Beginning at the SW corner of section No. 9, this Block, being an old stone mound of six stones promiscuously scattered, being in a valley thickly covered with large mesquite trees, identified as the original NW corner of this section No. 10.

Thence S 0° 48' 43" W --- at 62.3 varas point on the North foot of a hill --- at 436.3 varas top of the same hill --- at 875.3 varas foot of hill --- at 1102.3 varas point in valley --- at 1352.3 varas North foot of another hill --- at 1921.3 varas strike an old stone mound of six rocks on the East side of a cedar covered hill, identified as the original SW corner of this section No. 10.

Thence S 89° 00' 27" E --- at 15.2 varas set a concrete monument as witness, stamped its brass plate in top as is represented in the figure above, from which a windmill at the Clifton Brooks Ranch bears S 88° 59' 27" E; a letter "F", a letter "X", and a letter "T" cut on the faces of fixed rocks bear respectively S 82° 41' E 38.2 varas, S 29° 17' W 10.7 varas, and N 21° 56' E 8.1 varas --- at 223 varas point on the SE foot of a hill --- at 1113 varas cross a North-South road in valley --- at 1132 varas point on the West foot of a low cedar covered rocky hill --- at 1366.5 varas set a 60d hub nail in a rock mound on the South side of a hill --- at 1857 varas point on the West foot of a low cedar covered rocky hill --- at 1920.9 varas point on a rocky cedar covered hill for the SE corner of this section No. 10. a rocky cedar covered hill for the SE corner of this section No. 10.

Thence N 0° 59' 33" E 1921.3 varas to the South common corner of sections Nos. 8 and 9.

Thence N 89° 00' 27" W 1927.0 varas to the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.c-1 page 376
This 4th day of August, 1937.

Orig. in Bk.UT, Vol.11, p 344, G.L.O.

For Plat see General Sketch in Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas

SECTION No. 11

U 11 12

13

51

14

B

CROCKETT County | BLOCK No.

FIELD NOTES of a survey of 646.9

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East. True North is 0° 25" 45" to the

right

of the North point used in

the Field notes of this survey. Said survey is situated in on the drainage of

CROCKETT

County, Texas,

Howard Creek, a tributary of Pecos River, about 20 miles N 38°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 8, 9, and 10.

Thence S 0° 59' 33" W 1921.3 varas to a point on a cedar covered rocky hill, the SE corner of said section No. 10.

Thence S 89° 00' 27" E --- at 286.2 varas and at 372.9 varas set 60d hub nails in small rock mounds, the first being on top, the other on the East side of a hill --- at 587 varas point on the NE foot of a hill --- at 762 varas cross a drain running SE, just below its source --- at 917 varas point on the West foot of a hill --- at 1162.3 varas and at 1339.7 varas set 60d hub nails in small rock mounds --- at 1547 varas point at the East foot of a hill --- at 1900.8 varas set a concrete monument for the SE corner of this section No. 11, situated on the SW foot of a rocky cedar covered hill on the East edge of a drain running South, stamped its brass plate in top as is repersented in the figure above, from which a windmill at the Clifton Brooks Ranch bears S 88° 57' 27" E; another windmill at the L. D. Brooks Ranch bears S 74° 46' 27" E; another windmill bears S 49° 23' 33" W; a 4-inch mesquite marked "X" bears S 72° 46' W 124.0 varas.

Thence N 0° 59' 33" E 1921.3 varas to the SW corner of section No. 7 and the SE corner of section No. 8.

There N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker (Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol.C-1 page 37
This 4th day of August, 1937.

Orig. in Bk.UT, Vol.11,p 345,G.L.O.

Vol. 12, G.L.O.; and in Vol.C-2, The State of Texas

SECTION No. 12 County | BLOCK No. CROCKETT

11 12 14 13 51

FIELD NOTES of a survey of bit. 64.6.9 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination

Clination 11° 15' East.

True North is 0° 25' 15" to the right the Field notes of this survey.

of the North point used in

CROCKETT County, Texas, Said survey is situated in Howard on the drainage of Creek, a tributary of Pecos River,

about 20 miles N 36°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 7, 8, and 11, this Block.

Thence S 0° 59' 33" W 1921.3 varas to the concrete monument set at the SW foot of a rocky cedar covered hill on the East edge of a drain running South for the SE corner of said section Ng. 11, its brass plate in top having been stamped as is represented in the figure above, from which a windmill at the Clifton Brooks Ranch and another at the L. D. Brooks Ranch bear respectively S 88° 57' 27" E and S 74° 46' 27" E; another windmill bears S 49° 23' 33" W; a 4-inch mesquite marked "X" bears S 72° 46' W 124.0 varas.

Thence S 89° 00' 27" E --- at 118.6 varas pass through a 36-inch net wire fence having 2 barbed wires above the net, coursing N 9° 05' 27" W - S 9° 05' 27" E --- at 119.9 varas set a 60d hub nail in a rock mound on the South point of a low hill --- at 266.9 varas pass under a double post, 3-wire power line, coursing N 37° 43' 27" W - S 37° 43' 27" E --- at 284 varas cross a drain running SW --- at 685.9 varas set another 60d hub nail in a rock mound --- at 1534 varas cross a road running NW and SE --- at 1900.8 varas strike the West common corner of sections Nos. 16 and 25, Block 46, University Land.

Thence N 0° 59' 33" E 1921.3 varas to the SW corner of section No. 15, Block 46, and the SE corner of section No. 7, this Block.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Chainmen. Jim Howard King Transitman. Norris B. Creath

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett, County in Book UT Vol. C-1 page 378 4th day of August, 1937.

Orig. in Bk.UT, Vol.11, p 346, G.L.O.

Vol. 12, G.L.O.; and in Vol. C-Z, he State of Texas 11 12 14 13

SECTION No. 13

CROCKETT

County | BLOCK No.

FIELD NOTES of a survey of

643.8

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.
True North is 0° 25' 15" to the

51

right

of the North point used in

the Field notes of this survey.

B

Said survey is situated in on the drainage of Howard CROCKETT

County, Texas,

Creek, a tributary of Pecos River,

about 19 miles N 38°W of Ozona, the County Site.

Beginning at the West common corner of sections Nos. 16 and 25, Block 46, University Land, being also the SE corner of section No. 12, this Block, for the NE corner of this section No. 13.

Thence S 0° 59' 33" W 1912.1 varas to the NW corner of section No. 26, Block 46.

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 13.

Thence N 0° 59' 33" E 1912.1 varas to the concrete monument set on the SW foot of a rocky cedar covered hill on the East edge of a drain running South for the SE corner of section No. 11, being the SW corner of section No. 12, the brass plate in top of which monument having been stamped as is represented in the figure above, from which a windmill at the Clifton Brooks Ranch and another at the L. D. Brooks Ranch bear respectively S 88° 57' 27" E and S 74° 46' 27" E; another windmill bears S 49° 23' 33" W; a 4-inch mesquite marked "X" bears S 72° 46' W 124.0 varas.

Thence S 89° 00' 27" E --- at 118.6 varas pass through a 36-inch net wire fence having 2 barbed wires above the net, coursing N 9° 05' 27" W - S 9° 05' 27" E ---- at 119.9 varas pass a 60d hub nail in a rock mound on the South point of a low hill --- at 266.9 varas pass under a double post, 3-wire power line, coursing N 37° 43' 27" W - S 37° 43' 27" E --- at 284 varas cross a drain running SW --- at 685.9 varas pass another 60d hub nail in a rock mound --- at 1534 varas cross a road running NW and SE --- at 1900.8 varas the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Volc-1 page 379 day of August, 1937. 4th

Orig. in Bk.UT, Vol.11,p 347,G.L.O.

SECTION No. 14

Vol. 12. G.L.O.; and in Vol.C-2, The State of Texas U T 11 12 14 13 51

County | BLOCK No. CROCKETT

FIELD NOTES of a survey of

ACRES of land made for THE 643.8

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East.

True North is 0° 25' 45" to the right

of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard about 20 miles N 40°W of Ozona, the County Site.

CROCKETT Creek, a tributary of Pecos River,

County, Texas,

Beginning at a concrete monument set at the SW foot of a rocky cedar covered hill on the East edge of a drain running South for the SE corner of section No. 11, being the SW corner of section No. 12 and the NW corner of section No. 13, its brass plate in top having been stamped as is represented in the figure above, from which a windmill at the Clifton Brooks Ranch and another at the L. D. Brooks Ranch bear respectively S 88° 57' 27" E and S 74° 46' 27" E; another windmill bears S 49° 23' 33" W; a 4-inch mesquite marked "X" bears S 72° 46' W 124.0 varas.

Thence S 0° 59' 33" W 1912.1 varas to the SW corner of said section

Thence N 89° 00' 27" W 1900.8 varas to a point for the SW corner of this section No. 14.

Thence N 0° 59' 33" E 1912.1 varas to a point on a rocky cedar covered hill, the SE corner of section No. 10 and the SW corner of section No. 11.

Thence S 89° 00' 27" E --- at 286.2 varas and at 372.9 varas pass 60d hub nails in small rock mounds, the first being on top, the other on the East side of a hill --- at 587 varas point on the NE foot of a hill --- at 762 varas cross a drain running SE, just below its source --- at 917 varas point on the West foot of a hill --- at 1162.3 varas and at 1339.7 varas pass 60d hub nails in small rock mounds --- at 1547 varas point at the East foot of a hill --- at 1900.8 varas the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 380

This 4th day of August, 1937.

Orig. in Bk.UT, Vol.11, p 348, G.L.O.

SECTION No. 15

For Plat see General Sketch in The State of Texas U 10 15 B 51

County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

11° 15' East. Mag. Declination

0° 26' 15" to the right True North is

of the North point used in

the Field notes of this survey.

Block.

Said survey is situated in on the drainage of Howard Creek, a tributary about 20 miles N 43°W of Ozona, the County Site.

CROCKETT

CROCKETT

647.0

County, Texas,

Creek, a tributary of Pecos River,

Beginning at a point on a rocky cedar covered hill, the SE, the SW, and the NW corner respectively of sections Nos. 10, 11, and 14, this

Thence S 0° 59' 33" W 1912.1 varas to the SW corner of said section No. 14.

Thence N 89° 00' 27" W 1899.7 varas to an old stone mound of six rocks West of the South end of a rocky ridge extending NW and SE, identified as the original SW corner of this section No. 15.

Thence N 0° 21' 23" E --- at 59 varas South foot of a ridge --- at 319 varas top of a hill --- at 503 varas North foot of a hill --- at 585 varas center of a narrow valley --- at 638 varas South foot of another ridge --- at 967 varas North foot of the same ridge --- at 1065 varas point in another valley --- at 1265 varas South foot of another ridge --- at 1661 varas top of ridge --- at 1912.2 varas strike the old stone mound of six rocks on a hill, identified as the NW corner of this section No. 15, and the SW corner of section No. 10.

Thence S 89° 00' 27" E --- at 15.2 varas pass a concrete monument set as witness, stamped its brass plate in top as is represented in the figure above, from which a windmill at the Clifton Brooks Ranch bears S 88° 59' 27" E; a letter "F", a letter "X", and a letter "T" cut on the faces of fixed rocks bear respectively S 82° 41' E 38.2 varas, S 29° 17' W 10.7 varas, and N 21° 56' E 8.1 varas --- at 223 varas point on the SE foot of a hill --- at 1113 varas cross a North-South road in valley --- at 1132 varas point on the West foot of a low cedar covered rocky hill --- at 1366.5 varas pass a 60d hub nail in a rock mound on the South side of a hill --- at 1857 varas point on the West foot of a low cedar covered rocky hill --- at 1920.9 varas the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1page 381 day of August, 1937.

Orig. in Bk.UT, Vol.11,p 349,G.L.O.

For Plat see General Sketch in The State of Texas Vol. 12, G.L.O.; and in Vol. C-2, The State of Texas B 51 UT 16

CROCKETT

SECTION No. 16

County | BLOCK No.

FIELD NOTES of a survey of

630.1

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

11° 15' Mag. Declination East.

True North is 0° 26' 15" to the right of the North point used in

the Field notes of this survey.

Said survey is situated in on the drainage of Howard Creek, a tributary about 20 miles N 44 of Ozona, the County Site.

CROCKETT

5. · · · · · · · · · · · ·

County, Texas,

Creek, a tributary of Pecos River,

Beginning at the SW corner of section No. 15, this Block, for the NW corner of this section No. 16, being the original stone mound set by Thomson in 1879 for this corner, being composed of six rocks placed in a circular position, about 50 varas South and about 100 varas West of the South end of a rocky ridge extending NW and SE.

Thence S 89° 00' 27" E 1899.7 varas to the SW corner of section No. 14.

Thence S 0° 59' 33" W 1839.7 varas to a point for the SE corner of this section No. 16.

Thence S 89° 09' 13" W --- at 1515.9 varas a point from which a steel windmill bears N 0° 50' W 32.5 varas --- at 1610 varas cross the East prong of Howard Creek, running in a general direction SW --- at 1905.1 varas set a concrete monument in the low smooth mesquite covered valley of East Howard, for the SW corner of this section No. 16, stamped its brass plate in top as is represented in the figure above, from which an 8-inch mesquite marked "F", a 6-inch mesquite marked "X", another 6-inch mesquite marked "X", and another 8-inch mesquite marked "F" bear respectively N 33° 02' E 47.4 varas, N 65° 32' E 29.0 varas, S 12° 42' W 32.1 varas, and S 43° 52' W 73.8 varas; a steel windmill near a concrete tank bears N 84° 28' E about 400 varas.

Thence N 1° 07' 43" E --- at 375 varas point in center of Midway Land --- at 1900.8 varas an old stone mound, the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 382
This 4th day of August, 1937.

Orig. in Bk.UT, Vol.11, p 350, G.L.O.

For Plat see General Sketch in 12, G.L.O.; and in Vol.C-2, The State of Texas

SECTION No. 17

County. T B 51 17 18

County | BLOCK No.

FIELD NOTES of a survey of

ACRES of land made for THE 609.I

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

0° 25' 45" to the True North is

of the North point used in right

the Field notes of this survey.

CROCKETT

County, Texas,

Said survey is situated in on the drainage of Howard

Creek, a tributary of Pecos River,

CROCKETT

about 19 miles N 43°W of Ozona, the County Site.

Beginning at the common corner of sections Nos. 14, 15, and 16, this Block.

Thence S 89° 00' 27" E 1900.8 varas to the SW corner of section No. 13.

Thence S 0° 59' 33" W 1778.6 varas set a concrete monument at the South foot of a low hill among mesquite, catclaw, and various other brush, for the SE corner of this section No. 17, stamped its brass plate in top as is represented in the figure above, from which a steel windmill near a concrete tank bears S 89° 42' 13" W about 1 3/4 miles; an 8-inch mesquite marked "X", a 6-inch mesquite marked "T", and a 7-inch double mesquite marked "F" bear respectively N 50° 09' E 50.0 varas, S 59° 06' E 40.8 varas, and S 19° 51' E 31.3 varas.

Thence S 89° 09' 13" W --- at 600 varas point in a brushy flat --- at 1133 varas cross a drain running SW --- at 1901.8 varas strike the SE corner of section No. 16.

Thence N 0° 59' 33" E 1839.7 varas to the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 383 day of August, 1937

Orig. in Bk.UT, Vol.11,p 351,G.L.O.

SECTION No. 18

County, Texas,

Vol. 12. G.L.O.; and in Vol.C-2, The State of Texas U U B B 51 B 46 51 18 18 26 17

County BLOCK No. CROCKETT

FIELD NOTES of a survey of

588.6 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Fig. #1.

Mag. Declination 11° 15' East.

True North is 0° 25' 15" to the

right of the North point used in

the Field notes of this survey. CROCKETT Said survey is situated in Creek, a tributary of Pecos River, on the drainage of Howard about 18 miles N 40°Wof Ozona, the County Site.

Beginning at the common corner of sections Nos. 13, 14, and 17, this Block.

1 3 20 00

Thence S 0° 59' 33" W 1778.6 varas to the concrete monument set for the SE corner of said section No. 17, situated at the South foot of a low hill among mesquite, catclaw, and various other brush, its brass plate in top having been stamped as is represented in figure No. 1 above, from which a steel windmill near a concrete tank bears S 89° 42' 13" W about 1 3/4 miles; an 8-inch mesquite marked "X", a 6-inch mesquite marked "T", and a 7-inch double mesquite marked "F" bear respectively N 50° 09' E 50.0 varas, S 59° 06' E 40.8 varas, and S 19° 51' E 31.3 varas.

Thence N 89° 09' 1 3 " E 1901.8 varas to the concrete monument set for the SW corner of section No. 26, Block 46, University Land, situated in a low grass covered prairie covered with mesquite, cedar, and other brush, its brass plate in top having been stamped as is represented in figure No. 2 above, from which a 6-inch mesquite marked "X", an 8-inch mesquite marked "F", and a 7-inch mesquite marked "T" bear respectively S 59° 09' W 13.5 varas, N 52° 51' W 37.2 varas, and N 40° 04' E 43.3 varas.

Thence N 0° 59' 33" E 1717.6 varas to the SW corner of section No. 25, Block 46, and the SE corner of section No. 13, this Block.

Thence N 89° 00' 27" W 1900.8 varas to the place of beginning.

Surveyed March 7, 1934.

Robert A. Leidecker Jim Howard King Norris B. Creath

Chainmen. I ransitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Ozona, Texas, Crockett County in Book UT Vol. C-1 page 384 4th day of August, 1937.

Orig, in Bk.UT, Vol.11,p 352,G.L.O.

